

AD _____

GRANT NO: DAMD17-95-1-5024

TITLE: Evaluation and Analysis of Priorities for the Defense
Women's Health Research Program

PRINCIPAL INVESTIGATOR(S): Allison A. Yates

CONTRACTING ORGANIZATION: National Academy of Sciences
Institute of Medicine
Washington, DC 20418

REPORT DATE: July 1995

DTIC QUALITY INSPECTED 2

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;
distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

19971210 064

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 1995		3. REPORT TYPE AND DATES COVERED Final (10 Jan 95 - 9 Jul 95)
4. TITLE AND SUBTITLE Evaluation and Analysis of Priorities for the Defense Women's Health Research Program			5. FUNDING NUMBERS DAMD17-95-1-5024	
6. AUTHOR(S) Allison Yates				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Academy of Sciences Institute of Medicine Washington, DC 20418			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, MD 21702-5012			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This report, prepared by an expert committee of the Institute of Medicine, identifies gaps and strengths in past and current research relating to the health and performance of military women, and provides guidance on establishing research funding priorities. Overarching recommendations deal with basic funding considerations for awards; important health questions related to racial or ethnic group membership; peer review; the promotion of information exchange; and the promotion of strong collaborative partnerships involving Department of Defense intramural efforts, established academic institutions, federal research programs, and civilian research programs. The committee recommends long-term commitment to research focused on the health of military women and the development and maintenance of databases to support this research, including longitudinal research. The committee's recommendations of specific topics for research fall into four broad areas: Major factors affecting the health and work performance of military women; psychological and health issues resulting from integration of women into a hierarchical male environment, or related to women and men living and working together in close quarters; health promotion and disease prevention; and access to and delivery of health care.				
14. SUBJECT TERMS Women's Health			15. NUMBER OF PAGES 123	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet optical scanning requirements.

Block 1. Agency Use Only (Leave blank).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. (If known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

Block 13. Abstract. Include a brief (Maximum 200 words) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (NTIS only).

Blocks 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

____ Where copyrighted material is quoted, permission has been obtained to use such material.

____ Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

____ Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

____ In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

____ For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

____ In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

____ In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

____ In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

<u>Alison Yates</u>	<u>July 1995</u>
PI - Signature	Date

INSTITUTE OF MEDICINE

Recommendations for Research on the Health of Military Women

1995



**Recommendations for Research on
the Health of Military Women**

Committee on Defense Women's Health Research

INSTITUTE OF MEDICINE

NATIONAL ACADEMY PRESS
Washington, D.C. 1995

NATIONAL ACADEMY PRESS • 2101 Constitution Avenue, N.W. • Washington, DC 20418

NOTICE: The project that is the subject of this report was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the committee responsible for this report were chosen for their special competences and with regard for appropriate balance.

This report has been reviewed by a group other than the authors according to procedures approved by a Report Review Committee consisting of members of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine.

The Institute of Medicine was chartered in 1970 by the National Academy of Sciences to enlist distinguished members of the appropriate professions in the examination of policy matters pertaining to the health of the public. In this, the Institute acts under both the Academy's 1863 congressional charter responsibility to be an adviser to the federal government and its own initiative in identifying issues of medical care, research, and education. Dr. Kenneth I. Shine is president of the Institute of Medicine.

Support for this project was provided by the United States Army Medical Research and Materiel Command Contract No. DAMD17-95-1-5024.

Additional copies of this report are available from:

U.S. Army Medical Research and Materiel Command
Attn: MCMR-PLF-DW
Building 524
Ft. Detrick, MD 21702-5024

Additional copies of *Recommendations for Research on the Health of Military Women: Bibliographies*, in electronic or published form, are available from:

U.S. Government Printing Office
Superintendent of Documents
P.O. Box 371954
Pittsburgh, PA 15250-7954
TEL: 202-512-1800

Copyright 1995 by the National Academy of Sciences. All rights reserved.

Printed in the United States of America

The serpent has been a symbol of long life, healing, and knowledge among almost all cultures and religions since the beginning of recorded history. The image adopted as a logotype by the Institute of Medicine is based on a relief carving from ancient Greece, now held by the Staatlichemuseen in Berlin.

COMMITTEE ON DEFENSE WOMEN'S HEALTH RESEARCH

- LUELLA KLEIN (*Chair*),* Charles Howard Candler Professor, Department of Gynecology and Obstetrics, Emory University School of Medicine, Atlanta, Georgia
- LINDA ALEXANDER, Director, Women's Health Program, American Social Health Association, Research Triangle Park, North Carolina
- CONNIE L. BEST, Associate Professor and Clinical Psychologist, National Crime Victims Research and Treatment Center, Medical University of South Carolina, Charleston, South Carolina
- ELSWORTH R. BUSKIRK, Professor, Pennsylvania State University, University Park, Pennsylvania
- KAY DICKERSIN, Assistant Professor, Department of Epidemiology and Preventive Medicine, University of Maryland School of Medicine, Baltimore, Maryland
- DARLENE DIXON, Veterinary Pathologist, National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina
- LLOYD C. ELAM,* Psychiatrist, Department of Psychiatry, Meharry Medical College, Nashville, Tennessee
- ANTHONY C. HACKNEY, Associate Professor, Department of Physical Education, Exercise, and Sport Science and Department of Nutrition, School of Public Health, University of North Carolina, Chapel Hill, North Carolina
- GARY D.V. HANKINS, Professor and Division Chief, Obstetrics and Maternal-Fetal Medicine, Department of Obstetrics and Gynecology, The University of Texas Medical Branch at Galveston, Galveston, Texas
- JESSE J. HARRIS, Dean, School of Social Work, University of Maryland at Baltimore, Baltimore, Maryland
- EUGENE A. HILDRETH,* Internist/Educator, Reading Hospital and Medical Center, Reading, Pennsylvania
- MARIE-LOUISE T. JOHNSON,* Clinical Professor of Dermatology, Yale University School of Medicine, New Haven, Connecticut
- LOVELL A. JONES, Professor and Director, Experimental Gynecology-Endocrinology, Department of Gynecologic Oncology, The University of Texas M.D. Anderson Cancer Center, Houston, Texas
- WILLIAM J. JUSKO, Professor of Pharmaceutics, School of Pharmacy, State University of New York at Buffalo, Buffalo, New York
- MINDY S. KURZER, Associate Professor, Department of Food Science and Nutrition, University of Minnesota, St. Paul, Minnesota

*Member, Institute of Medicine.

JUDITH H. LAROSA, Professor of Public Health, Tulane University School
of Public Health and Tropical Medicine, New Orleans, Louisiana
ROSEANN M. LYLE, Associate Professor of Health Promotion, Department
of Health, Kinesiology and Leisure Studies, Purdue University, West
Lafayette, Indiana
CHARLOTTE F. SANBORN, Director, Center for Research on Women's
Health, Texas Woman's University, Denton, Texas
SUSAN M. WATKINS, Professor, Department of Textiles and Apparel,
Cornell University, Ithaca, New York

Study Staff

ALLISON A. YATES, Division Director
CAROL W. SUTOR, Study Director
FREDERICK J. MANNING, Senior Program Officer
PAUL R. THOMAS, Senior Program Officer
CATHY T. LIVERMAN, Program Officer
CAROLYN E. PETERS, Research Assistant
LAURA A. COLOSI, Research Assistant
THOMAS J. WETTERHAN, Project Assistant
PATRICIA A. TAKACH, Project Assistant
GAIL E. SPEARS, Administrative Assistant
JAMAIN L. TINKER, Financial Associate

Preface

This report concerns a special group of women—active duty and reserve members of the U.S. Armed Forces. Their combined number approaches 350,000 and is growing. These women are vital to the conduct of military operations, and they must be fit and healthy to fulfill their military responsibilities. At the same time, they confront health risks and special situations that few other U.S. women encounter.

In response to congressional action, the Defense Women's Health Research Program was established to address the health of military women, especially as related to mission readiness, deployment, and training. This program is managed by the U.S. Army Medical Research and Materiel Command (the Command).

The Command asked the Institute of Medicine (IOM) for advice related to the program's use of the FY 1995 \$40 million appropriation. In particular, the IOM was asked to focus on two main topics: (1) gaps and strengths in past and current research relating to the health and performance of military women, and (2) guidance on establishing research funding priorities. The IOM appointed a 19-member committee with expertise in internal medicine, obstetrics and gynecology, dermatology, nursing, physiology, physical education/kinesiology, nutrition, pharmacology, psychiatry, psychology, social work, epidemiology, design of protective clothing, occupational and environmental health, and women's health. Of these committee members, eight had previous experience as a member of or a consultant to the Armed Forces. One committee member is a retired female Army officer and one is currently a female officer in the Naval Reserves and a member of the Defense Advisory Committee on Women in the Services (DACOWITS).

The committee addressed research in four general areas: clinical, occupational/environmental, physiological, and psychiatric/psychosocial issues. Part of the committee's work was conducted by working groups in those four areas. The primary focus was on the safety, health, and military effectiveness of military women, especially those deployed for training or operations in austere conditions.

The Command asked the committee to conduct an extensive search of relevant studies from the published literature and from government reports of funded research and to draw on the search results in preparing its report. The committee was further charged to recommend defense women's health research areas to be supported and to provide guidance for developing funding priorities. The extensive reference lists are included in a separate volume entitled *Recommendations for Research on the Health of Military Women: Bibliographies* and in an electronic database that also contains available abstracts. This report is to be used in the preparation of a Broad Agency Announcement about the research program and other aspects of program administration.

Because of the Command's need to disperse FY 1995 funds, the time frame for the committee's work was unusually short. Between mid-April and the end of May 1995, members assisted with the search strategies and processed large amounts of information, the working groups conferred, and the full committee met three times, deliberated, and developed its recommendations. The appendixes reflect only a portion of the information that was processed. The committee's extraordinary effort testifies to its view that the Defense Women's Health Research Program is an important program that is capable of supporting the best research and scientific effort, and is deserving of careful planning, management, and oversight.

The committee views the Defense Women's Health Research Program as an invaluable means of improving the health of military women and of women in general. The population of military women is unrivaled as a source of data that can be used to great advantage in studies to improve the short- and long-term health of young women of varied racial and ethnic backgrounds. The committee is concerned that the temporary nature of the funding limits the kinds of studies that can be undertaken. A stable funding base would permit more rigorous and longer-term studies of major impact on the health, well-being, readiness for deployment, and performance of military women, as well as providing information pertinent to the health of civilian women.

The chair and the committee are appreciative of the large staff provided to the committee. We especially wish to thank Kenneth I. Shine, IOM president; Karen Hein, executive officer; and Allison Yates, division director, who were instrumental in initiating the study. We especially appreciate the excellent work of Carol Sutor, study director, and the assistance of Rick

Manning and Paul Thomas, senior program officers; Cathy Liverman, who conducted the literature searches with assistance from librarians Laura Baird and Julie Walko; research assistants Carolyn Peters and Laura Colosi; project assistants Thomas Wetterhan and Patricia Takach; managing editor Mike Edington; and editors Florence Poillon and Linda Humphrey. We also wish to thank COL Irene Rich, Director, Research Area Directorate VI, Department of the Army, U.S. Army Medical Research and Materiel Command, for expediting information gathering, and the many members of the Armed Forces who provided information and perspectives to the committee.

The committee believes that the separately published bibliography of relevant literature and studies in progress, together with the committee's recommendations for new research, provide a useful basis for planning and implementing research for the military and civilian research communities.

Luella Klein, *Chair*

Contents

SUMMARY	1
1 INTRODUCTION AND OVERVIEW	6
Legislative Background, 6	
Special Considerations for Military Women's Health Needs, 8	
Demographics, 8	
Health-related Requirements, 10	
Health Services Provided, 12	
Health Behaviors of Military Personnel, 13	
Occupational Demands, 14	
Summary, 16	
2 METHODS	19
Information Gathering, 19	
Online Databases, 20	
Other Information Sources, 21	
Search Results, 28	
Published and Current Studies, 28	
Other Types of Information, 30	
Summary, 32	
3 CONCLUSIONS AND RECOMMENDATIONS	33
Conclusions, 33	
Overarching Recommendations, 34	
Funding Priorities, 34	
Peer Review, 35	
Military-Civilian Interactions, 36	
Recommendation for Long-Term Research on the Health of Military Women, 37	

Recommendations for Research Areas, 38

Major Factors Affecting the Health or Work Performance of
Military Women, 38

Psychological and Health Issues Resulting from Integration of
Women into a Hierarchical Male Environment and Related to
Women and Men Living and Working Together in Close
Quarters, 42

Health Promotion and Disease Prevention, 42

Access to and Delivery of Health Care, 44

Concluding Remarks, 45

Summary

Approximately 340,000 women serve in the Armed Forces. They constitute 14 percent of the total active duty personnel and 16 percent of reservists; 40 percent of these women belong to a minority group. Military women (a term that applies to both active duty servicewomen and women in the reserve component) are generally young, healthy, and fit. However, from basic training to deployment in combat, military women experience physical challenges and psychological stresses that may include overuse injuries, feelings of loneliness and isolation, exposure to environmental extremes, and sexual harassment, as well as the need to cope with military equipment, clothing, and procedures designed largely for men.

To support research aimed at addressing the health-related needs of this population, the Defense Women's Health Research Program (DWHRP) was established in FY 1994. Congress provided \$40 million to the Department of Defense (DoD) in both FY 1994 and FY 1995, with the promise of additional funding in subsequent years, for intramural and extramural research relevant to the goals of the DWHRP. Those goals relate to mission readiness, deployment, and training. The DWHRP is managed by the U.S. Army Medical Research and Materiel Command (the Command).

The Command asked the Institute of Medicine (IOM) for guidance on the use of the appropriations for the DWHRP. Particular attention was to be directed toward such topics as psychological stressors, physiological stressors, nutritional status, occupational safety issues, design of equipment and clothing, and special health care needs—all as related to servicewomen in training or deployment situations. In response, the IOM appointed a 19-member committee (1) to identify gaps and strengths in past and current research

relating to the health and performance of military women, and (2) to provide guidance on establishing research funding priorities. The study staff conducted an extensive search of relevant studies from the published literature and from government reports of currently funded research. This process is described in Chapter 2, and bibliographies of relevant published works and current studies are found in appendixes to the report. The committee reviewed the extensive bibliographies with available abstracts and used a deliberative process and collective expert opinion to develop its recommendations.

OVERARCHING RECOMMENDATIONS

The committee recommends that the following criteria be applied in setting priorities for those proposals that meet the basic funding considerations of scientific rigor and expertise of the investigators to conduct, complete, and disseminate research findings. The research problem or question should be:

1. *unique* to military women (e.g., a study of the potential reproductive toxicity of chemical weapons or medications used to counter them), or
2. especially *prevalent* among military women (e.g., a study of rapid diagnosis and treatment of sexually transmitted disease, or of stress fractures and other overuse injuries common in basic training), or
3. related to the ability of military women to *perform their mission responsibilities* (e.g., a study of the effect of premilitary abuse on response to violence and trauma).

Although the term "military women" applies to active duty servicewomen and women in the reserve component, the use of civilians or animals as subjects may be appropriate in some studies. Military women themselves are a key source of information and insights for investigators, and they should be involved in identifying their health concerns and investigating the solutions.

The committee recognizes the unusually large proportion of servicewomen from minority racial and ethnic groups. It strongly urges researchers to go beyond the statutory requirement for analysis of research by gender and minority subgroup (Defense Authorization Act for Fiscal Year 1994) and to actively promote studies that provide useful information about relationships, if any, between group membership and the health of women in the military.

To ensure maximum return for DoD's fiscal investment in women's health research, the committee proposes that rigorous peer review criteria be established and used for both intramural and extramural research.

The committee urges the Command to promote information exchange that can lead to strong collaborative partnerships involving DoD intramural efforts,

established academic institutions, federal agencies, and civilian research programs. A few examples include joint sponsorship of workshops and seminars; preparation of information packets for applicants; award of small grants explicitly to promote collaboration of outside investigators and their access to military populations; and encouragement of civilian scientists to explore opportunities for collaboration by visiting military laboratories. Furthermore, the committee urges the Command to require that intramural as well as extramural DWHRP awardees document and share their research findings by submitting manuscripts for publication in scientific, peer-reviewed journals.

RECOMMENDATION FOR LONG-TERM RESEARCH ON THE HEALTH OF MILITARY WOMEN

The committee recommends that DoD make a long-term commitment to research focused on the health of women in the military—including longitudinal studies of military women's health and the design, development, and maintenance of the databases required to support this type of research. As part of this effort, the committee further recommends continued development of both general and gender-specific databases that allow sharing of epidemiologic and other health data across the three services and with other researchers. To ensure continuity and utilization of information contained in comprehensive, large-scale databases on the health of military women, the committee recommends that the responsibility for their development and maintenance be assigned to single entities that would make information available to health facilities and clinicians in all the military services as well as to the research community.

An ongoing research program would enable DoD to take action to correct problems in women's health and women's health care that are only beginning to be recognized. With the growing proportion of women in the Armed Forces, such action would support mission readiness, mobilization, and deployment, and would promote women's health throughout their military careers and beyond. The committee recommends the formation of an ongoing Defense Women's Health Research advisory group to assist the long-term effort.

RECOMMENDATIONS FOR RESEARCH AREAS

The committee's recommendations of specific topics for research fall into four broad areas:

1. *Major factors affecting the health and work performance of military women:* Research is needed to address women's physiological, psychological, and behavioral responses to a combination of operational stressors such as extreme ambient temperature, intense physical activity, trauma, fatigue, and restrictive clothing. Women's nutrition; physical fitness; and gynecologic, reproductive, and psychological health must be studied in relation to their effects on performance of military responsibilities. Research is also needed to investigate gender-specific aspects of drug metabolism and action and to reduce limitations posed by protective clothing and equipment designed primarily for males.

2. *Psychological and health issues resulting from integration of women into a hierarchical male environment, or related to women and men living and working together in close quarters:* These issues include but are not limited to sexual harassment or physical abuse and maintaining privacy and self-respect in close quarters. Studies are needed on such topics as the extent and impact of stereotyping of military women, various aspects of physical and sexual assaults on military women, response to treatment for traumatized servicewomen, and clothing or equipment to facilitate normal elimination of body wastes.

3. *Health promotion and disease prevention:* This research area covers examination of the scientific basis, usefulness, and results of educational programs targeted to improve or maintain women's health. Among the many important topics are smoking cessation, the prevention of common problems such as vaginitis and urinary tract infections, the prevention of sexually transmitted diseases and unplanned pregnancy, the promotion of long-term bone health, the effectiveness of services' physical training and weight control programs in promoting the maintenance of fitness and body weight within specific standards throughout servicewomen's careers, and the prevalence of disordered eating and its relationship to weight and fitness standards and performance. Various aspects of occupational demands and exposures to potential health hazards (e.g., fuel vapors, electromagnetic radiation, smokes and obscurants, blast, munition residues, repetitive impact shock, prophylactic medications and immunizations, pesticides) need to be examined in relation to their effects, if any, on pregnancy outcomes.

4. *Access to and delivery of health care:* Health services research related to many aspects of the care of women in the military is clearly needed. One important area is the study of mechanisms for providing easy access to confidential, sensitive, high-quality gynecologic and reproductive care to women in field conditions. Possible approaches include the use of specially trained providers and self-care packs. Data about health care concerns and needs, obtained from the women themselves, need to be collected and analyzed. Health services research could also address the value of screening

programs (for pregnancy or sexually transmitted diseases), barriers to the use of mental health services and ways to reduce these barriers, the use of technology in delivering gender-specific care at remote sites (telemedicine), and health care requirements of women in the reserve component.

Recommendations in these four areas are described in more detail in chapter 3 of the report.

Introduction and Overview

LEGISLATIVE BACKGROUND

In recognition of the rapidly growing number of women in the country's Armed Forces and the unique challenges and stressors faced by these women, the Defense Authorization Act for Fiscal Year 1994 called on the Secretary of Defense to ensure that women and minority group service members are included in all clinical research projects in numbers sufficient to detect gender- or minority group-specific effects. It further authorized the secretary to establish a Defense Women's Health Research Center for "multidisciplinary and multi-institutional research on women's health issues related to service in the Armed Forces." Although the President's budget submission had not requested funds for such an effort, \$40 million dollars was provided in the 1994 Defense Appropriations Act.

The Secretary of Defense submitted an implementation plan to Congress in May 1994, which called for the establishment of a Defense Women's Health Research Program (DWHRP) rather than a single research center. The plan called for three major types of research: (1) epidemiologic research identifying the nature and scope of women's health issues relevant to military service, and the construction of centralized databases for this information; (2) research supporting the development of policies and standards related to training, operations, deployment, and retention; and (3) research emphasizing interventions that directly address issues impacting women's military service.

The U.S. Army was appointed the executive agent to manage the program and to maintain coordination with the other military services and federal agencies, with execution falling to the U.S. Army Medical Research and Development Command. In separate actions, the Command solicited proposals for intramural research at military laboratories and hospitals, and for

extramural research contracts with civilian institutions. The Army, Navy, and Air Force prioritized the submissions from their own facilities (with the Navy responsible for Marine Corps proposals). A tri-service panel of military medical scientists then produced an integrated priority list based on program relevance, tri-service application, critical service-unique needs, and near-term benefit to women service members. Extramural proposals underwent contracted peer review by a panel of military, government, and private sector scientists.

Of the \$40 million in funds appropriated for FY 1994, \$16 million had been awarded to 102 intramural projects (Institute of Medicine, 1995b) and \$20 million to 28 extramural projects at the completion of this report. Whereas the extramural projects were multiyear, pre-funded grants of up to four years' duration, the intramural projects had to be completed in one year.

The Defense Authorization Act for Fiscal Year 1995 directed the Secretary of Defense to continue the Defense Women's Health Program and authorized a second \$40 million (subsequently provided in the 1995 Defense Appropriations Act) for program activities, which it specified would include:

Epidemiologic research regarding women deployed for military operations including research on patterns of illness and injury, environmental and occupational hazards (including exposure to toxins), side-effects of pharmaceuticals used by women so deployed, psychological stress associated with military training, deployment, combat and other traumatic incidents, and other conditions of life, and human factor research regarding women so deployed.

Development of a data base to facilitate long-term research studies on issues related to the health of women in military service, and continued development and support of a women's health information clearinghouse to serve as an information resource for clinical, research, and policy issues affecting women in the Armed Forces.

Research on policies and standards issues, including research supporting the development of military standards related to training, operations, deployment, and retention and the relationship between such activities and factors affecting women's health.

Research on interventions having a potential for addressing conditions of military service that affect the health of women in the Armed Forces.

The Command (now renamed the U.S. Army Medical Research and Materiel Command) made several changes in its management of the FY 1995 DWHRP appropriation. Most importantly for the present study, the Institute of Medicine (IOM) was asked to serve as an independent source of advice on priorities for new research initiatives. Overall responsibility for managing the program was shifted to the director of the Command's Research Area VI, who

also oversees execution of the Army's congressionally mandated breast cancer research program. A tri-service steering committee was appointed to advise the director. Full competition was mandated for intramural as well as extramural research, with independent nongovernment peer review for both.

SPECIAL CONSIDERATIONS FOR MILITARY WOMEN'S HEALTH NEEDS

The past decade has seen steadily increasing attention to the need to include women in clinical research of all kinds. Congress mandated the inclusion of women in all clinical research projects funded by the National Institutes of Health (NIH) and the Department of Defense (DoD), and offices of women's health now exist in many federal agencies. One of the first actions taken by the Office of Research on Women's Health at NIH was to convene a major conference on opportunities in women's health research. The report of that conference set forth a comprehensive agenda for national research efforts in women's health (Office of Research on Women's Health, 1992). Some elements of that agenda have already been addressed in the 14-year, \$625 million Women's Health Initiative at NIH and the greatly enhanced funding for breast cancer research at both NIH and DoD. Nevertheless, as the legislation establishing the DWHRP suggests, women in the military are a special population in many ways and face a host of health issues unlikely to be addressed by a purely civilian research program. The following sections provide a very brief description of these women and some of the challenges they face.

Demographics

In 1995, nearly 200,000 women were on active duty in the Armed Forces—comprising approximately 14 percent of the total (except as indicated, data in this section were provided via personal communications with DoD contacts who reported their source as either their service's personnel department or the Defense Manpower Data Center). Recruiting projections envision this percentage climbing as high as 20 percent in the near future. Approximately 36 percent of the women were in the Army, 34 percent in the Air Force, 27 percent in the Navy, and 4 percent in the Marine Corps. Across the services, nearly 40 percent of active duty women were classified as belonging to a minority group (31 percent African-American, 5 percent Hispanic, 2.5 percent Asian-American/Pacific Islander, 1.5 percent Native American and other). Minority group members comprise 53 percent of Army women, with African-American women alone accounting for 44 percent.

TABLE 1-1 Number of Active Duty Women in the Four Armed Services by Age Group, February 1995

Age	Army	Navy	Marine Corps	Air Force	Total	%
≤20	9,354	10,489	2,094	8,402	30,339	15.6
21-25	23,320	15,807	2,760	19,528	61,415	31.6
26-30	14,653	9,880	1,235	13,711	39,479	20.3
31-35	11,174	8,323	896	10,832	31,198	16.1
36-40	7,145	5,236	563	8,050	20,994	10.8
41-45	2,839	2,169	161	3,343	8,512	4.4
>45	1,090	571	44	729	2,434	1.3
Total	69,548	52,475	7,753	64,595	194,371	100.0 ^a

^aMay not add to 100 because of rounding.

SOURCE: Defense Manpower Data Center.

Tables 1-1 and 1-2 show the distribution of women by age group and rank. The age distribution is a very skewed one, with women under the age of 26 making up more than half of the population and women over 40 comprising only 6 percent of active duty females. Women are as well represented in the officer ranks (12.8 percent of all officers) as they are in the enlisted (12.5 percent of all enlisted personnel). Less than half of the active duty women are married, compared with two-thirds of the active duty men. Although single parents of either sex are ineligible to *join* the Armed Forces, a 1990 study of Navy personnel estimated that 11 percent of active duty women (and about 2.6 percent of men) are single parents having one or more dependent children living with them (Thomas and Thomas, 1993).

Figures 1-1 and 1-2 provide some data on the types of jobs held by active duty female officers and enlisted women, respectively. Health care and supply/administration are the dominant occupations, but regardless of primary military occupational specialty, all military women (and men) must be ready to perform their primary tasks and other duties as assigned in conditions seldom experienced by their civilian counterparts (see section "Occupational Demands").

TABLE 1-2 Rank Distribution of Active Duty Women in the Four Services, February 1995

Service	Officers		Enlisted Personnel	
	No. Female	% Female	No. Female	% Female
Army	10,256	13.3	59,394	13.4
Navy	7,754	12.9	44,728	11.7
Marine Corps	690	3.6	7,588	4.7
Air Force	12,069	15.3	52,517	15.9
Department of Defense	30,635	12.8	163,785	12.5

SOURCE: Defense Manpower Data Center.

No description of women in the military would be complete without some consideration of the reserve components. Here, approximately 140,000 women constitute an even higher proportion of the force (16 percent) than their active duty counterparts. The Persian Gulf War showed how heavily the U.S. Armed Forces depend on reserve components to conduct large-scale military operations. Twenty percent of the force deployed to the Gulf was from the reserves, and certain wartime tasks were performed entirely by individuals and units from the reserve forces.

Health-related Requirements

Women in the military are a select population in additional ways: (1) they are a generally healthy population since they must meet a number of criteria to enter and remain in the military; and (2) all active duty personnel (and reserves, when actually on duty) receive a wide array of health services, including prescription medications, at no cost. As noted below, many of these health services are mandatory.

To enter the Armed Forces, the individual (with few exceptions, a 17- to 35-year-old with at least a high school diploma and no record of serious legal problems) must be free of contagious diseases that would be likely to endanger the health of other personnel, and free of chronic diseases, medical conditions, or physical disabilities that would preclude satisfactory completion of the required training, result in excessive time lost from duty, or put geographic limits on deployment.




FIGURE 1-1 Primary occupations of active duty women officers. SOURCE: Adapted from *Military Women in the Department of Defense*.

A complete physical examination is required every five years (more often after the age of 40) and provided to both active and reserve personnel. If a service member develops a debilitating medical, physical, or mental condition while in the service, the need for restricted duty or discharge is decided on an individual basis by a standing panel of physicians. Thus, although a person with any form of diabetes mellitus, for example, would be ineligible to enter the Armed Forces, one who develops the condition while in the service might be retained on active duty but be restricted to assignments in which a reliable supply of insulin and the means for storing it are readily available.

All service members (reserve as well as active component) are evaluated at scheduled intervals (once or twice yearly at a minimum) for compliance with weight and fitness standards established by their service. The weight standards are gender- and height-specific, while the fitness standards are gender- and age-specific. All four services assess cardiorespiratory endurance, and the Army, Navy, and Marine Corps also test strength and flexibility. A 25-year-old Army woman, for example, must perform 16 push-ups in 2 minutes, 45 situps in 2 minutes, and run 2 miles in less than 19 minutes 36 seconds, with no more than 10 minutes rest between the three component "events."




FIGURE 1-2 Primary occupations of active duty enlisted women. SOURCE: Adapted from *Military Women in the Department of Defense*.

Repeated failure to meet either weight or fitness standards results in remedial action (supervised dieting and/or exercise) and may ultimately lead to discharge.

Health Services Provided

By policy, both active duty service members and reservists are required to participate in health maintenance programs that include the following:

1. Services provided to active duty women by military medical facilities (reservists must provide documentation from a private physician):

- annual Pap smears;
- breast examinations; and
- a baseline mammogram if over age 40, routine updates thereafter, and yearly mammograms after age 50;

2. Services provided to all as necessary by military medical facilities:

- annual screening for human immunodeficiency virus and cholesterol;
- routine immunizations, annual influenza immunizations, immunization against hepatitis B if at risk because of medical responsibilities, and immunizations specific to overseas deployment; and
- random urine testing for drugs of abuse.

Counseling on family planning and contraception (and appropriate means) is offered during the annual appointment for breast examination and Pap smear, and every visit to a health care facility includes a blood pressure check and advice or referral as indicated. Brief questionnaires on smoking, drinking, and diet (Health Risk Appraisal) are also administered at least annually and used for counseling.

Health Behaviors of Military Personnel

The 1992 *Worldwide Survey of Substance Abuse and Health Behaviors Among Military Personnel* (Bray et al., 1992) asked a sample of more than 16,000 active duty service members a wide range of questions concerning their health. Unfortunately, no comparable data are available for reservists. Some of the data of special import for women's health research are summarized here. In some cases the data are not available by gender.

- More than 50 percent of all active duty service members engaged in strenuous physical activity for 20 minutes or more at least three days per week in the month preceding the survey.
- Only 9 percent of all military personnel reported being identified as overweight in the previous year.
- Nearly 100 percent of active duty women reported having a Pap smear within the past 12 months.
- Approximately 66 percent of service members recalled having their blood pressure checked in the past year, and 90 percent of those identified with hypertension were taking action to control their blood pressure.
- About 36 percent of service members recalled having their cholesterol level checked in the past year.
- Approximately 50 percent of all unmarried military individuals reported using a condom during their last sexual intercourse.
- Only 6.2 percent of DoD personnel surveyed reported illicit drug use in the previous 12 months.

Although smoking is currently banned in all DoD facilities, and all of the services offer educational and smoking cessation programs, 31 percent of

active duty females smoke, far above the Healthy People 2000 goal of 20 percent or less, and more than 17 percent are heavy smokers (one pack or more of cigarettes daily). Among civilian women, heavy smoking is less common (12 percent).

Similarly, although DoD offers health promotion and safety education programs to emphasize responsible alcohol use, 4.4 percent of female survey respondents reported heavy drinking (five or more drinks on at least one occasion per week), compared with the 3.5 percent of civilian women reported by the National Household Survey on Drug Abuse (National Institute on Drug Abuse, 1991). Of military women, 30 percent are nondrinkers—far below the proportion of abstainers among civilian women (47 percent).

A substantial number of planned and unplanned pregnancies occur in this young, healthy, fit population. Point-in-time self-report data from the Navy (Thomas and Edwards, 1989; Thomas and Thomas, 1993) have consistently shown about 8 to 9 percent of enlisted women pregnant. Navy hospital records (Calderon, 1994) on the annual number of pregnancies yield about the same 8 to 9 percent when divided by the average number of active duty Navy females. Women under age 25 accounted for almost two-thirds of pregnancies (65 percent of the total in the 1992 survey). Like their civilian counterparts (Forrest, 1994), more than half of these younger servicewomen reported that the pregnancy was unplanned, although 56 percent of those reporting an unplanned pregnancy also reported they had been using birth control, most commonly condoms or the pill.

Another frequent consequence of sex is sexually transmitted disease (STD). Preliminary results from a large-scale survey of active duty Army personnel show 18 percent of women respondents reporting at least one STD over a two-year period (Jenkins and Nannis, 1995).

Occupational Demands

Despite the advantages of being a young, healthy, fit population, military women (and their health care providers) face many challenges not generally encountered by their civilian peers. Depending on their assignment, military women may be exposed to any combination of the following conditions or situations that pose physical and psychological threats.

All military personnel initially experience the physical challenges of basic training, which may be extreme, depending on their initial fitness level. Stress fractures and other overuse injuries are common, especially among female recruits (Jones et al., 1993; Pester and Smith, 1992; Ross and Woodward, 1994). Heat injuries are a danger for much of the year, given the location of current basic training sites. Psychological stress (fear of injury or fear of failure) is introduced deliberately as part of the training, and absence from

duty, even for good medical reasons, may mean a repetition of some or all of basic training. These experiences occur far from home, friends, and family—the traditional sources of advice, encouragement, and help in difficult times.

Once through basic training, the new soldier, sailor, marine, or airman [sic] is again separated from now familiar sources of social support and faced with learning the specifics of a military specialty, often involving equipment and procedures that evolved in a completely male work force. Risk of injury is always elevated for the novice—a risk driven higher for women when clothing, equipment, tools, protective gear, and prescribed methods have been designed for men.

Deployment—whether for training, humanitarian purposes, peacekeeping missions, or combat operations—impacts on health care in a host of ways. Austere conditions are the rule, whether at field training sites in the United States, on board ships at sea, or in improvised base camps in a foreign country (U.S. General Accounting Office, 1993). Geography and weather are frequently harsh—troops arriving in Saudi Arabia at the start of the prewar buildup stepped off the plane into 125°F heat. Housing and sanitary facilities are often primitive—many Gulf War soldiers slept elbow to elbow in warehouses or tents for weeks before the war began, sharing outdoor cold water showers and hastily built plywood outhouses. Some were required to subsist for extended periods (30 to 60 days) on combat rations that were designed and tested almost exclusively with male soldiers. Once the war began, they slept in their vehicles, dug slit trench latrines, and had little or no access to shower facilities. Because transportation is critical, space and thus supplies are limited. “Bullets, beans, and bandages” are the traditional priorities, but medical care is limited by both the dispersion of troops (or ships) and by the necessity for compact, mobile facilities.

Deployment may also entail exposure to some diseases that are unfamiliar to most Americans. Leishmaniasis, a parasitic disease commonly found in the subtropics and tropics, is an example from the Persian Gulf War. Prophylactic medications (e.g., mefloquine or doxycycline in locations where malaria is endemic) and immunizations help protect American troops against many diseases endemic to overseas areas, and also against potential agents of biological warfare such as anthrax. The recent outbreak of Ebola virus in Zaire, however, illustrates the potential for unknown dangers. Each new medication and vaccine also presents a small but measurable risk of adverse effects.

Repeal of the Combat Exclusion Law opened up many dangerous jobs to women. Women are now flying combat aircraft and serving on combat ships from aircraft carriers to destroyers. Although still excluded from direct ground combat units in the Army and Marine Corps, women in combat support units will be close enough to the front lines to be endangered by enemy artillery, aircraft, SCUD missiles, and other indirect fire. Protection against chemical

warfare agents may involve prophylactic "pretreatment" with drugs such as pyridostigmine (a medication that counteracts the effects of organophosphate "nerve gas") for weeks at a time. Copious use of fuels and lubricants (with attendant exhaust), pesticides, and insecticides adds to dust and smoke as potential health hazards. As the controversy over "Persian Gulf Syndrome" shows, the danger to men, women, and fetuses from exposure to these substances, alone or in combination, is still not clear (National Institutes of Technology Assessment Workshop Panel, 1994; U.S. General Accounting Office, 1994; Institute of Medicine, 1995). Electromagnetic radiation (from laser range finders and target designators; radio-frequency, microwave, and millimeter-wave communications; and electronic warfare equipment) represents another potential military health hazard, in or out of combat environments.

Combat stress reactions and post-traumatic stress disorder (PTSD) have been major sources of morbidity in and after past conflicts. Military doctrine now recognizes that psychological symptoms are an expected consequence of witnessing or participating in the horrors of war. Much less is known about possible gender differences in the nature, intensity, and optimal treatment of such responses to stress (Baum and Grunberg, 1991; Wolfe et al., 1993).

Other psychological health issues arise from the necessity of sharing close quarters with largely male peers for extended periods. In a recent Navy study of sexual harassment (Culbertson and Rosenfeld, 1994), 44 percent of 6,300 enlisted women surveyed in 1991 reported that they had been sexually harassed during the previous 12 months. More than half of those harassed reported that they had developed symptoms such as headaches, difficulty sleeping, or nausea. As a result, 7 percent went on sick call, and 16 percent took unplanned leave, accounting for some 450,000 hours away from work.

SUMMARY

By necessity, the foregoing material represents only a brief sketch of some of the special considerations in the analysis of military women's health needs. However, it demonstrates the rationale behind congressional concern for the health of women service members, illustrates some reasons why research is needed specifically for military women, and provides an overview of some of the issues that the IOM committee considered when starting to analyze what that research should include.

REFERENCES

- Baum A, Grunberg NE. Gender, stress, and health. *Health Psychol* 1991;10:80-85.
- Bray RM, Kroutil LA, Luckey JW, Wheelless SA, Iannacchione VG, Anderson DW, Marsden ME, Dunteman GH. 1992 *Worldwide Survey of Substance Abuse and Health Behaviors Among Military Personnel*. Research Triangle Park, NC: Research Triangle Institute; 1992.
- Calderon R. Reproductive Outcomes in Navy Enlisted Women: 1982-1992. Briefing to the U.S. Navy Bureau of Medicine, March 1994.
- Culbertson AL, Rosenfeld P. Assessment of sexual harassment in the active-duty Navy. *Mil Psychol* 1994;6(2):69-93.
- Defense Authorization Act for Fiscal Year 1994 (Public Law 103-160, Section 251; 107 Stat 1606).
- Defense Authorization Act for Fiscal Year 1995 (Public Law 103-337, Section 241; 108 Stat 2663, 2701).
- Forrest JD. Epidemiology of unintended pregnancy and contraceptive use. *Am J Obstet Gynecol* 1994;170:1485-1488.
- Institute of Medicine. *Health Consequences of Service During the Persian Gulf War: Initial Findings and Recommendations for Immediate Action*. Washington, DC: National Academy Press; 1995a.
- Institute of Medicine. *Recommendations for Research on the Health of Military Women: Bibliographies*. Washington, DC: National Academy Press; 1995b. (To order an electronic or published copy, see the verso title page.)
- Jenkins PR, Nannis ED. Proposed HIV/STD Prevention Study for Active Duty Women. Provided to the committee in letter from E.D. Nannis, Henry M. Jackson Foundation, Rockville, MD; dated April 28, 1995.
- Jones B, Bovee M, Harris J, Cowan D. Intrinsic risk factors for exercise-related injuries among male and female Army trainees. *Am J Sports Med* 1993;21(5):705-710.
- National Institute on Drug Abuse. *National Household Survey on Drug Abuse: Main Findings 1990*. DHHS Publication ADM 91-1788. Washington, DC: U.S. Department of Health and Human Services; 1991.
- National Institutes of Health Technology Assessment Workshop Panel. The Persian Gulf experience and health. *JAMA* 1994;272:391-396.
- Office of Research on Women's Health. *Report of the National Institutes of Health: Opportunities for Research on Women's Health*. NIH Publication 92-3457A. Washington, DC: U.S. Department of Health and Human Services; 1992.
- Pester S, Smith PC. Stress fractures in the lower extremities of soldiers in basic training. *Orthop Rev* 1992; 21(3):297-303.
- Ross J, Woodward A. Risk factors for injury during basic military training. Is there a social element to injury pathogenesis? *J Occup Med* 1994;36(10):1120-1126.
- Thomas PJ, Edwards JE. *Incidence of Pregnancy and Single Parenthood Among Enlisted Personnel in the Navy*. NPRDC Technical Report 90-1. San Diego, CA: Naval Personnel Research and Development Center; 1989.
- Thomas MD, Thomas PJ. Surveying pregnancy and single parenthood. In: Rosenfeld P, Edwards JE, Thomas MD, eds. *Improving Organizational Surveys*. Newbury Park: Sage; 1993.

- U.S. Department of Labor. Military Women in the Department of Defense, Volume VIII, July 1990. In: Women's Bureau. *1993 Handbook on Women Workers: Trends and Issues*. Washington, DC: U.S. Department of Labor; 1994.
- U.S. General Accounting Office. *Women in the Military. Deployment in the Persian Gulf War*. GAO/NSIAD-93-93. Washington, DC: U.S. Government Printing Office; 1993.
- U.S. General Accounting Office. *Operation Desert Storm. Questions Remain on Possible Exposure to Reproductive Toxins*. GAO/PEMD-94-30. Washington, DC: U.S. Government Printing Office; 1994.
- Wolfe J, Brown PJ, Furey J, Levin KB. Development of a wartime stressor scale for women. *Psychological Assessment* 1993;5:330-335.

Methods

The committee process involved extensive information gathering; examination of citations, abstracts, and other findings; and deliberations that directed this acquisition of information and were informed in part by those findings. Recommendations are based on the collective opinion of the expert committee. Information gathering and search results are described below.

INFORMATION GATHERING

To provide a partial basis for recommendations, the committee examined results from extensive online searches of the published research literature relevant to the health of military women. To avoid making recommendations that would duplicate ongoing research, information gathering also included (1) extensive searching of current research databases; (2) contacting federal agencies and offices; and (3) contacting representatives of the Army, Navy, and Air Force. Research pertaining to breast cancer was purposely omitted, since it is the subject of a separate Department of Defense (DoD) research program. The committee advised project staff on general parameters for information gathering. Each of four working groups (clinical, occupational/environmental, physiological, and psychosocial) provided detailed guidance concerning databases, search strategies, and other aspects of data retrieval.

TABLE 2-1 Online Databases Searched**Bibliographic Databases**

Agricola
 Dissertation Abstracts
 EMBASE
 ERIC (Educational Resources Information Center)
 Health Services/Technology Assessment Research (HStar)
 Medline
 National Technical Information Service (NTIS)
 Occupational Safety and Health
 PsycInfo
 Social SciSearch
 Sociological Abstracts
 SpaceLine (in development by the National Library of Medicine)
 Sport
 Technical Report (on the Defense RDT&E^a Online System)
 Textile Technology Digest
 Toxline

Current Research Databases

CRIS/USDA (Current Research Information System)
 Federal Research in Progress
 Work Unit (on the Defense RDT&E^a Online System)

^aResearch, Development, Testing, and Evaluation.

Online Databases

Eighteen databases covering scientific research were accessed using Dialog, a commercial database vendor; the National Library of Medicine's (NLM's) Medical Literature Analysis and Retrieval System (MEDLARS); and the Defense Technical Information Center's Defense Research, Development, Testing, and Evaluation Online System (DROLS) (Table 2-1). Although there is subject and content overlap, each database searched serves a unique function, has a distinct subject emphasis that is relevant to the study, and indexes information not available elsewhere.

The committee judged that a search of citations from 1985 through the present (May 1995) would provide adequate coverage of completed research on women.

With ongoing input from committee members, the Institute of Medicine (IOM) staff used a series of search strategies (see Institute of Medicine, 1995). When available, database thesauri, including the Medical Subject Headings

(MeSH) thesaurus for Medline, were used to locate specific terms that would maximize retrieval. Free text searching was also used. When possible gaps in the research were identified and search strategies were reexamined and expanded as appropriate to determine whether those gaps were real.

Preliminary searches of the published literature were quite broad in terms of the study populations. Military personnel, working women, female athletes, or gender differences were among the possible options. After examination of preliminary search results, the committee narrowed most searches of the published literature to military personnel or military women (see Table 2-2). Searches of current research were conducted for women, generally excluding elderly women.

The broad scope of the searching resulted in retrieval of more than 5,700 citations of published works and 2,600 citations for current research. All of these citations were converted into a new format for inclusion in either the bibliographic or the current research database. Citations that were obviously not relevant to the study were deleted by project staff.

Staff implemented an indexing scheme to organize the citations for convenient use by appropriate committee members and searched the new databases in many ways. Committee members received a set of citations and abstracts for their assigned areas. Supplementary topical bibliographies with abstracts were distributed periodically. Committee members identified citations that were to be deleted because of lack of relevance to military women's health research.

At the conclusion of the study, the database covering published works contained more than 2,100 references to relevant research on women's health, and the database covering current research contained more than 1,100 references.

Other Information Sources

Project staff contacted a number of other information sources: Department of Defense personnel, federal offices and agencies (Table 2-3), the Defense Advisory Committee on Women in the Services (DACOWITS), and publications on the status of women's health in the U.S. civilian population. Background documents and listings of current studies were received from many of the contact persons. These materials were reviewed by staff and committee members for relevance to the study. In addition, the committee reviewed a copy of the interim report of the Institute for the Advancement of Social Work Research (IASWR), Defense Women's Health Research Program (DWHRP), Strategic Planning Committee. The IASWR committee developed

TABLE 2-2 Basic Search Strategies for Published Literature^a

Search Terms	Search Population					
	Military Women	All Military Personnel	Gender Differences	Women Athletes	Other Occupations	
Psychological/Psychosocial						
Post-traumatic stress disorder or PTSD or psychological stress or psychophysiological disorders		X	X		X	
Substance abuse or drug abuse or alcohol abuse or tobacco or depression or suicide	X					
Family issues or separation or isolation or combat or single parent	X					
Violence or rape or sexual assault or sexual harassment or child abuse	X					
Job stress or training stress or readiness or retention or job satisfaction or job readiness or deployment	X					
Social support or community resource or unit support	X					
Occupational/Environmental						
Occupational exposure or occupational health or hazardous substances or occupational diseases		X	X			

Neurotoxicity or reproductive toxicity or immunotoxicity or hepatotoxicity or respiratory toxicity or cardiovascular toxicity or dermatotoxicity or nephrotoxicity	X	X
Organophosphates or oil fumes or pollutants or air pollution or radiation or electromagnetic fields or pesticides or insecticides	X	X
Viruses or bacteria or protozoa or fungi or infectious agents or biologicals or communicable diseases or infectious diseases	X	
Protective devices or protective clothing or thermal properties	X	
Hyperbaric pressure or hypobaric pressure	X	X
Anthropometry or weight bearing or load bearing or equipment design or biomechanics	X	X
Athletic injuries or fractures or sprains or strains or musculoskeletal injuries	X	X

Clinical

Blood pressure or cardiovascular diseases or cholesterol or headache or migraine or breast diseases or mammograms or pulmonary diseases or respiratory diseases or immune complex diseases or skin diseases or hearing disorders or hearing loss or auditory loss or vision disorders or neuromuscular diseases or digestive system diseases	X
--	---

Continued

TABLE 2-2 Continued

Search Terms	Search Population				
	Military Women	All Military Personnel	Gender Differences	Women Athletes	Other Occupations
Clinical continued					
Sexually transmitted diseases or vaginitis or cystitis or urinary tract infections or urinary incontinence or fecal incontinence or bladder prolapse or pelvic prolapse or procidentia or cystocele or rectocele or musculoskeletal diseases or otorhinolaryngologic diseases	X				
Menstrual cycle or menstruation or menstrual disorders or contraceptive agents or birth control or fetus or fetal or pregnancy or pregnancy complications or infant or fertility or postpartum or puerperium or lactation or lactation disorders or breast feeding or infertility or gynecological disorders	X			X	
Rheumatology or arthritis or bursitis		X		X	
Telemedicine or health needs or health status or delivery of health care or health care services	X				

Physiological

Biological products or anthelmintics or antidiarrheals or anti-inflammatory agents or antidotes or antibiotics or contraceptive agents or anesthetics or bronchodilator agents or antihistamines or analgesics or estrogen replacement therapy or altitude sickness-drug therapy or vaccines or vaccination or antihypertensive agents or motion sickness-drug therapy or pharmacokinetics or pharmacodynamics or drug metabolism

X

X

Physical fitness or muscle contraction or muscles-physiology or exercise or psychomotor performance or bone density or arm-physiology or pectoralis muscles or upper body strength

X

X

Resistance training or weight training or weight lifting or postpartum fitness

X

X

Nutrition assessment or nutritional status or nutritional requirements or caloric intake or eating disorders

X

X

Vitamins or antioxidants or substrate utilization or glucose utilization or free fatty acids or nutritional supplements or calcium or iron or gastrointestinal absorption or immune function or renal function or reaction time or athlete triad or female triad

X

X

Continued

TABLE 2-2 Continued

Search Terms	Search Population				
	Military Women	All Military Personnel	Gender Differences	Women Athletes	Other Occupations
Physiological continued					
Heat-adverse effects or cold-adverse effects or hypothermia or humidity or food deprivation or hunger or water deprivation or thirst or fatigue or body temperature regulation or sleep deprivation or noise or sensory thresholds or water electrolyte imbalance or vasoconstriction or altitude or work capacity evaluation or heat exhaustion or exertion or acceleration or stress-physiological or circadian rhythm or jet lag			X		
Body weight or adipose tissue or body mass index or skinfold thickness or obesity or body composition or body fat or fat distribution or densitometry or body weight standards		X		X	
Circadian rhythm or jet lag	X			X	
Dark adaptation or sunlight or luminescence or ultraviolet light or lasers		X			

NOTE: This is a list of the primary terms used. Some terms were truncated or proximity searched to maximize retrieval. When available, database hierarchical structures were utilized (e.g., MeSH tree structures) to retrieve subordinate terms.

*For more information, see Institute of Medicine, 1995.

TABLE 2-3 Federal Agencies Contacted**U.S. Department of Agriculture**

Agricultural Research Service

National Program Staff

National Research Initiative Competitive Grants Program, Cooperative State

Research, Education and Extension Service

Food and Consumer Services

Office of Analysis and Evaluation

Department of Commerce**Department of Education****Department of Energy****Department of Health and Human Services, Public Health Service**

Agency for Health Care Policy and Research

Centers for Disease Control and Prevention

Food and Drug Administration

Maternal and Child Health Bureau

National Institutes of Health, including the Office of Women's Health Research

Office for Women's Health, Public Health Service

Substance Abuse and Mental Health Services Administration

Department of State

U.S. Agency for International Development

Department of Transportation

U.S. Coast Guard

recommendations for the inclusion of psychosocial research within a broadly defined investment strategy for the DWHRP.

Of special interest was information provided by DACOWITS. This committee of nonfederal government civilian women and men, which serves without remuneration, "... assist[s] and advise[s] the Secretary of Defense on policies and matters relating to women in the Military Services. In its advisory capacity, DACOWITS recommends measures to ensure the effective utilization of women in the Armed Forces" (U.S. Department of Defense, 1995). It develops its recommendations from formal testimony at periodic meetings and from confidential interviews with servicewomen during visits to installations across the United States and overseas. Some of the topics it addresses are related to women's health, and many DACOWITS recommendations provided perspectives that the committee considered during its deliberations.

Representatives of the Armed Forces provided several kinds of information for the committee's review:

- listings of current intramural and extramural projects funded through the DWHRP;

- reports covering other major military programs in health-related research;
- listings of clinical protocols and the clinical investigation programs of military hospitals; and
- selected demographic and health status data concerning military women (not all requested information was available).

Seventeen military and civilian representatives of the Armed Forces gave presentations to the committee and responded to immediate and postmeeting questions. Committee members also obtained anecdotal information informally from a small number of servicewomen.

SEARCH RESULTS

Published and Current Studies

Listings of relevant research results are available in electronic and published form (Institute of Medicine, 1995).¹ These include a bibliographic listing of relevant search results from the published literature, organized by topic areas that the committee judged to be especially important, and a similar listing of research in progress. Of special note is the list of the intramural and extramural research funded with FY 1994 appropriations by DWHRP.² Any studies that had not been entered in the Federal Research in Progress, Current Research Information Service, or Work Unit databases or that had not been provided by the sponsoring agency were unavailable for review by the committee and are therefore missing from these listings.

For both published and current research, citations were generally omitted if they covered health care problems that make servicewomen ineligible for deployment. Examples include chronic obstructive pulmonary disease, myocardial infarction, human immunodeficiency virus (HIV) infection, and diabetes mellitus. Many studies that dealt with the prevention of chronic diseases were included.

¹For ordering information, see the verso title page of this book.

²Information about extramural research awards was not public when *Recommendations for Research on the Health of Military Women: Bibliographies* went to press.

Limitations of the Review of Published and Current Studies

Having access only to citations and abstracts (and in some cases citations only), committee members did not attempt to assess the quality of the published or current studies. Moreover, committee members did not attempt to explore all aspects of a specific topic as would be done if they were preparing a research proposal in a specified area. Rather, they looked for information about a number of factors, including the following:

- the number of studies in an area;
- the range of studies that addressed the topic;
- the approaches used in addressing the topic;
- the extent to which women had been used as participants and results analyzed separately;
- the extent to which ethnic background was considered;
- whether the phase of the menstrual cycle was considered, if applicable;
- military relevance if not conducted with military subjects; and
- applicability to U.S. women if study participants were from other countries.

The bibliographies include some studies that are overtly flawed or that committee members considered might be seriously flawed (Institute of Medicine, 1995). The committee includes them because they are a part of the information processed. No indications of quality are to be assumed.

Uses for Listings of Published and Current Studies

Potential investigators, current investigators, and Armed Forces practitioners can all benefit from the listings of published works and the listings of research in progress (Institute of Medicine, 1995). Because of the large number of databases searched, these listings include studies that might be missed by routine searching and that might provide leads for other searches. The topical bibliographic listings provide a convenient starting point for a targeted, critical review of the literature. The topical listings of current research can stimulate communication among investigators with related interests. Review of the combination of published works and work in progress can suggest further aspects of research that have been ignored or require more attention.

Other Types of Information

Material from DACOWITS

The committee identified several recurrent, relevant recommendations in the materials from DACOWITS:³

- actions to improve the quality, availability, and affordability of child care;
- strict enforcement of a zero-tolerance policy of sexual harassment in the services and service academies, and systems to ensure its implementation;
- assessment of the need for routine obstetric and gynecologic care for servicewomen, especially those at foreign or isolated locations, and follow-up to ensure that these needs are met; and
- extension of opportunities to women in terms of positions and training.

The following concerns were among those identified during the 1994 fall DACOWITS conference visits to installations or in the special presentation for this study:

- methods of addressing women's health care that do not set women apart from men;
- various effects of unplanned pregnancies on the individual, military women, and the unit;
- various aspects of weight and physical training standards, with specific concern about disordered eating;
- fit of uniforms, boots, and masks;
- avoidance of artificial separations for the women (e.g., overconcern for special female facilities);
- methods to ensure equitable assignment to leadership, training, and career development; and
- access to the type of health care sought.

³Excerpts from "Recommendations from Defense Advisory Committee on Women in the Services (DACOWITS)," a compilation presented to the Committee on Defense Women's Health Research. Entries were from fall 1968 through fall 1994, with some gaps in the early years.

Military Health-related Databases

Military medical researchers provided an overview of databases and other sources of health information about women in the military. The first issue (April 1995) of *Medical Surveillance Monthly Report* (MSMR), an Army publication, was made available to the committee. This publication includes gender-specific data about "notifiable conditions" (including the environmental injuries of heat and cold exposure and carbon monoxide intoxication), active duty hospital sick days by diagnostic category, and notifiable sexually transmitted diseases.

MSMR draws on several major data sources:

- The Individual Patient Data System (IPDS) collects information about all hospitalizations in Army medical facilities. The Navy and Air Force use the same software to collect data from their hospitals and clinics. These databases are concerned solely with inpatients. The data from the three services are apparently not pooled (John F. Brundage, U.S. Army Center for Health Promotion and Preventive Medicine [USACHPPM], personal communication, 1995), but all are archived at the Defense Manpower Data Center in Monterey, California.
- The Army Disability Agency maintains a database on every person leaving the Army with a medical disability. This is a primarily a legal/financial document and is not routinely open to researchers.
- An extensive database on HIV-related research, including epidemiology and natural histories of HIV-positive service members. (Patient confidentiality is, of course, a major consideration in the use of the latter data, since the numbers are relatively small.)
- The Automated Central Tumor Registry. Every tumor diagnosed in an Army laboratory is automatically entered into this database.

Currently, ambulatory data are not available for research on issues of everyday importance to women's health. There is no system that collects outpatient data in the same fashion as the IPDS does for in-patients. The preventive medicine services at all Army facilities provide reports of "notifiable conditions" to USACHPPM. All but four of the facilities provide the data electronically. The Navy and Air Force have similar systems, but provide only paper reports. No other outpatient data are aggregated above the individual hospital level, despite the fact that most (if not all) Defense Department medical facilities employ a computer system called the Composite Health Care System (CHCS) to facilitate the efficient delivery of outpatient care. In effect, the CHCS was designed and is used to make clinical operations as paperless as possible; it handles prescriptions, laboratory results, radiology

consults, and referrals, among other things. A standardized computerized ambulatory data record is being developed. Although envisioned as a management tool, this data record may ultimately prove useful for research and development activities.

A number of databases are currently in the development stage with 1994 funding from the Defense Women's Health Program (see Institute of Medicine, 1995). These include a tri-service relational database to allow timely sharing of data about the incidence of illness and injury in military women among the services; a relational database, consultation, and decision-aiding system; and a database covering health issues for women aboard Navy vessels. In addition, a number of projects have been funded to survey military women concerning various aspects of their health and health care.

SUMMARY

In the short period available, the committee examined the results of extensive online database searches and other kinds of information related to the health and performance of military women. The results of the information-gathering process documented a lack of easily accessible comprehensive information about the health of these women. These results also revealed that the Defense Women's Health Research Program's first year of operation has initiated important research targeted to the health of military women, including steps to help define their health status and problems. Above all, the research findings provided an empirical guide to the committee's attempts to identify strengths and gaps in defense women's health research.

REFERENCES

- Institute of Medicine. *Recommendations for Research on the Health of Military Women: Bibliographies*. Washington, DC: National Academy Press, 1995. (To order an electronic or published copy, see the verso title page.)
- U.S. Department of Defense. Office of the Under Secretary of Defense (Personnel and Readiness). Office of Military Personnel Policy, Defense Advisory Committee on Women in the Services (DACOWITS). 1995 DACOWITS Directory. Washington, DC: U.S. Department of Defense; 1995.

Conclusions and Recommendations

Research undertaken to promote and sustain the physical and mental health of military women—both active duty and reserve—holds great promise for contributing to the military services' readiness and operational effectiveness. Moreover, the Department of Defense (DoD) affords an unrivaled opportunity to conduct research on women's health and health services because of the large number of women from different racial and ethnic groups who meet similar criteria and for whom there are similar records. The committee applauds the focus on women's health and the tri-service approach that are integral aspects of the Defense Women's Health Research Program (DWHRP).

CONCLUSIONS

Based on its broad search of bibliographic databases and other information sources, as well as its extensive deliberations, the committee affirms the importance of basic elements of DWHRP: epidemiologic research concerning the health of deployed military women, development of one or more databases to facilitate long-term research in this area, and development and support of a military women's health information clearinghouse (see chapter 1). There is clearly a need for research relating to military women's health issues, but there are also barriers to accessing data that have been collected, and the dissemination of research results has been limited. Some excellent military reports have had little dissemination beyond the military. Assuming that the experience of this committee is typical, the availability and accessibility of information need to be improved. Availability and accessibility of relevant data, including

ambulatory data on issues of everyday importance to women's health, are crucial to future planning for research.

The bibliographies prepared by the committee (Institute of Medicine, 1995) list published and current research that may be relevant to the health of military women. To keep the number of references manageable, published works have been limited almost entirely to those dealing with military personnel or female athletes. Many studies are from DoD health research programs that have used *servicemen* as subjects and provide useful information about specific topics, but the results are not necessarily transferable to *servicewomen*. Similarly, studies of female athletes may be informative but not directly applicable to military women. The listings of current relevant studies includes many that are funded by the National Institutes of Health, U.S. Department of Agriculture, or other civilian sources. Strong research programs are under way in a number of areas of women's health (e.g., sexually transmitted diseases including human immunodeficiency virus (HIV) infection, other genitourinary conditions, birth control methods, hormone replacement therapy, and the prevention of cardiovascular disease and osteoporosis). The committee concluded, however, that the active civilian research program needs to be complemented by the DWHRP. Unique features and requirements of life in the military warrant special consideration in studies of military women.

The listings of current intramural projects funded by DWHRP (Institute of Medicine, 1995), show that the program has begun to delineate health concerns of military women and to address a number of important concerns. These include but are not limited to chemoprophylaxis, exercise-induced incontinence, a variety of aspects of strength training and testing, effects of nutrition on immune status, and responses of women to a variety of stressors.

OVERARCHING RECOMMENDATIONS

Funding Priorities

The committee recognizes that research questions concerning military women's health far exceed current and future fiscal resources. Therefore, it is necessary to establish priorities to ensure the maximum utility of and return on DoD women's health research investments. Scientific rigor and the expertise of the investigators to conduct, complete, and disseminate research findings are baseline requirements for the consideration of DWHRP research proposals. Failure to meet these basic standards should disqualify proposals from further funding consideration. Basic, applied, and health services research are all acceptable if targeted appropriately.

The committee recommends that the following criteria be applied in setting priorities for those proposals that meet basic funding considerations: the research problem or question should be (1) *unique* to military women (e.g., a study of the potential reproductive toxicity of chemical weapons or medications used to counter them); (2) especially *prevalent* among military women (e.g., a study of rapid diagnosis and treatment of sexually transmitted disease); or (3) related to the capacity or limitation of military women to *perform their mission responsibilities* (e.g., a study of the effect of premilitary abuse on psychological response to violence and trauma). The term "military women" applies to both active duty servicewomen and women in the reserve component. However, depending on the research question, the use of civilians or animals as subjects may be appropriate.

The committee recognizes the unusually large proportion of servicewomen from minority racial and ethnic groups and the relative homogeneity of educational background and current economic status of servicewomen of comparable rank. It strongly urges researchers to go beyond the statutory requirement for analysis of clinical research by gender and minority subgroup (Defense Authorization Act for Fiscal Year 1994) and to actively promote studies that provide useful information about relationships, if any, between group membership and the health and performance of women in the military.

Peer Review

To ensure maximum return for DoD's fiscal investment in women's health research, the following criteria are proposed for both intramural and extramural research. Each proposal must meet the same requirements and go through peer review.

Administration

Each peer review chairperson should be a nationally recognized scientist with expertise in the field of review. This chairperson should have previous experience with national peer review processes, including the appropriate inclusion of women and minorities in clinical studies as directed by Congress.

Composition of the Peer Review Panel

Each panel should comprise members representing expertise in each of the fields of review. Panel members should represent multiple disciplines and a

wide variety of scientific, teaching, professional, and military experiences. These members should be diversified in terms of their gender and racial or ethnic backgrounds. In addition, panels should have active duty female service members with varied military experiences, whose role would be to provide the consumer's perspective and provide insight regarding health issues of importance to military women. Explicit steps should be taken to preclude personal and professional conflicts of interest.

Procedures

The peer review process should be consistent with that used by bodies such as the National Institutes of Health and the National Science Foundation. Primary and secondary levels of review should be employed when large numbers of proposals are received to ensure maximum consideration and optimal deliberation for decision making.

Military-Civilian Interactions

The committee recognizes the unique military perspectives, experiences, and resources afforded by DoD intramural research programs. To add breadth and depth and expand dissemination, the committee recommends that DoD intramural efforts increase the formation of strong collaborative partnerships with established academic institutions, federal agencies, or civilian research programs. Furthermore, the committee urges the Command to require that intramural as well as extramural DWHRP awardees document and share their research by submitting manuscripts for publication in scientific, peer-reviewed journals.

Strategies to promote information exchange that can lead to collaboration include jointly sponsoring workshops and seminars, preparing applicant information packets, encouraging civilian scientists to explore opportunities for collaboration by visiting military laboratories (perhaps in conjunction with a workshop or symposium), awarding small grants explicitly to promote collaboration with outside investigators and their access to military populations, publicizing information about the databases managed by the Defense Technical Information Center, providing easy access to the bibliographies and abstracts used in the preparation of this report, and continuing development of the military women's health information clearinghouse.

The committee further recommends continued development of databases for sharing epidemiologic and other health data across the three services and with other researchers.

The committee points out that military women themselves are a key source of information and insights of investigators, and they should be involved in identifying their health concerns and investigating the solutions.

RECOMMENDATION FOR LONG-TERM RESEARCH ON THE HEALTH OF MILITARY WOMEN

Recognizing the historical underrepresentation of women in research projects that address the health and performance of service members, the committee recommends that DoD make a long-term commitment to research focused on the health of women in the military—including longitudinal study of military women and the design, development, and maintenance of databases needed to support this type of research. Among promising topics for longitudinal research are relationships between the aging process and physical skills required in the military; risk factors for osteoporosis and measures for its prevention; relationships among weight, physical activity, and joint disease; relationships between occupational exposures and cancer; and occupational stress in relation to cardiovascular disease or psychiatric sequelae such as post-traumatic stress disorder (PTSD). As part of this long-term research effort, the committee further recommends continued development of both general and gender-specific databases that allow sharing of epidemiologic and other health data across the three services and with other researchers.

Databases and the military women's health clearinghouse that are under development will require ongoing support to provide a return on investment. To ensure continuity and utilization of the valuable and unique information contained in comprehensive, large-scale databases on the health of military women, the committee recommends that the responsibility for their development and maintenance be assigned to single entities that would provide information to health facilities and clinicians in all the military services as well as to the research community.

An ongoing program would enable DoD to take action to correct problems in women's health and women's health care that are only beginning to be recognized. With the growing proportion of women in the Armed Forces, such action would support mission readiness, mobilization, and deployment, and would promote women's health throughout their military careers and beyond.

To assist the long-term effort, the committee recommends the formation of an ongoing Defense Women's Health Research advisory group. This should be an independent, nongovernmental group that comprises (1) civilian experts in disciplines related to the health of military women and the types of research needed and (2) two active duty servicewomen (with representatives from both enlisted and officer ranks) who are not connected with any military health research programs. With input from representatives of military laboratories at

scheduled meetings or workshops, this group could perform the following functions:

- monitor and review progress of DWHRP;
- advise about research areas needing increased attention;
- advise about ways to strengthen DWHRP;
- respond to proposed approaches for studying particular health problems of military women; and
- advise about the conduct of research or the interpretation of results from selected studies.

RECOMMENDATIONS FOR RESEARCH AREAS

The committee's recommendations of specific topics of research fall into four broad areas:

1. major factors affecting the health or work performance of military women;
2. psychological and health issues resulting from integration of women into a hierarchical male environment, or related to women and men living and working together in close quarters;
3. health promotion and disease prevention; and
4. access to and delivery of health care.

The following sections elaborate on areas in which there are substantial gaps in knowledge. These areas are not intended to be all-inclusive. Breast cancer was not considered because of the separate and extensive DoD Breast Cancer Research Program.

Major Factors Affecting the Health or Work Performance of Military Women

Gynecologic and Reproductive Health. Considerable research has been conducted at military hospitals on topics related to pregnancy. Very little is being done to study the everyday aspects of the gynecologic or reproductive health of military women, especially in field conditions. Among important topics for study are the following:

- management of common gynecologic problems such as vaginitis,
- safe and feasible birth control methods in the field,

- strategies for coping with or suppressing menstruation while in a combat or field situation and their long- and short-term sequelae,
- early identification and effective treatment of sexually transmitted diseases,
- rapid and accurate pregnancy screening methods,
- the scientific basis for pregnancy and postpartum policies—e.g., policies concerning permissible occupations and activities, when to return to duty or begin special training, how long to allow for returning to weight and physical fitness that meet service standards, and lactation after return to duty. (See also the sections “Health Promotion and Disease Prevention” and “Access to and Delivery of Health Care.”)

Nutrition. Nutritional status can have significant effects on performance. Studies of female athletes show diminished capacity in women with low energy intakes and/or deficiencies of such nutrients as iron and calcium. Other studies have suggested that increased consumption of specific nutrients can improve performance. Several nutritional studies of military women are under way that focus on the identification and correction of nutritional problems adversely affecting performance and overall health. Examples of topics that need further study include:

- the nutritional status of military women, accounting for life-cycle stage, military status (i.e., basic training, active duty, reserve), and job category;
- the acceptability and actual consumption of field rations and fluids by women and factors that influence food intake in the field, such as extreme environmental conditions, menstrual status, and extreme physical activity; and
- nutrient and fluid requirements for optimal performance of specific categories of jobs, tasks, and military status, under both normal and extreme environmental conditions.

Physical Fitness. Considerable research has been completed or is in progress that investigates strategies to increase strength, fitness, and endurance as they are uniquely relevant to women’s military performance. Gaps were identified in the following areas:

- optimal physical fitness for military women, methods to achieve it efficiently, and methods to maintain physical fitness throughout military service;
- scientific basis for methods to assess fitness—to use as a basis for standards, including those for postpartum physical fitness;
- interaction of the menstrual cycle with physical training and fitness assessment;

- prevention of musculoskeletal injuries (e.g., stress fractures) related to military training and job specialties;
- safely maintaining physical fitness during pregnancy; and
- relationship of menopausal status to military physical fitness and performance.

Adaptation to Environmental and Occupational Stressors. The degree of adaptation to occupational and environmental extremes can have profound effects on performance. Some research has identified gender-specific differences in response to stressors, but continued research is required to develop methods to promote optimal performance by women exposed to occupational and environmental extremes. Because physical exertion and environmental stress interact under complex conditions in the military, both laboratory and field studies of women under meaningful military circumstances are needed in areas such as the following:

- women's physiological, psychological, and behavioral responses when exposed to operational stressors such as intense physical activity, extreme ambient environments (e.g., heat, cold, pollutants), fatigue, food restrictions, restrictive clothing, bulky or heavy equipment, or disturbances of biological rhythms;
- effects of various aspects of military life (e.g., intense, exhaustive exercise; psychological stress) on women's immune function, health-related factors that impair immune function, and external factors (e.g., nutrients, hydration, performance aids) that may afford protection from such impairment—for example, does the use of various types of contraceptive agents affect the response to stress?
- short- and long-term safety and efficacy of specific strategies for enhancing performance under stress;
- potential gender-specific effects of infectious diseases encountered primarily outside the United States (such as visceral leishmaniasis); and
- methodologies for rapid diagnosis and safe and effective treatment of unusual diseases with special emphasis on gender, pregnancy, and ethnic background.

Protective Clothing and Equipment. Few of the many studies of the development and performance of protective clothing include women at all, and almost none explore any aspect of protective clothing and equipment for women in combat. Among the critical gaps that were identified are:

- the application of anthropometric data to new approaches to sizing and to the design of end products that fit a variety of body segment combinations and body contours;
- gender and racial or ethnic differences in thermal balance when wearing body cooling and heating systems employing different media and locations on the body;
- endurance in women of various body sizes and types when loads are mounted in different configurations on various body locations; and
- methods for dealing with urination, defecation, menstrual flow, and other sanitary needs in a variety of military environments.

Drug Metabolism and Effects in Military Women. Understanding the effects of gender, ethnic background, menstrual cycle, and the interaction of these on the absorption and metabolism of drugs and their pharmacologic and adverse effects is increasing but remains limited even in the civilian population. The further interactions of stress, physical activity, and dietary changes add additional uncertainties regarding the optimal dosage and use of drugs and precautions needed for prophylaxis or therapy in military women under field-like conditions. It would be especially valuable to address these uncertainties in studies of such drugs as oral contraceptives (alone and interacting with other drugs); drugs affecting immune function (e.g., oral and inhaled corticosteroids); drugs with central nervous system effects (e.g., antianxiety, antidepressant, analgesic, and antihistamine agents); antibiotics, antimalarials, and antifungal agents; and drugs for protection against and treatment of the effects of chemical and biological weapons.

Psychological Stress. Many emotional disorders of special relevance to women (e.g., depression) are being studied extensively in the civilian sector, and these studies should aid military women as well. Other disorders, such as PTSD, have been studied primarily in military men. Several disorders and areas of psychological research are especially important to military women who are in training or deployed. These include but are not limited to the following:

- combat stress reactions or PTSD following near death, loss of friends and colleagues, or viewing and participating in violence to the enemy;
- psychological effects (e.g., phobias) related to the use of protective clothing and equipment, and ways to ameliorate them;
- impact of family issues (e.g., repeated or long periods of separation from children resulting from deployment; lack of adequate or affordable child care; concerns about family well-being; problems meeting family needs related to low income) on servicewomen under conditions such as mobilization, deployment, training, or traumatic incidents;

- identification of factors (e.g., prior history of abuse, period of association with friends lost in combat, family issues) influencing the likelihood that trauma will result in PTSD;
- methods of preparing women for gender-specific aspects of captivity; and
- factors associated with low suicide rates in the military and their possible relevance to reducing other problems

Psychological and Health Issues Resulting from Integration of Women into a Hierarchical Male Environment, or Related to Women and Men Living and Working Together in Close Quarters

The relatively recent integration of women in the military calls for study of a number of health issues related to the close living and working conditions of men and women in the military. These issues include but are not limited to sexual harassment, physical abuse, and maintaining privacy and self-respect in close quarters. Although sexual harassment is the subject of a number of studies, additional research is needed concerning methods to eliminate the problem.

Examples of specific research problems include:

- the extent and impact of sex-role stereotyping of military women by military officers, noncommissioned officers, and enlisted personnel;
- the prevalence, contributing factors, and effects of physical and sexual assaults and sexual harassment of women in the Armed Forces;
- effects of premilitary sexual abuse or violence history and military traumatic experiences on psychological health and job performance;
- outcomes of treatment for traumatized servicewomen; and
- strategies for handling sanitary needs.

Health Promotion and Disease Prevention

Despite the large amount of civilian research in health promotion and disease prevention, the military situation presents opportunities and challenges that require study. For example, the high prevalence of sexually transmitted diseases (STDs) among military women (see chapter 1) points up the urgent need to study methodologies for rapid and accurate diagnosis, single-dose treatment and preventive measures, and to study the short- and long-term impacts of STDs on military women. In the population of military women, HIV infection is primarily a sexually transmitted disease because intravenous drug abuse is uncommon, and research should focus on its prevention.

Other examples of important health promotion or disease prevention research topics include the following:

- effectiveness of health education, fitness programs, weight control programs, smoking cessation programs, alcohol treatment programs, and other educational or social marketing strategies intended to promote the health of military women;
- outcomes of efforts to improve women's ability to make informed health care decisions and to use military health care services effectively;
- prevention of vaginitis, cystitis, urinary tract infections, sexually transmitted diseases, incontinence, bladder and pelvic prolapse, procidentia, cystocele, and rectocele;
- psychological, environmental, and geographical factors that contribute to job stress and job satisfaction, such as gender role or gender conflict in occupational settings, family and parenting responsibilities, lack of adequate and affordable child care, sexual discrimination or harassment, and shift work; and
- gender-specific aspects of injury avoidance.

Further analysis of data from annual Health Risk Appraisals and the Army-Wide HIV/AIDS Risk Survey, giving special attention to racial and ethnic background, would provide important guidance for interventions aimed at smoking, drinking, poor nutrition, and risky sexual behavior.

For the general population, substantial data exist regarding adverse health consequences of weight cycling and disordered eating. Given the requirement to meet prescribed weight standards, there is a need to examine such topics as:

- the prevalence of disordered eating and its relationship to the meeting of weight and fitness standards;
- the prevalence of weight cycling in military women and the health and performance consequences of this practice;
- the scientific basis for weight and body composition standards used for induction and continuation in service (e.g., postpartum body composition standards); and
- the prevalence of menstrual dysfunction and subsequent health concerns such as stress fractures and osteoporosis.

Considerable animal research has been conducted on hazards to which military personnel may be exposed, but there is continuing need for evaluation of the extent and possible impact on women of occupational exposure to potential toxins, carcinogens, teratogens, pesticides, blast, repetitive impact shock, and electromagnetic radiation over both the short and the long term. Examples of substances include munitions residues, radioactive aerosolized

depleted uranium, single materials and mixtures of air pollutants (petroleum vapors, diesel and gasoline mixtures) similar to Persian Gulf exposures, petroleum mixtures and diesel or leaded gasoline fuels (materials used by military personnel in the Persian Gulf for unvented heating and to suppress sand and dust), and smoke (both from fires and from smoke generators).

Access to and Delivery of Health Care

Perhaps one of the most important areas for research is access to and delivery of women's health care. The committee found minimal research in this area, apart from prenatal and perinatal care. Health services research should be conducted to study the accessibility and availability of women's health services in field operations and ways that these might be improved (e.g., special training in gynecologic and reproductive health services, as noted in more detail later in this section).

One key to setting priorities for such research is obtaining input from military women about a wide range of health topics such as gender-related health concerns; coping mechanisms; sites where services are felt to be inadequate; and suggestions for health care related to training, specific job specialties, deployment, and combat operations. Which needs do women feel are currently being met, and which are not? What are their current health practices? What do they consider to be acceptable practices and interventions? What cultural differences should be considered in establishing standards and policies? Effective mechanisms are needed to collect such data from previously deployed women who are in the reserves as well as from active duty servicewomen.

The committee was concerned about reports that members of the military may fail to seek care for mental health problems for fear of adverse career impact. Topics for investigation include the following:

- effects of barriers to mental health care on mission performance;
- methods for reducing barriers to mental health care and the results of reducing them; and
- outcomes from alternative approaches to mental health care.

Other promising areas of women's health services research include the use and training of different types of health care providers in garrison and field, the expanded use of technology (including telemedicine), and comparisons of the health status of active duty and reserve women. Some of the many possible examples of studies related to health care services are listed below:

- *Comparison of a self-care program with usual medical care of women under training or field conditions:* What should gender-specific self-care packs contain (e.g., for prevention or treatment of dysmenorrhea, cystitis, vaginitis, skin irritation, heartburn, diarrhea, constipation, and respiratory infection)? How could maximum stability of those drug products be ensured in field conditions? How should self-care packs be packaged? What instructions would best promote safe and effective use of these packs?

- *Prevalence of the prescription and use of antibiotics, antianxiety drugs, and antidepressants and side effects related to their use:* How do these practices relate to work performance and the need for other health services?

- *Outcomes, including cost-effectiveness of training of general medical officers and of enlisted medical personnel to provide excellent gynecologic and reproductive health care:* How might short courses in breast examination, pelvic examination, colposcopy with appropriate biopsies, and the treatment of such conditions as cystitis, vaginitis, and dysmenorrhea increase the availability of appropriate gender-related care at remote sites? Would such courses increase the satisfaction of military women with their care? How would care provided by such specially trained personnel compare with that provided by those with usual training? Are there other ways to improve women's health care at remote sites?

- *Lack of access to pregnancy termination services* (prohibited by the FY 1979 Defense Appropriations Act): What effects does this have on women's health and retention in the military?

- *Potential effects of screening programs on women's health, evacuation numbers, and costs in recent deployments:* For example, would rapid, accurate premobilization and predeployment pregnancy testing of servicewomen have decreased problems?

CONCLUDING REMARKS

The committee commends DoD and DWHRP for the initial steps taken to develop a strong research program on the health of military women. The committee's overarching recommendations provide guidance for setting priorities and developing a strong, well-targeted program. Recommendations for research areas relate to gaps found in the research base. For maximum return of investment, the committee recommends long-term commitment to women's health research, including longitudinal studies of military women and the design, development, and maintenance of databases necessary to support this type of research. Military service records should provide an excellent basis for long-term studies of the effects of racial or ethnic background, education, economic status, weight, body mass index, fitness, job specialization, high-risk

behaviors, and other factors on the development of gynecologic problems, hypertension, diabetes, heart disease, osteoporosis and fractures, joint disease and arthritis, mental status and Alzheimer's disease, a number of cancers, and other diseases of special concern to women. Research findings could be of direct benefit not only to DoD but to the entire nation.

REFERENCES

Defense Authorization Act for Fiscal Year 1994 (Public Law 103-160, Sec. 251; 107 Stat.1606).

Institute of Medicine. *Recommendations for Research on the Health of Military Women: Bibliographies*. Washington, DC: National Academy Press; 1995. (To order an electronic or published copy see the verso title page.)


NATIONAL ACADEMY PRESS

The National Academy Press was created by the National Academy of Sciences to publish the reports issued by the Academy and by the National Academy of Engineering, the Institute of Medicine, and the National Research Council, all operating under the charter granted to the National Academy of Sciences by the Congress of the United States.

INSTITUTE OF MEDICINE

Recommendations for Research on the Health of Military Women: Bibliographies

1995



**Recommendations for Research on the Health
of Military Women: Bibliographies**

Committee on Defense Women's Health Research

INSTITUTE OF MEDICINE

NATIONAL ACADEMY PRESS
Washington, D.C. 1995

NATIONAL ACADEMY PRESS • 2101 Constitution Avenue, N.W. • Washington, DC 20418

NOTICE: The project that is the subject of the report *Recommendations for Research on the Health of Military Women* was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the committee responsible for this report were chosen for their special competences and with regard for appropriate balance.

The report to which this volume is an addendum, *Recommendations for Research on the Health of Military Women*, has been reviewed by a group other than the authors according to procedures approved by a Report Review Committee consisting of members of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The current volume of bibliographies was not subject to report review.

The Institute of Medicine was chartered in 1970 by the National Academy of Sciences to enlist distinguished members of the appropriate professions in the examination of policy matters pertaining to the health of the public. In this, the Institute acts under both the Academy's 1863 congressional charter responsibility to be an adviser to the federal government and its own initiative in identifying issues of medical care, research, and education. Dr. Kenneth I. Shine is president of the Institute of Medicine.

Support for this project was provided by the United States Army Medical Research and Materiel Command Contract No. DAMD17-95-1-5024.

Additional copies of *Recommendations on the Health of Military Women* are available from:

U.S. Army Medical Research and Materiel Command
Attn: MCMR-PLF-DW
Building 524
Ft. Detrick, MD 21702-5024

Additional copies of this volume, in electronic or published form, are available from:

U.S. Government Printing Office
Superintendent of Documents
P.O. Box 371954
Pittsburgh, PA 15250-7954
TEL: 202-512-1800

Copyright 1995 by the National Academy of Sciences. All rights reserved.

Printed in the United States of America

The serpent has been a symbol of long life, healing, and knowledge among almost all cultures and religions since the beginning of recorded history. The image adopted as a logotype by the Institute of Medicine is based on a relief carving from ancient Greece, now held by the Staatlichemuseen in Berlin.

COMMITTEE ON DEFENSE WOMEN'S HEALTH RESEARCH

LUELLA KLEIN (*Chair*),* Charles Howard Candler Professor, Department of Gynecology and Obstetrics, Emory University School of Medicine, Atlanta, Georgia
LINDA ALEXANDER, Director, Women's Health Program, American Social Health Association, Research Triangle Park, North Carolina
CONNIE L. BEST, Associate Professor and Clinical Psychologist, National Crime Victims Research and Treatment Center, Medical University of South Carolina, Charleston, South Carolina
ELSWORTH R. BUSKIRK, Professor, Pennsylvania State University, University Park, Pennsylvania
KAY DICKERSIN, Assistant Professor, Department of Epidemiology and Preventive Medicine, University of Maryland School of Medicine, Baltimore, Maryland
DARLENE DIXON, Veterinary Pathologist, National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina
LLOYD C. ELAM,* Psychiatrist, Department of Psychiatry, Meharry Medical College, Nashville, Tennessee
ANTHONY C. HACKNEY, Associate Professor, Department of Physical Education, Exercise, and Sport Science and Department of Nutrition, School of Public Health, University of North Carolina, Chapel Hill, North Carolina
GARY D.V. HANKINS, Professor and Division Chief, Obstetrics and Maternal-Fetal Medicine, Department of Obstetrics and Gynecology, The University of Texas Medical Branch at Galveston, Galveston, Texas
JESSE J. HARRIS, Dean, School of Social Work, University of Maryland at Baltimore, Baltimore, Maryland
EUGENE A. HILDRETH,* Internist/Educator, Reading Hospital and Medical Center, Reading, Pennsylvania
MARIE-LOUISE T. JOHNSON,* Clinical Professor of Dermatology, Yale University School of Medicine, New Haven, Connecticut
LOVELL A. JONES, Professor and Director, Experimental Gynecology-Endocrinology, Department of Gynecologic Oncology, The University of Texas M.D. Anderson Cancer Center, Houston, Texas
WILLIAM J. JUSKO, Professor of Pharmaceutics, School of Pharmacy, State University of New York at Buffalo, Buffalo, New York
MINDY S. KURZER, Associate Professor, Department of Food Science and Nutrition, University of Minnesota, St. Paul, Minnesota
JUDITH H. LAROSA, Professor of Public Health, Tulane University School of Public Health and Tropical Medicine, New Orleans, Louisiana
ROSEANN M. LYLE, Associate Professor of Health Promotion, Department of Health, Kinesiology and Leisure Studies, Purdue University, West Lafayette, Indiana
CHARLOTTE F. SANBORN, Director, Center for Research on Women's Health, Texas Woman's University, Denton, Texas
SUSAN M. WATKINS, Professor, Department of Textiles and Apparel, Cornell University, Ithaca, New York

Study Staff

ALLISON A. YATES, Division Director
CAROL W. SUITOR, Study Director
FREDERICK J. MANNING, Senior Program Officer
PAUL R. THOMAS, Senior Program Officer
CATHY T. LIVERMAN, Program Officer
CAROLYN E. PETERS, Research Assistant
LAURA A. COLOSI, Research Assistant
THOMAS J. WETTERHAN, Project Assistant
PATRICIA A. TAKACH, Project Assistant
GAIL E. SPEARS, Administrative Assistant
JAMAINE L. TINKER, Financial Associate

*Member, Institute of Medicine

Preface

This set of bibliographies was prepared to accompany the report *Recommendations for Research on the Health of Military Women* (Institute of Medicine, 1995).¹ That report is based on a study conducted by the Committee on Defense Women's Health Research of the Institute of Medicine on behalf of the U.S. Army Medical Research and Materiel Command (the Command), which manages the Defense Women's Health Research Program (DWHRP).

DWHRP was established in FY 1994 to support research aimed at addressing the health-related needs of military women. Congress provided \$40 million to the Department of Defense (DoD) in both FY 1994 and FY 1995, with the promise of additional funding in subsequent years, for intramural and extramural research relevant to the goals of the DWHRP. Those goals relate to mission readiness, deployment, and training.

The Command asked the Institute of Medicine for guidance on the use of appropriations for DWHRP. Particular attention was to be directed toward such topics as psychological stressors, physiological stressors, nutritional status, occupational safety issues, design of equipment and clothing, and special health care needs—all as related to servicewomen in training or deployment situations.

The Institute of Medicine appointed a 19-member committee (1) to identify gaps and strengths in past and current research relating to the health and performance of military women, and (2) to provide guidance on establishing research funding priorities. With guidance from the committee, the study staff conducted an extensive search of relevant studies from the published literature and from government reports of currently funded research. The committee reviewed the extensive bibliographies with available abstracts and used a deliberative process and collective expert opinion to develop its recommendations.

The broad scope of the searching resulted in retrieval of more than 5,700 citations of published works and 2,600 citations for current research. Citations that were obviously not relevant to the study were deleted by project staff. At the conclusion of the study, the database covering published works contained more than 2,100 references to relevant research on women's health, and the database covering current research contained more than 1,100 references. This volume lists those references.

Chapter 1 outlines the search terms and online databases used to locate relevant articles and studies. Chapter 2 is divided into two parts. Part A includes references to published literature from the civilian databases, and Part B includes references obtained through the Defense Technical Information Center's Defense Research, Development, Testing, and Evaluation Online System (DROLS). Chapter 3 is also divided into two parts. Part A provides a listing of relevant research in progress, excluding that funded by the Defense Women's Health

¹For ordering information about the report itself and about the published and electronic versions of this book of bibliographies, see the verso title page of this book.

Research Program. Part B covers the intramural research funded with FY 1994 appropriations by the Defense Women's Health Research Program.²

For both published and current research, citations were generally omitted if they covered health care problems that make servicewomen ineligible for deployment. Examples include chronic obstructive pulmonary disease, myocardial infarction, human immunodeficiency virus (HIV) infection, and diabetes mellitus. Many studies that dealt with the *prevention* of chronic diseases were included because of their relevance to the long-term health of military women.

It is hoped that potential investigators, current investigators, and Armed Forces practitioners will benefit from these bibliographies. Because of the large number of databases searched, these listings include studies that might be missed by routine searching and that might provide leads for other searches. The topical bibliographic listings provide a convenient starting point for a targeted, critical review of the literature. The topical listings of current research can stimulate communication among investigators with related interests. Review of the combination of published works and work in progress can suggest further aspects of research that have been ignored or require more attention. The electronic version of *Recommendations for Research on the Health of Military Women: Bibliographies* provides great flexibility in use of the references.

Reference

Institute of Medicine. *Recommendations for Research on the Health of Military Women*. Washington, DC: National Academy Press; 1995. (To order an electronic or published copy, see the verso title page.)

²Information about extramural research awards was not public when *Recommendations for Research on the Health of Military Women: Bibliographies* went to press.

Contents

1 SEARCH STRATEGIES	1
2 PUBLICATIONS	19
A Citations from Civilian Databases, 21	
B Reports from the Technical Reports Database—Defense Technical Information Center, 88	
3 RESEARCH IN PROGRESS	107
A Current Research, 109	
B FY 1994 Defense Women's Health Research Program Intramural Projects, 152	

Search Strategies

The following pages contain the search strategies used to retrieve citations related to the health of military women. Searches were conducted from March through May 1995. Search terms were truncated or proximity searched to maximize retrieval. When available, database hierarchical structures were utilized (e.g., MeSH tree structures) to retrieve subordinate terms. Databases were searched for publication years 1985–1995 unless otherwise noted.

The searches are organized by general subject area and bibliographic database. These pages also contain the numbers of citations retrieved (for most of the searches) using the specified search terms or combination of terms. Where the number of citations is missing, the search was so broad that the numbers would not be meaningful.

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline—Psychological Stress		
s1	stress, psychological	13,166
s2	stress disorders, post-traumatic	1,928
s3	psychophysiologic disorders	4,204
s4	s1 or s2 or s3	18,609
s5	limit to female and human	8,064
s6	s5 not (aged or child or infant or adolescence)	4,132
s7	military personnel or police or emergency medical technicians or war or combat (non-MeSH) or women, working	10,900
s8	s6 and s7	160
s9	s4 and (sex characteristics or sex factors) not (aged or adolescence or child) and human	272
s10	s8 or s9	424
NTIS—Psychological Stress		
s1	stress, psychology	2,003
s2	psychophysiology and disorder	65
s3	post traumatic stress disorder	5
s4	s1 or s2 or s3 and (woman or female or combat or military personnel)	82

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
--------------------------	--------------	--------------------------------

Medline, PsycInfo, Social SciSearch, Sociological Abstracts—Psychological Issues

s1	depression or suicide	56,481
s2	substance abuse or alcohol or drug abuse or tobacco or eating disorders	47,965
s3	separation or isolation or combat or single parent or family issues	24,126
s4	violence or rape or sexual assault or sexual harassment or child abuse	23,761
s5	social support or cohesion or community resource or unit support	21,686
s6	job stress or training stress or readiness or retention	15,757
s7	job satisfaction or job readiness or deployment or cohesion	29,617
s8	military and (women or female)	808
s9	(s1 through s7) and s8	158

ERIC—Psychosocial Issues

s1	military personnel or military training or military organizations	3,340
s2	family violence or traumatic stress	465
s3	depression or suicide or substance abuse or drug abuse	9,773
s4	retention or deployment	9,083
s5	separation or single parent	3,467
s6	s2 or s3 or s4 or s5	22,507
s7	s1 and s6	53

PsychInfo—Psychologic and Physiologic Stress

s1	temperature effects or hypothermia or food deprivation or hunger or thirst or fatigue or water deprivation or dehydration or radiation or thresholds or vasoconstriction or altitude effects or acceleration or occupational stress or environmental stress or physiological stress	23,579
s2	psychological stress or post-traumatic stress disorder or psychophysiologic stress	6,290
s3	physical fitness or physical strength or physical endurance or exercise or motor processes or activity level or motor coordination or motor skills or physical agility or physical dexterity or running or muscle tone or perceptual motor processes	29,592
s4	sexual harassment or sexual abuse or gynecological disorders or urinary function disorders or dysmenorrhea or menstrual disorders or dermatitis	33,683
s5	s1 through s4 and human sex differences and language=English and adult not (aging or elderly not child)	118

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
--------------------------	--------------	--------------------------------

Medline—Occupational Exposure

s1	occupational exposure	5,411
s2	occupational health	4,760
s3	hazardous substances	786
s4	occupational diseases	25,579
s5	combined above terms	33,500
s6	s5 and military personnel	137
s7	s5 and sex characteristics	27
s8	s6 or s7	164

Medline, Embase, NTIS—Organ Toxicity

s1	neurotox	32,865
s2	reprotox	9,282
s3	immunotox	4,203
s4	hepatotox or nephrotox	23,927
s5	respiratory tox	34,029
s6	cardiovascular tox	31,194
s7	dermatotox	8,141
s8	s1 through s7 combined	129,606
s9	s8 not animal	74,056
s10	s9 and female	4,126
s11	s9 and gender differences or sex characteristics or sex factors	57
s12	s9 and military personnel	19
s13	s11 or s12	76

Medline, Embase, NTIS, Toxline—Pollutants

s1	organophosphates/adverse effects or oil fumes/adverse effects	268
s2	pollutants or air pollution/adverse effects	4,795
s3	s1 or s2	5,046
s4	s3 and military personnel	16
s5	s3 and gender differences or sex characteristics or sex factors not (aged or child or adolescent or elderly) not (editorial or letter or news or case report)	49
s6	s4 or s5	64

Medline, Embase, NTIS—Infectious Agents and Biologicals

s1	viruses	69,124
s2	bacteria	102,360
s3	protozoa or fungi	94,807
s4	infectious agents or biologicals	2,652
s5	s1 through s4 combined	250,024
s6	s5 and military personnel	325
s7	s6 not (news or letter or editorial or case report) not (child or adolescent or elderly or aged)	259
s8	s7 and female	3

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
--------------------------	--------------	--------------------------------

Occupational Safety and Health—Occupational Exposure

s1	occupational exposure or environmental exposure or pesticides	20,619
s2	s1 or insecticides or pollutants or thermoregulation	23,193
s3	s2 or dermatologic or radiation exposure or electromagnetic fields or hyperbaric	38,408
s4	s3 or hearing impairment or noise or toxic or toxin or hypoxia	43,069
s5	s4 and sex factors and human or workers	85

SpaceLine—Occupational Exposure, Physiological Stressors

s1	(ionizing radiation or electromagnetic fields or acceleration or anti-G suits or G forces or hypoxia or anoxia or altitude or pressure or hyperbaria) and (physiological responses or health) and human	N/A ¹
----	---	------------------

Medline, Embase, NTIS, Toxline—Radiation or Biomechanics or Hyperbaric

s1	biomechanics	21,783
s2	hyperbaric	5,318
s3	electromagnetic fields/adverse effects	473
s4	radiation injuries or radiation/adverse effects	11,705
s5	pesticides/adverse effects or insecticides/adverse effects	3,314
s6	s1 through s5 combined	48,981
s7	s6 and female or woman or women	11,955
s8	s7 limited to human	9,352
s9	s8 and (gender differences or sex characteristics or sex factors or military personnel)	224
s10	s9 not (child or elderly or aged or adolescent) not (news or letter or editorial or case report)	92

Medline, Embase, NTIS—Sunlight, UV, Dark Adaptation

s1	dark adaptation or dark and health	3,309
s2	ultraviolet light and (adverse effects or health or disease)	544
s3	sunlight or lack of sun	5,564
s4	laser and (adverse effects or health or disease) not (therapy or surgery)	13,281
s5	luminescence and (adverse effects or health or disease)	1,338
s6	s1 or s2 or s3 or s4 or s5	23,863
s7	s6 not (cancer or neoplasm or vitamin D or animal)	17,077
s8	s7 and military personnel	65
s9	s8 and female	0
s10	s6 and (performance or stress)	969
s11	s10 and female	136
s12	s8 or s11 not (elderly or adolescent or child or children or infant or editorial or news or case report or letter)	98

¹N/A=Not Available

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline—Clothing and Equipment Design		
s1	protective devices	6,540
s2	clothing	3,966
s3	protective clothing	2,014
s4	equipment design	14,278
s5	s1 through s4 and military personnel	141
Medline, Embase, NTIS—Equipment Design		
s1	equipment design	16,036
s2	s1 and military personnel	39
s3	s1 and gender	24
s4	backpack design and gender	9
s5	s2 or s3 or s4 not (elderly or adolescent or child or aging or children or infant or editorial or news or letter or case report)	53
Textile Technology Digest (1991–1995)—Protective Clothing		
s1	protective clothing	2,374
s2	performance	5,339
s3	thermal properties	2,080
s4	physiological effects	957
s5	s1 through s4 and military uses or gender or female not elderly or child or adolescent	116
Medline, Embase, NTIS—Anthropometry or Weight-Bearing		
s1	anthropometry	19,505
s2	weight bearing or load bearing and capacity	207
s3	s1 or s2 and (sex characteristics or sex factors or gender differences or military personnel) not (news or letter or editorial or case report) not (child or elderly or aged or adolescent) and female or woman or women	60

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
--------------------------	--------------	--------------------------------

Medline—Adverse Effects of Pharmaceuticals

s1	biological products	66,794
s2	anthelmintics	11,652
s3	antidiarrheals	52,620
s4	anti-inflammatory agents	79,261
s5	antidotes	5,015
s6	antibiotics	110,477
s7	contraceptive agents	18,551
s8	anesthetics	39,473
s9	bronchodilator agents	36,548
s10	antihypertensive agents	52,376
s11	motion sickness/drug therapy	490
s12	s1 through s11 and adverse effects	54,052
s13	s12 and military personnel	49
s14	s12 and sex characteristics	37
s15	s13 or s14	85

Medline, Embase, NTIS—Adverse Effects of Pharmaceuticals

s1	contraceptives or analgesics or antihistamines	83,452
s2	estrogen replacement therapy or hormone replacement therapy	3,794
s3	altitude sickness and drug therapy	267
s4	vaccines or vaccination	62,578
s5	diet and drug therapy	9,614
s6	s1 through s5 combined and efficacy or efficacious	33,488
s7	pharmacokinetics	218,235
s8	pharmacodynamics	5,951
s9	drug metabolism	43,018
s10	s7 or s8 or s9 and (gender differences or sex characteristics)	308
s11	s6 or s10	33,793
s12	s11 and female	9,358
s13	s12 not (child or adolescent or elderly or infant) not (letter or news or editorial or case report)	5,543
s14	s13 and (stress or exercise or smoking or alcohol or ethanol or military personnel)	170

Medline—Musculoskeletal Injuries and Prevention

s1	athletic injuries/prevention	698
s2	fractures/prevention	1,165
s3	stress fractures/prevention	12
s4	sprains and strains/prevention	161
s5	musculoskeletal system/injuries/prevention	685
s6	s1 through s5 combined and [military personnel or sex characteristics or sex factors (limit to not aged, aging, infant, child, adolescence)] and human	26
s7	s1 or s2 or s3 or s4 or s5 and military personnel	250
s8	s6 or s7	256

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline—Strength and Fitness		
s1	physical fitness	3,089
s2	muscle contraction	26,385
s3	muscles/physiology	123,534
s4	exercise/physiology	3,972
s5	psychomotor performance	11,355
s6	bone density	4,190
s7	arm/physiology	677
s8	pectoralis muscles	546
s9	upper body strength	29
s10	combine all of the above terms	152,436
s11	combine with sex characteristics or sex factors limit to human not (aged, aging, infant, child, adolescence, amputation)	335
NTIS—Strength		
s1	performance, human or muscle contraction	11,354
s2	s1 or muscle or physiology	12,198
s3	s2 or exercise or physiology	13,472
s4	s3 or psychomotor or bone density	13,918
s5	s4 or physical fitness	14,567
s6	s5 and sex	16
Sport Database—Stressors or Physical Fitness or Health		
s1	stress fractures	416
s2	upper body strength or muscle strength	60
s3	cold or body temperature regulation or aerobic capacity or fatigue or exertion or hunger or thirst or sleep deprivation or stressors	8,747
s4	s3 and sex factor and comparative study	72
s5	nutrition assessment or nutrition status or eating disorders or caloric intake	499
s6	clothing and (sex factor or gender)	13
s7	body fat and (performance or risk factors)	165
s8	(s1 or s2 or s5 or s6 or s7) and (military personnel or sex factor)	177
s9	s8 or s3 not (elderly or child or adolescence) and language=English	106

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline, Embase, NTIS—Physical Fitness		
s1	resistance training or weight training or weight lifting	2,081
s2	contraceptives, oral or contraception	23,541
s3	s2 and (aerobic or strength)	106
s4	estrogen replacement therapy	2,653
s5	s4 and (aerobic or strength)	25
s6	postpartum and (fitness or strength or exercise or in shape)	141
s7	s1 or s3 or s5 or s6	2,343
s8	s7 and female	865
s9	s8 not (elderly or adolescent or child or aging) not (letter or case report or news or editorial) not animal	380
s10	s9 and (athlete or athletes or military personnel)	47
Medline—Nutrition		
s1	nutrition assessment	2,579
s2	nutritional status	4,014
s3	nutritional requirements	3,500
s4	caloric intake	6,741
s5	eating disorders	5,598
s6	s1 through s5 and (military personnel or female athletes or sex characteristics or sex factors) not (aged or aging or infant or child or adolescence) limit to human	274
Medline, Embase, NTIS—Nutrition		
s1	vitamins or antioxidants	101,503
s2	substrate utilization or glucose utilization or free fatty acids	11,914
s3	nutritional supplements	729
s4	calcium or iron	223,950
s5	s1 or s2 or s3 or s4	323,172
s6	s5 not animal	173,229
s7	s6 and (athlete or military personnel)	459
s8	s7 and female	193
s9	s8 not (elderly or adolescent or child) not (letter or case report or editorial or news)	112
Agricola—Nutrition		
s1	nutrition assessment or nutritional requirements	670
s2	nutritional assessment or eating disorders	1,381
s3	caloric intake or nutrient intake	4,579
s4	nutritional status	656
s5	s1 or s2 or s3 or s4 and (military personnel or athlete or sex differences) not (animal or child or elderly or adolescent)	46

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline—Operational Stressors		
s1	heat/adverse effects	1,231
s2	cold/adverse effects	844
s3	hypothermia	3,481
s4	humidity	1,564
s5	food deprivation	1,694
s6	hunger	606
s7	water deprivation	668
s8	thirst	496
s9	fatigue	2,859
s10	body temperature regulation	6,708
s11	sleep deprivation	960
s12	noise, occupational	681
s13	hearing loss, noise-induced	1,119
s14	radiation, ionizing	849
s15	sensory thresholds	9,533
s16	water electrolyte imbalance	896
s17	vasoconstriction	6,846
s18	altitude	2,223
s19	work capacity evaluation	1,506
s20	heat exhaustion	477
s21	exertion	24,663
s22	acceleration	849
s23	stress (not psychological)	7,977
s24	combines all of the above searches	64,349
s25	s24 and sex characteristics or sex factors limited to human, not (aged or child or adolescence or infant)	510
NTIS—Physiological Stress		
s1	heat or heat exhaustion or cold or hypothermia or exertion	96,297
s2	s1 or humidity or food deprivation or hunger or water deprivation	102,756
s3	s2 or noise or hearing loss or acceleration or threshold	153,133
s4	s3 or vasoconstriction or stress or radiation or altitude	290,401
s5	s4 or thirst or fatigue or sleep deprivation or body temperature	115,722
s6	s5 and women or females and sex	42
Medline, Embase, NTIS—Circadian Rhythm and Jet Lag		
s1	circadian rhythm or jet lag	24,730
s2	s1 not animal not sleep deprivation	14,550
s3	s2 and female	6,664
s4	s3 and (military personnel or athlete) not (elderly or child or adolescent or fetal) not (letter or case report or editorial or news)	110

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline, Embase, NTIS—Physiology		
s1	reaction time or motor skills	24,428
s2	female triad or athlete triad	19
s3	immune function or renal function or kidney function	41,387
s4	gastrointestinal absorption	1,515
s5	s1 or s2 or s3 or s4	67,304
s6	s5 and (athlete or military personnel)	227
s7	s6 and female	71
s8	s7 not animal not (elderly or child or adolescent) not (editorial or news or case report or letter)	44
Medline—Body Fat Assessment and Body Fat Risk Factors		
s1	body weight	32,128
s2	adipose tissue	11,927
s3	body mass index	3,367
s4	skinfold thickness	1,439
s5	obesity	12,598
s6	s1 through s5 combined	54,132
s7	s6 and military personnel	79
s8	s6 and risk factors	2,574
s9	s8 and female not (surgery or aged or aging or infant or child or adolescence) and exercise or exertion or work or performance	101
s10	s7 or s9	178
NTIS—Body Fat		
s1	body composition or body constitution or waist hip ratio	44
s2	body mass or skinfold thickness or body weight or adipose tissue	1,692
s3	risk factors	146
s4	s1 or s2 or s3 and sex	29
Medline, Embase, NTIS—Body Fat Assessment		
s1	body composition	25,676
s2	body fat or fat distribution	7,186
s3	densitometry	8,799
s4	body weight standards	79
s5	s1 or s2 or s3 or s4	38,697
s6	s5 not (adipose or body weight)	30,501
s7	obesity and drugs/adverse effects	459
s8	s6 or s7	30,951
s9	s8 not animal	21,415
s10	s9 and female	5,626
s11	s10 not (elderly or adolescent or child or infant) and athlete or military personnel	157
s12	s11 not (case report or news or letter or editorial)	133

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline, Embase, NTIS—Military Women and Athletes and Reproductive Health		
s1	menstrual cycle or menstruation	18,877
s2	menstruation disorders	4,616
s3	contraceptive agents, female or contraceptive devices, female or birth control	10,976
s4	fetus or fetal	95,430
s5	postpartum or puerperium	11,865
s6	lactation or breast feeding	28,319
s7	lactation disorders	1,143
s8	infertility, female	4,850
s9	s1 through s8 combined	177,283
s10	s9 and military women (not news or letters or editorials)	25
s11	s9 and female athletes (not news or letters or editorials)	255
Medline—Pregnancy and Infants		
s1	pregnancy complications	62,969
s2	pregnancy	135,335
s3	infant, newborn	101,254
s4	infant, newborn, diseases	26,659
s5	fertility and female	3,376
s6	combined above terms and military personnel	87
s7	combined s1 or s2 or s5 and female athletes	17
s8	combined s6 or s7	104
NTIS—Pregnancy		
s1	pregnancy or fertility or postpartum or infant	7,778
s2	s1 and military personnel	37
Medline, Embase, NTIS—Urogenital Diseases		
s1	sexually transmitted diseases	53,994
s2	vaginitis	3,659
s3	urinary tract infections	7,946
s4	cystitis or urinary incontinence	8,261
s5	urogenital diseases	76,978
s6	s1 through s5 combined	164,115
s7	s6 and military women (not news articles or letters or case reports or editorials)	88

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline, Embase, NTIS—Military Women and Other Body Systems		
s1	blood pressure or cardiovascular diseases	442,917
s2	cholesterol or headache	97,789
s3	breast diseases or mammograms	43,060
s4	lung diseases or respiratory diseases	143,786
s5	immune complex diseases	3,474
s6	dermatitis	27,464
s7	hearing disorders or hearing loss or deafness or inner ear or auditory loss	26,032
s8	vision disorders or blindness	14,939
s9	neuromuscular diseases	13,818
s10	s1 through s9 combined	765,884
s11	s10 and military women not (news article or letter or editorial or case report) not (child or elderly or adolescent)	67
Medline, Embase, NTIS—Military Women and Other Body Systems		
s1	musculoskeletal diseases	156,248
s2	digestive system diseases	255,803
s3	otorhinolaryngologic diseases	50,092
s4	eye diseases	80,459
s5	skin diseases not dermatitis	90,706
s6	s1 through s5 and military women not (news article or letter or editorial or case report) not (child or elderly or adolescent)	73
Medline, Embase, NTIS—Other Health Conditions		
s1	bladder prolapse or pelvic prolapse	68
s2	prolapsed or cystocele or rectocele	467
s3	personal hygiene	822
s4	s1 or s2 or s3 or s4 and (female and human)	652
s5	s4 and military personnel	0
Medline, Embase, NTIS—Rheumatology and Arthritis		
s1	rheumatology or arthritis or bursitis	86,400
s2	s1 and military personnel	47
s3	s1 and female athletes	55
s4	s1 and gender differences or sex characteristics or sex factors	600
s5	s2 or s3 not (animal or elderly or adolescent or child or children or infant or news or letter or case report or editorial)	43

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Medline, Embase, NTIS—Military Women and Health Care Services		
s1	telemedicine	130
s2	health status	18,721
s3	delivery of health care	93,298
s4	health care services	10,403
s5	s1 through s4 combined	122,729
s6	s5 and military women not (news or letter) not (child or elderly or adolescent)	15
ERIC—Military Personnel and Health or Health Care Services		
s1	military personnel or military training or military organizations	3,340
s2	health needs or pregnancy or health services	4,919
s3	gynecology or medical services or health conditions	4,197
s4	s2 or s3	8,348
s5	s1 and s4	35
Health Services/Technology Assessment Research (HStar)		
s1	military not in Medline	819
s2	s1 and (women or training or health or health care or telemedicine or reserves or nutrition or readiness or performance or discharge or mission or supplies field or barrier or access)	364
Dissertation Abstracts—Military Women		
s1	military personnel or soldiers	967
s2	female or woman or women	58,227
s3	s1 and s2	132
s4	s3 not (historical or World War I or World War II)	65
NTIS—Women and Military		
s1	combat or military personnel	11,057
s2	s1 and women or females	139
Defense Technical Information Center Databases—Work Unit and Technical Report		
s1	(pesticides or aromatic hydrocarbons or organophosphates or fumes or pollutants or pollution or toxemia or neurotoxins or toxins or antitoxins) and (females or women)	N/A
s2	(stress fractures or bone fractures or protective clothing or protective equipment or anthropometry or ionizing radiation or electromagnetic radiation or altitude or hypoxia or hyperbaric conditions or low pressure or altitude sickness or noise or deafness or infectious diseases or biomechanics or clothing or bearing capacity) and women	

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
--------------------------	--------------	--------------------------------

Defense Technical Information Center Databases—Work Unit and Technical Report

s3	(estrous cycle or birth control or contraception or vaginitis or cystitis or urinary tract infection or incontinence or venereal diseases or gonorrhea or chlamydia or pregnancy or lactation or breast feeding or postpartum or immune disorders or cardiovascular diseases or respiratory diseases or skin diseases or gastrointestinal diseases or otorhinolaryngology or eating disorder or bulimia or anorexia or health care or health problem or health status or infectious disease or communicable diseases or mammary glands or orthopedic condition or injury or infertility or fertility or health service) and women
s4	(physiology or nutrients or nutrient requirements or nutrition status or nutritional status or athlete or operational stressors or tolerance or aerobic fitness or anaerobic fitness or pharmaceutical or biologicals or pollutants or toxicant or prescription drug or amenorrhea or stress fracture or diet or vitamins or antioxidants or calcium or iron or substrate utilization resistance training or physical fitness or strength or body weight or lipids or adipose tissue or endurance or reproduction or strength weight ratio or circadian rhythms or sleep deprivation or food deprivation or jet lag or exertion or hunger or thirst or water deprivation or thresholds or hormone replacement or analgesics or pharmacokinetics or pharmacodynamics or contraception or antihistamines or antiinflammatory agents or antidotes or stress or female athletic triad or reaction time) and women
s5	(depression or suicide or substance abuse or drug abuse or phobia or chemical warfare or biological warfare or protective clothing or posttraumatic stress disorder or PTSD or traumatic shock or stress or family or parent or isolation or rape or sexual assault or domestic violence or sexual harassment or child abuse or job stress or occupational readiness or personnel retention or training stress or job satisfaction or unit cohesion or sexual behavior) and women

Federal Research in Progress

s1	women or females	7,377
s2	s1 not (elderly or aging or child or adolescent)	5,433
s3	s2 not animal	4,806
s4	depression or suicide	2,457
s5	s3 and s4	180
s6	traumatic stress or combat stress or PTSD	409
s7	s6 and s3	46
s8	substance abuse or drug abuse	1,886
s9	s8 and s3	178
s10	phobia and chemical or biological warfare	0
s11	family separation or role conflict or isolation or single parent	3,286
s12	s11 and s3	96

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Federal Research in Progress		
s13	rape or sexual assault or domestic violence or sexual harassment or child abuse	172
s14	s13 and s3	24
s15	job stress or training stress	18
s16	s15 and s3	0
s17	job satisfaction or sexual behavior or social support	1,058
s18	s17 and s3	143
s19	s5 or s7 or s9 or s12 or s14 or s18	546
s20	menstruation or menstrual or birth control or contraception	631
s21	s20 and s3	297
s22	vaginitis or cystitis or urinary tract infection	204
s23	s22 and s3	24
s24	incontinence or bladder prolapse	165
s25	s24 and s3	12
s26	sexually transmitted diseases or STD or gonorrhea or syphilis or chlamydia	83
s27	s26 and s3	98
s28	pregnancy or pregnant or breast feeding or postpartum or lactation	2,482
s29	s28 and s3	506
s30	personal hygiene and s3	1
s31	immune or cardiovascular or breast or pulmonary or respiratory not (cancer or neoplasm) not treatment	8,258
s32	s31 and s3	316
s33	cutaneous or neurosensory or gastrointestinal or otolaryngologic not treatment	1,781
s34	s33 and s3	42
s35	eating disorder or anorexia or bulimia	214
s36	s36 and s3	54
s37	health care services or health care delivery or access and health	1,036
s38	s35 and s3	116
s39	communicable diseases or infectious diseases or malaria or HIV or AIDS or hepatitis not treatment	5,203
s40	s37 and s3	233
s41	pelvic prolapse or procidentia or cystocele or rectocele or orthopedic or ophthalmologic	151
s42	s39 and s3	5
s43	s21 or s23 or s25 or s27 or s29 or s30 or s32 or s34 or s36 or s38 or s40 or s42	1,336
s44	stress fracture or musculoskeletal injuries	13
s45	s40 and s3	0
s46	protective clothing or protective equipment	48
s47	s42 and s3	0
s48	occupational injury or occupational exposure	177
s49	s44 and s3	17

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Federal Research in Progress		
s50	fracture and s3	64
s51	anthropometry	201
s52	s47 and s3	20
s53	pesticides or insecticides or aromatic hydrocarbons or organophosphates or oil fumes	2,337
s54	s49 and (health or disease)	549
s55	s50 and s3	22
s56	pollutants and (health or disease)	152
s57	s52 and s3	5
s58	reproductive toxicity or nephrotoxicity or hepatotoxicity or immunotoxicity or respiratory toxicity or cardiovascular toxicity or dermatotoxicity	302
s59	s54 and s3	19
s60	radiation and (health or disease)	1,612
s61	s56 and s3	97
s62	hyperbaric or hypobaric or altitude or hypoxia or diving and (health or disease)	574
s63	s58 and s3	11
s64	hearing impairment or noise and health	54
s65	s60 and s3	0
s66	virus or bacteria or protozoa or fungus or fungi or infectious agent or biologicals	12,413
s67	s62 and (health or disease)	6,031
s68	s63 and s3	165
s69	biomechanics and s3	13
s70	fatigue and (sleep or muscle)	157
s71	s66 and s3	11
s72	s44 or s46 or s48 or s49 or s51 or s54 or s56 or s58 or s60 or s62 or s64 or s67 or s68 or s70	417
s73	nutrition or nutritional or caloric intake or vitamin or antioxidant	6,274
s74	s69 and (performance or activity or stress or exercise)	2,567
s75	s70 and s3	168
s76	(calcium or iron) and (nutrient or nutrition)	685
s77	substrate utilization	57
s78	(s72 or s73) and s3	58
s79	resistance training or weight training or postpartum fitness or muscle strength or physical strength	274
s80	s75 and s3	14
s81	body composition or body fat or densitometry or weight standards or adipose	1,245
s82	s77 and s3	130
s83	obesity and (assessment or performance)	77
s84	s79 and s3	11
s85	circadian rhythm or sleep deprivation or jet lag or exertion or hunger or food deprivation	711
s86	s81 and s3	67

<u>Search Number</u>	<u>Terms</u>	<u>Number of Citations</u>
Federal Research in Progress		
s87	thirst or water deprivation or sensory thresholds	107
s88	s83 and s3	5
s89	hormone replacement therapy or analgesics or pharmacokinetics or drug metabolism	2,819
s90	s85 and s3	136
s91	antidiarrheals or antibiotics or anthelmintics	1,949
s92	s87 and s3	68
s93	anti-inflammatory agents or antidotes	214
s94	s89 and s3	8
s95	estrogen replacement therapy	65
s96	s91 and s3	36
s97	female triad or athletic triad or athlete triad	0
s98	pharmaceuticals not (cancer or neoplasm) and s3	27
s99	heat or cold or noise or acceleration or toxicants or pollutants	10,434
s100	s98 and (stress or exercise or performance) and s3	21
s101	osteoporosis and (stress or exercise or performance) and s3	10
s102	s74 or s77 or s79 or s81 or s83 or s85 or s87 or s89 or s91 or s93 or s95 or s97 or s99 or s100	641
s103	s19 or s43 or s71 or s101	2,232
CRIS/USDA—Nutrition Research in Progress		
s1	women or woman or female or females	2,093
s2	s1 limited to the human nutrition subfile	558
s3	s1 not (elderly or aged or adolescent or child or children or infant)	244

Publications

This chapter lists the published scientific literature located through the online database searching described in Chapter 1 of this book and in *Recommendations for Research on the Health of Military Women*. This chapter is divided into two parts. Part A lists the citations retrieved in searches of Medline, EMBASE, PsycInfo, Agricola, NTIS, ERIC, Dissertation Abstracts, Occupational Safety and Health, Sociological Abstracts, SpaceLine, HStar, Social SciSearch, Sport, Textile Technology Digest, and Toxline. Part B lists the citations retrieved in searches of the Technical Reports database of the Defense Technical Information Center (DTIC). Since many of the Technical Reports citations are also found in the NTIS database, duplicates are listed only once, in Part B. Animal studies were retrieved only for studies in the Technical Reports database on military-related toxins. For foreign language articles, the language is given in brackets at the end of the citation.

The indexing terms listed below were used to assist the committee and the reader in organizing the large volume of literature. Some citations have been placed in more than one category.

Index Terms

anthropometry
body composition
body composition, obesity
bone
cardiovascular health
chemical defense
communicable diseases
cutaneous/dermal conditions
database
eating disorders
endocrine
family issues
gastrointestinal conditions
gynecologic/genito-urinary
gynecologic/reproductive health,
 birth control
gynecologic/reproductive health,
 lactation
gynecologic/reproductive health,
 long-range implications
gynecologic/reproductive health,
 postpartum
gynecologic/reproductive health,
 pregnancy
health, general
health services
HIV/AIDS
job satisfaction
job stress
load-bearing
medical technology
menstrual cycle
military women, general
musculoskeletal, biomechanics
musculoskeletal, injuries
musculoskeletal, treatment
neurosensory conditions
noise, hearing loss
nutrition
nutrition and exercise
otolaryngological conditions
performance
pharmaceutical
physical fitness, general
physical fitness, strength/endurance
protective clothing and equipment
psychological conditions
radiation
respiratory conditions
responses to stressors, other
responses to stressors, physical activity
responses to stressors, pressure
responses to stressors, temperature
sexual assault/harassment
social support
STDs
substance abuse
toxins
traumatic stress, combat
traumatic stress, other

Part A

Citations from Civilian Databases

ANTHROPOMETRY

- Buchholz B, Armstrong T, Goldstein S. Anthropometric data for describing the kinematics of the human hand. *Ergonomics* 1992;35(3):261-73.
- Buchholz B, Armstrong TJ. An ellipsoidal representation of human hand anthropometry. *Hum Factors* 1991;33(4):429-441.
- Bukovic D, Orescanin M, Szivovica V, Krebs N. Anthropometric study of the physiologic bending of the axial skeleton. *Acta Med Jugosl* 1985;39(5):325-32. [In Serbo-Croatian (Roman) and English]
- Burström L. Measurements of the impedance of the hand and arm. *Int Arch Occup Environ Health* 1990;62(6):431-39.
- Capelli C, Zamparo P, Cigalotto A, Francescato MP, Soule RG, Termin B, et al. Bioenergetics and biomechanics of front crawl swimming. *J Appl Physiol* 1995;78(2):674-9.
- Chaffin D. Ergonomics advances as a science with applications in health, safety. *Occup Health Saf* 1992;61(1):38-40.
- Chaffin DB, Redfern MS, Erig M, Goldstein SA. Lumbar muscle size and locations from CT scans of 96 women of age 40 to 63 years. *Clin Biomech* 1990;5(1):9-16.
- Clark JM, Freeman MA, Witham D. The relationship of neck orientation to the shape of the proximal femur. *J Arthroplasty* 1987;2(2):99-109.
- Coblentz A. *Anthropometry and Dynamic Biometry*. Paris, France: Anthropologie Appliquée; 1985. AA-181/85. [In French]
- Coblentz A, Mollard R, Ignazi G. Three-dimensional face shape analysis of French adults, and its application to the design of protective equipment. *Ergonomics* 1991;34(4):497-517.
- Colombini D, Occhipinti E, Grieco A, Faccini M. Estimation of lumbar disc areas by means of anthropometric parameters. *Spine* 1989;14(1):51-55. [Published erratum appears in *Spine* 1989;14(5):533].
- Genant HK, Gluer CC, Lotz JC. Gender differences in bone density, skeletal geometry, and fracture biomechanics. *Radiology* 1994;190(3):636-40.
- Gravel D, Richards C, Filion M. Angle dependency in strength measurements of the ankle plantar flexors. *Eur J Appl Physiol* 1990;61(3-4):182-87.
- Hanson KB, Garcia PA, Hotchkiss DK. Estimation of body composition from anthropometric and physiological measurements of obese college women. *Nutr Res* 1985;5(10):1055-66.
- Jette M, Sidney K, Lewis W. Fitness, performance and anthropometric characteristics of 19,185 Canadian Forces personnel classified according to body mass index. *Mil Med* 1990;155(3):120-26.
- Jia L. Dynamic change in the ligamenta flava of the cervical spine in motion. *Chung Hua Wai Ko Tsa Chih* 1989;27(9):561-5. [In Chinese]
- Kerner MS, Kurrant AB. Relative isoinertial performance expressions for the isostation B-200. *J Orthop Sports Phys Ther* 1990;12(2):60-5.
- Keyes G, Carr A, Miller R, Goodfellow J. The radiographic classification of medial gonarthrosis. Correlation with operation methods in 200 knees. *Acta Orthop Scand* 1992;63(5):497-501.
- Marras WS, Kim JY. Anthropometry of industrial populations. *Ergonomics* 1993;36(4):371-378.
- McCollum MA. Mechanical and spatial determinants of Paranthropus facial form. *Am J Phys Anthropol* 1994;93(2):259-73.
- Mital A, Karwowski W, Mazouz A, Orsah E. Prediction of maximum acceptable weight of lift in the horizontal and vertical planes using simulated job dynamic strengths. *Am Ind Hyg Assoc J* 1986;47(5):288-92.
- Nicolaisen T, Jorgensen K. Trunk strength, back muscle endurance and low-back trouble. *Scand J Rehabil Med* 1985;17(3):121-7.
- Rajulu SL, Klute GK. *Anthropometric Survey of the Astronaut Applicants and Astronauts from 1985 to 1991*. Houston, TX: NASA, Johnson Space Center; 1993.
- Reid JG, Jensen RK. Human body segment inertia parameters: a survey and status report. *Exerc Sport Sci Rev* 1990;18:225-41.
- Reynolds HM, Rechtién JJ, Marshall GW, Marshall S. Spinal curvature of young adult females. *Hum Biol* 1986;58(6):883-91.
- Robinson M, MacMillan M, O'Connor P, Fuller A, Cassisi J. Reproducibility of maximal versus submaximal efforts in an isometric lumbar extension task. *J Spinal Disord* 1991;4(4):444-8.
- Stokes I, Gookin D, Reid S, Hazard R. Effects of axis placement on measurement of isokinetic flexion and extension torque in the lumbar spine. *J Spinal Disord* 1990;3(2):114-8.
- Stubbs D, Buckle P, Hudson M, Butler P, Rivers P. Nurses' uniform: an investigation of mobility. *Int J Nurs Stud* 1985;22(3):217-29.

- Tomassoni TL, Blanchard MS, Goldfarb AH. Effects of a rebound exercise on aerobic capacity and body composition. *Phys Sportsmed* 1985;13(11):110-5.
- Ulin S, Ways C, Armstrong T, Snook S. Perceived exertion and discomfort versus work height with a pistol-shaped screwdriver. *Am Ind Hyg Assoc J* 1990;51(11):588-94.
- Ulin SS, Snook SH, Armstrong TJ, Herrin GD. Preferred tool shapes for various horizontal and vertical work locations. *Appl Occup Environ Hyg* 1992;7(5):327-37.
- Vezina N, Courville J. Integration of women into traditionally masculine jobs. *Women Health* 1992;18(3):97-118.
- Walsh EG, Wright GW, Davies A, Lin JP, Thompson J. A comparison of the mechanogram of the ankle jerk in men and women: observations using an adjustable dorsiflexing torque, high inertia mechanical filter and automatic readout system. *Exp Physiol* 1993;78(4):531-40.
- Williams K, Cavanagh P, Ziff J. Biomechanical studies of elite female distance runners. *Int J Sports Med* 1987;8(Suppl 2):107-18.

BODY COMPOSITION

- Andersson B, Xu X, Rebuffe-Scrive M, Terning K, Krotkiewski M, Bjorntorp P. The effects of exercise, training on body composition and metabolism in men and women. *Int J Obes* 1991;15(1):75-81.
- Ballor D, Keesey R. A meta-analysis of the factors affecting exercise-induced changes in body mass, fat mass and fat-free mass in males and females. *Int J Obes* 1991;15(11):717-26.
- Bell DG, Jacobs I, Lee SW. Blood lactate response to the Canadian Aerobic Fitness Test (CAFT). *Can J Sport Sci* 1992;17(1):14-8.
- Conway T, Cronan T, Peterson K. Circumference-estimated percent body fat vs. weight-height indices: relationships to physical fitness. *Aviat Space Environ Med* 1989;60(5):433-7.
- Croft J, Strogatz D, James S, Keenan N, Ammerman A, Malarcher A, et al. Socioeconomic and behavioral correlates of body mass index in black adults: the Pitt County Study. *Am J Public Health* 1992;82(6):821-6.
- Fitzgerald PI, Vogel JA, Daniels WL, Dziados JE, Teves MA. *Body Composition Project: A Summary Report and Descriptive Data*. Natick, MA: Army Research Institute of Environmental Medicine; 1986. USARIEM-T-5/87.
- Fiedl K, DeWinne CM, Taylor R. The use of the Durnin-Womersley generalized equations for body fat estimation and their impact on the Army Weight Control Program. *Mil Med* 1987;152(3):150-5.
- Henry C. Body mass index and the limits of human survival. *Eur J Clin Nutr* 1990;44(4):329-35.
- Janssen G, Graef C, Saris W. Food intake and body composition in novice athletes during a training period to run a marathon. *Int J Sports Med* 1989;10(Suppl 1):S17-21.
- Johnson GO, Nebelsick-Gullett LJ, Thorland WG, Housh TJ. The effect of a competitive season on the body composition of university female athletes. *J Sports Med Phys Fitness* 1989;29(4):314-20.
- Keenan N, Strogatz D, James S, Ammerman A, Rice B. Distribution and correlates of waist-to-hip ratio in black adults: the Pitt County Study. *Am J Epidemiol* 1915;135(6):678-84.
- Leibel R, Edens N, Fried S. Physiologic basis for the control of body fat distribution in humans. *Annu Rev Nutr* 1989;9:417-43.
- Lukaski HC, Bolonchuk WW, Siders WA, Hall CB. Body composition assessment of athletes using bioelectrical impedance measurements. *J Sports Med Phys Fitness* 1990;30(4):434-40.
- Marriott BM, Grumstrup-Scott J. *Body Composition and Physical Performance: Applications for the Military Services*. Washington, DC: National Academy Press; 1992.
- Niezgoda J, Walter M, Jarrard M. Furosemide overdose and maximal allowable weight standards. *Mil Med* 1989;154(12):608-9.
- Oppliger RA, Cassady SL. Body composition assessment in women. Special considerations for athletes. *Sports Med* 1994;17(6):353-7.
- Pasco JA, Rutishauser IHE. Body fat estimated from anthropometric and electrical impedance measurements. *Hum Nutr Clin Nutr* 39(5):365-9.
- Rice PL. Relationship of estrogen to strength, percent body fat and oxygen uptake in women. *J Sports Med Phys Fitness* 1988;28(2):145-50.
- Rose MS, Moore R, Mahnke R, Christensen E, Askew EW. *Weight Reduction Techniques Adopted When Weight Standards Are Enforced*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. USARIEM-T-4-93.
- Rupinski TE. *Tradeoffs in Using Alternative Height-Weight Standards*. Alexandria, VA: Center for Naval Analyses; 1989. CRM-89-168.
- Segal KR, Van Loan M, Fitzgerald PI, Hodgdon JA, Van Itallie TB. Lean body mass estimation by bioelectrical impedance analysis: a four-site cross-validation study. *Am J Clin Nutr* 1988;47(1):7-14.

- Shake C, Schlichting C, Mooney L, Callahan A, Cohen M. Predicting percent body fat from circumference measurements. *Mil Med* 1993;158(1):26-31.
- Sweeney S, Bonnabeau R. Positive and negative health behaviors used to ensure compliance with the U.S. Army's weight control standards by a reserve component unit. *Mil Med* 1990;155(6):255-60.
- Taylor C, Jatulis D, Winkleby M, Rockhill B, Kraemer H. Effects of life-style on body mass index change. *Epidemiology* 1994;5(6):599-603.
- Teves MA, Vogel JA, Carlson DE, Schnakenberg DD. *Body Composition and Muscle Performance Aspects of the 1985 CFFS (Combat Field Feeding System) Test*. Natick, MA: Army Research Institute of Environmental Medicine; 1986. USARIEM-T-12/86.
- Tremblay A, Simoneau JA, Bouchard C. Impact of exercise intensity on body fatness and skeletal muscle metabolism. *Metab Clin Exp* 1994;43(7):814-8.
- Tuomilehto J, Jalkanen L, Salonen JT, Nissinen A. Factors associated with changes in body weight during a five-year follow-up of a population with high blood pressure. *Scand J Soc Med* 1985;13(4):173-80.
- Vanderburgh P. Ability of the Army Circumference Method to detect changes in subcutaneous fat over a 9-week period. *Mil Med* 1992;157(4):186-8.
- Vanderburgh P. Fat distribution: its physiological significance, health implications, and its adaptation to exercise training. *Mil Med* 1992;157(4):189-92.
- Vogel JA, Friedl KE. Body fat assessment in women. Special considerations. *Sports Med* 1992;13:245-69.
- Walberg JL. Aerobic exercise and resistance weight-training during weight reduction. Implications for obese persons and athletes. *Sports Med* 1989;7(6):343-56.
- Withers RT, Ball CT. A comparison of the effects of measured, predicted, estimated and constant residual volumes on the body density of female athletes. *Int J Sports Med* 1988;9(1):24-8.
- Withers RT, Whittingham NO, Norton KI, La Forgia J, Ellis MW, Crockett A. Relative body fat and anthropometric prediction of body density of female athletes. *Eur J Appl Physiol* 1987;56(2):169-80.

BODY COMPOSITION, OBESITY

- Bouchard C. Current understanding of the etiology of obesity: genetic and nongenetic factors. *Am J Clin Nutr* 1991;53(6 Suppl):1561S-5S.
- Bray G, York B, DeLany J. A survey of the opinions of obesity experts on the causes and treatment of obesity. *Am J Clin Nutr* 1992;55(1 Suppl):151S-4S.
- Everett W. A practical review of obesity in military medicine. *Mil Med* 1987;152(3):125-9.
- French S, Jeffery R, Wing R. Sex differences among participants in a weight-control program. *Addict Behav* 1994;19(2):147-58.
- Jeffery R, French S, Forster J, Spry V. Socioeconomic status differences in health behaviors related to obesity: the Healthy Worker Project. *Int J Obes* 1991;15(10):689-96.
- Krotkiewski M, Bjorntorp P. Muscle tissue in obesity with different distribution of adipose tissue. Effects of physical training. *Int J Obes* 1986;10(4):331-41.
- McGinnis J, Ballard-Barbash R. Obesity in minority populations: policy implications of research. *Am J Clin Nutr* 1991;53(6 Suppl):1512S-4S.
- Ravussin E, Fontvieille A, Swinburn B, Bogardus C. Risk factors for the development of obesity. *Ann N Y Acad Sci* 1993;683:141-50.
- Schwartz F. Obesity in adult females: the relationship among personality characteristics, dieting, and weight. *Am Assoc Occ Health Nurses J* 1993;41(10):504-9.
- Trent LK, Stevens LT. Survey of the Navy's three-tiered obesity treatment program. *Mil Med* 1993;158(9):614-8.
- Tsai S, Lucas L, Bernacki E. Obesity and morbidity prevalence in a working population. *J Occup Med* 1988;30(7):589-91.

BONE

- Baker E, Demers L. Menstrual status in female athletes: correlation with reproductive hormones and bone density. *Obstet Gynecol* 1988;72(5):683-7.
- Buchanan JR, Myers C, Lloyd T, Leuenberger P, Demers LM. Determinants of peak trabecular bone density in women: the role of androgens, estrogen, and exercise. *J Bone Miner Res* 1988;3(6):673-80.
- Carbon R, Sambrook P, Deakin V, Fricker P, Eisman JA, Kelly P, et al. Bone density of elite female athletes with stress fractures. *Med J Aust* 1990;153(7):373-6.

- Chesnut C. Theoretical overview: bone development, peak bone mass, bone loss, and fracture risk. *Am J Med* 1991;91(5B):2S-4S.
- Drinkwater BL, Nilson K, Ott S, Chesnut CH. Bone mineral density after resumption of menses in amenorrheic athletes. *JAMA* 1986;256(3):380-2.
- Fournier PE, Rizzoli R, Slosman DO, Buchs B, Bonjour JP. Relative contribution of vertebral body and posterior arch in female and male lumbar spine peak bone mass. *Osteoporosis Int* 1994;4(5):264-72.
- Harber VJ, Webber CE, Sutton JR, MacDougall JD. The effect of amenorrhea on calcaneal bone density and total bone turnover in runners. *Int J Sports Med* 1991;12(5):505-8.
- Heinonen A, Oja P, Kannus P, Sievanen H, Manttari A, Vuori I. Bone mineral density of female athletes in different sports. *Bone Miner* 1993;23(1):1-14.
- Heinrich CH, Going SB, Pamentier RW, Perry CD, Boyden TW, Lohman TG. Bone mineral content of cyclically menstruating female resistance and endurance trained athletes. *Med Sci Sports Exerc* 1990;22(5):558-63.
- Holbrook T, Barrett-Connor E. A prospective study of alcohol consumption and bone mineral density. *Br Med J* 1993;306(6891):1506-9.
- Jones KP, Ravnkar VA, Tulchinsky D, Schiff I. Comparison of bone density in amenorrheic women due to athletics, weight loss, and premature menopause. *Obstet Gynecol* 1985;66(1):5-8.
- Kelly P, Twomey L, Sambrook P, Eisman J. Sex differences in peak adult bone mineral density. *J Bone Miner Res* 1990;5(11):1169-75.
- Lane N, Baptista J, Snow-Harter C. Bone mineral density of the lumbar spine in endometriosis subjects compared to an age-similar control population. *J Clin Endocrinol Metab* 1991;72(2):510-4.
- Lindsay R. Osteoporosis: an updated approach to prevention and management. *Geriatrics* 1989;44(1):45-6.
- Martin AD, Bailey DA. Review: skeletal integrity in amenorrheic athletes. *Aust J Sci Med Sport* 1987;19(2):3-7.
- Mesaki N, Motobu M, Sasaki J. Decreased bone mineral density in athletic amenorrhea. *Jpn J Fertil Steril* 1994;39(4):11-6.
- Millar AL, Hunter D. Osteopenia: its relation to menstrual disorder in female athletes. *J Orthop Sports Phys Ther* 1990;11(8):351-4.
- Montoya HJ. The 1987 C.H. McCloy research lecture: better bones and biodynamics. *Res Q Exerc Sport* 1987;58(4):334-48.
- Reid I, Plank L, Evans M. Fat mass is an important determinant of whole body bone density in premenopausal women but not in men. *J Clin Endocrinol Metab* 1992;75(3):779-82.
- Risser WL, Lee EJ, Leblanc A, Poindexter HBW, Risser JMH, Schneider V. Bone density in eumenorrheic female college athletes. *Med Sci Sports Exerc* 1990;22(5):570-4.
- Rutherford OM. Spine and total body bone mineral density in amenorrheic endurance athletes. *J Appl Physiol* 1993;74(6):2904-8.
- Shah BG, Belonje B. Calcium and bone health of women. *Nutr Res* 1988;8(4):431-42.
- Turner R, Riggs B, Spelsberg T. Skeletal effects of estrogen. *Endocr Rev* 1994;15(3):275-300.
- Wolman RL, Clark P, McNally E, Harries MG, Reeve J. Dietary calcium as a statistical determinant of spinal trabecular bone density in amenorrheic and oestrogen-replete athletes. *Bone Miner* 1992;17(3):415-23.
- Wolman RL, Clark P, McNally E, Harries M, Reeve J. Menstrual state and exercise as determinants of spinal trabecular bone density in female athletes. *Br Med J* 1990;301(6751):516-8.
- Wolman RL, Faulmann L, Clark P, Hesp R, Harries MG. Different training patterns and bone mineral density of the femoral shaft in elite, female athletes. *Ann Rheum Dis* 1991;50(7):487-9.
- Yeager KK, Agostini R, Nattiv A, Drinkwater B. The female athlete triad: disordered eating, amenorrhea, osteoporosis. *Med Sci Sports Exerc* 1993;25(7):775-7.

CARDIOVASCULAR HEALTH

- Amroliwalla F. Angiotensin converting enzyme (ACE) inhibitors in hypertensive aircrew. *Aviat Space Environ Med* 1994;65(11):1054-7.
- Ballor D, Poehlman E. Resting metabolic rate and coronary-heart-disease risk factors in aerobically and resistance-trained women. *Am J Clin Nutr* 1992;56(6):968-74.
- Bauman A, Owen N. Habitual physical activity and cardiovascular risk factors. *Med J Aust* 1991;154(1):22-8.
- Bazzarre T, Murdoch S, Wu S, Hopkins R. Associations of cardiovascular disease risk factors with measures of energy expenditure and caloric intake in a farm population. *J Am Coll Nutr* 1992;11(1):42-9.
- Bielenda C, Knapik J, Wright D. Physical fitness and cardiovascular disease risk factors of female senior U.S. military officers and federal employees. *Mil Med* 1993;158(3):177-81.

- Blair T, Marghella P, Landers R, Boccuzzi S. Incidence of hypercholesterolemia in the active duty Navy population in 1986. *Mil Med* 1989;154(1):29-31.
- Bompani GD, Cerasola G, Morici ML, Condorelli M, Trimarco B, De Luca N, et al. Effects of moderate low sodium/high potassium diet on essential hypertension: Results of a comparative study. *Int J Clin Pharmacol Ther Toxicol* 1988;26(3):129-32.
- Bovens A, Van Baak M, Vrencken J, Wijnen J, Saris W, Verstappen F. Physical activity, fitness, and selected risk factors for CHD in active men and women. *Med Sci Sports Exerc* 1993;25(5):572-6.
- Brand F, Dannenberg A, Abbott R, Kannel W. The epidemiology of varicose veins: the Framingham Study. *Am J Prev Med* 1988;4(2):96-101.
- Burke TJ. Estimate of requirements for detection and treatment of hypercholesterolemia in U.S. Army aviators. *Aviat Space Environ Med* 1991;62(12):1174-9.
- Casazza G, Holly R, Van Alstine A, Amsterdam E. Exercise training and reduction of some coronary risk factors in female cigarette smokers. *Am J Cardiol* 1995;75(1):85-7.
- Fagard RH, Thijs LB, Amery AK. The effect of gender on aerobic power and exercise hemodynamics in hypertensive adults. *Med Sci Sports Exerc* 1995;27(1):29-34.
- Favaro L, Caplin J, Fetiche J, Dymond D. Sex differences in exercise induced left ventricular dysfunction in patients with syndrome X. *Br Heart J* 1987;57(3):232-6.
- Forde O, Thelle D, Arnesen E, Mjos O. Distribution of high density lipoprotein cholesterol according to relative body weight, cigarette smoking and leisure time physical activity. The Cardiovascular Disease Study in Finnmark 1977. *Acta Med Scand* 1986;219(2):167-71.
- Fraser G, Strahan T, Sabate J, Beeson W, Kissinger D. Effects of traditional coronary risk factors on rates of incident coronary events in a low-risk population. The Adventist Health Study. *Circulation* 1992;86(2):406-13.
- Gill J, Price V, Friedman M, Thoresen C, Powell L, Ulmer D, et al. Reduction in type A behavior in healthy middle-aged American military officers. *Am Heart J* 1985;110(3):503-14.
- Girdler SS, Hinderliter AL, Light KC. Peripheral adrenergic receptor contributions to cardiovascular reactivity: influence of race and gender. *J Psychosom Res* 1993;37(2):177-93.
- Gomel M, Oldenburg B, Simpson J, Owen N. Work-site cardiovascular risk reduction: a randomized trial of health risk assessment, education, counseling, and incentives. *Am J Public Health* 1993;83(9):1231-8.
- Hanson M. Modifiable risk factors for coronary heart disease in women. *Am J Crit Care* 1994;3(3):177-84.
- Jette M, Sidney K, Quenneville J. Association between an excessive body mass index and coronary heart disease risk factors in military personnel. *Mil Med* 1993;158(7):489-93.
- Kalin M, Zumoff B. Sex hormones and coronary disease: a review of the clinical studies. *Steroids* 1990;55(8):330-52.
- Light K, Turner J, Hinderliter A, Sherwood A. Race and gender comparisons: II. Predictions of work blood pressure from laboratory baseline and cardiovascular reactivity measures. *Health Psychol* 1993;12(5):366-75.
- Lundberg U, Fredrikson M, Wallin L, Melin B, Frankenhaeuser M. Blood lipids as related to cardiovascular and neuroendocrine functions under different conditions in healthy males and females. *Pharmacol Biochem Behav* 1989;33(2):381-6.
- Marti B, Suter E, Riesen W, Tschopp A, Wanner HU. Anthropometric and lifestyle correlates of serum lipoprotein and apolipoprotein levels among normal non-smoking men and women. *Atherosclerosis* 1989;75(2-3):111-22.
- McDonald A, Dyer A, Liu K, Stamler R, Gosch F, Grimm R, et al. Sodium, lithium-countertransport and blood pressure control by nutritional intervention in "mild" hypertension. *J Hypertens* 1988;6(4):283-91.
- Merrill G, Friedrichs G. Plasma lipid concentrations in college students performing self-selected exercise. *J Am Coll Nutr* 1990;9(3):226-30.
- Neaton JD. The treatment of mild hypertension study: a randomized, placebo-controlled trial of a nutritional-hygienic regimen along with various drug monotherapies. *Arch Intern Med* 1991;151(7):1413-23.
- Ness RB, Schotland HM, Flegal KM, Shofer FS. Reproductive history and coronary heart disease risk in women. *Epidemiol Rev* 1994;16(2):298-314.
- Neumann J, Arbogast B, Chi D, Arbogast L. Effects of stress and blood type on cortisol and VLDL toxicity preventing activity. *Psychosom Med* 1992;54(5):612-9.
- Peiris A, Sothmann M, Hoffmann R, Hennes M, Wilson C, Gustafson A, et al. Adiposity, fat distribution, and cardiovascular risk. *Ann Intern Med* 1989;110(11):867-72.
- Perry AC, Shaw MH, Hsia L, Nash MS, Kaplan T, Signorile JF, et al. Plasma lipid levels in active and sedentary premenopausal females. *Int J Sports Med* 1992;13(3):210-5.
- Prud'homme D, Despres J, Landry J, Moorjani S, Lupien P, Tremblay A, et al. Systolic blood pressure during submaximal exercise: an important correlate of cardiovascular disease risk factors in normotensive obese women. *Metabolism* 1994;43(1):18-23.

- Quinn T. The incidence of silent ischemia in asymptomatic soldiers. *Mil Med* 1987;152(11):567-8.
- Rose RW, Morgan TE, Rose MS, Srinivasan SR, Berenson GS. *Population Screening for Blood Lipid Levels and Related Coronary Heart Disease Risk Factors among U.S. Army Basic Trainees*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. USARIEM-T2-89.
- Sagiv M, Metrani R, Fisher N, Fisman EZ, Kellermann J. Comparison of hemodynamic and left ventricular responses to increased after-load in healthy males and females. *Int J Sports Med* 1991;12(1):41-5.
- Savage P, Harlan W. Racial and ethnic diversity in obesity and other risk factors for cardiovascular disease: implications for studies and treatment. *Ethn Dis* 1991;1(2):200-11.
- Schafer E. Prevalence of selected cardiovascular disease risk factors in 35-54-year-old males and females in eight Iowa counties. *J Am Coll Nutr* 1990;9(3):205-13.
- Shah M, Jeffery R, Laing B, Savre S, Van Natta M, Strickland D. Hypertension Prevention Trial (HPT): food pattern changes resulting from intervention on sodium, potassium, and energy intake. Hypertension Prevention Trial Research Group. *J Am Diet Assoc* 1990;90(1):69-76.
- Simon A, Levenson J, Cambien F, Bouthier J. Combined effects of sex and hypertension on the geometrical design of large arteries. Sexual differences in normal and hypertensive forearm arteries. *J Clin Hypertens* 1987;3(4):617-23.
- St. Jeor ST, Brownell K, Atkinson R, Bouchard C, Dwyer J, Foreyt J, et al. Obesity. Workshop III. AHA Prevention Conference III. Behavior change and compliance: keys to improving cardiovascular health. *Circulation* 1993;88(3):1391-6.
- Stamler R, Stamler J, Gosch F, Civinelli J, Fishman J, McKeever P, et al. Primary prevention of hypertension by nutritional-hygienic means. Final report of a randomized, controlled trial. *JAMA* 1989;262(13):1801-1807. [Published erratum appears in *JAMA* 1989;262(22):3132].
- Tuomi K. Characteristics of work and life predicting coronary heart disease. Finnish research project on aging workers. *Soc Sci Med* 1994;38(11):1509-19.
- van Doornen L, van Blokland R. Serum-cholesterol: sex specific psychological correlates during rest and stress. *J Psychosom Res* 1987;31(2):239-49.
- Wild R, Taylor E, Knehans A. The gynecologist and the prevention of cardiovascular disease. *Am J Obstet Gynecol* 1995;172(1 Pt 1):1-13.
- Wolfe M, Vacek J. Myocardial infarction in the young. Angiographic features and risk factor analysis of patients with myocardial infarction at or before the age of 35 years. *Chest* 1988;94(5):926-30.
- Wortham D, Jordan L, Jones S, Thomas HJ. Cardiovascular screening in Army personnel over age 40 in the State of Hawaii. *South Med J* 1990;83(4):395-402.

CHEMICAL DEFENSE

- Bullman T, Kang H. The effects of mustard gas, ionizing radiation, herbicides, trauma, and oil smoke on US military personnel: the results of veteran studies. *Annu Rev Public Health* 1994;15:69-90.
- Keeler J, Hurst C, Dunn M. Pyridostigmine used as a nerve agent pretreatment under wartime conditions. *JAMA* 1991;266(5):693-5.
- Palva E. Gender-related differences in diazepam effects on performance. *Med Biol* 1985;63(2):92-5.
- Sinczuk-Walczak H. Status of the nervous system of workers engaged in the production of organophosphate pesticides. *Med Pr* 1990;41(4):238-45. [In Polish]

COMMUNICABLE DISEASES

- Adkins H, Merrell B, O'Rourke T, Echeverria P. Travelers' diarrhea among U.S. Navy and Marine Corps personnel during a Western Pacific deployment. *Mil Med* 1990;155(3):111-6.
- Allen JC, Crate ID, Corner NB. Post-operative wound infections in Belize. *J R Army Med Corps* 1992;138(2):87-91.
- Aronson N, Palmer B. Acute viral hepatitis in American soldiers in Korea. *South Med J* 1988;81(8):949-51. [Published erratum appears in *South Med J* 1988;81(10):1224].
- Arthur JD, Echeverria P, Shanks GD, Karwacki J, Bodhidatta L. Comparative study of gastrointestinal infections in United States soldiers receiving doxycycline or mefloquine for malaria prophylaxis. *Am J Trop Med Hyg* 1990;43(6):608-19.
- Awad el Karim M. The effect of schistosomiasis on 24-hour energy expenditure. *J Trop Med Hyg* 1986;89(6):303-7.
- Bahri M, Othmani S, Khediri F. Epidemiological aspects of hepatitis B in military environment. *Tunis Med* 1988;66(6-7):531-4. [In French]

- Bennion S, Burton F, Barrett J, Gocke D. A prospective study of the etiology of hepatitis in the U.S. Army Wuerzburg community from 1978 to 1979. *Mil Med* 1987;152(2):80-2.
- Berger SA, Samish M, Kletter Y, Tinghitella T, Heering S, Edberg SC. Lyme disease acquired in Israel: report of a case and studies of serological cross reactivity in relapsing fever. *Isr J Med Sci* 1993;29(8):464-5.
- Biddlestone LR, Hepburn NC, McLaren KM. A clinico-pathological study of cutaneous leishmaniasis in British troops from Belize. *Trans R Soc Trop Med Hyg* 1994;88(6):672-6.
- Blaser MJ. *Studies of the Outer Membrane Proteins of Campylobacter jejuni for Vaccine Development*. Denver, CO: Veterans Administration Medical Center; 1993.
- Blood C, Griffith D. Ship size as a factor in illness incidence among U.S. Navy vessels. *Mil Med* 1990;155(7):310-4.
- Borodai A, Arkhipov P, Tolstov K, Dubovoi A. Experience in conducting an epidemiological health reconnaissance of a natural plague focus. *Voen Med Zh* 1990;(3):56-8. [In Russian]
- Bourgeois A, Gardiner C, Thornton S, Batchelor R, Burr D, Escamilla J, et al. Etiology of acute diarrhea among United States military personnel deployed to South America and West Africa. *Am J Trop Med Hyg* 1993;48(2):243-8.
- Brown A, Webster H, Krinchai K, Chuenchitra C, Pipithkul J. Occupational malaria in Thai Rangers: epidemiological, clinical and immunological features. *Mil Med* 1990;155(9):406-10.
- Brown AE, Singharaj P, Webster HK, Pipithkul J, Gordon DM, Boslego JW, et al. Safety, immunogenicity and limited efficacy study of a recombinant *Plasmodium falciparum* circumsporozoite vaccine in Thai soldiers. *Vaccine* 1994;12(2):102-7.
- Brown AE, Webster HK, Krinchai K, Gordon DM, Wirtz RA, Permpnich B. Characteristics of natural antibody responses to the circumsporozoite protein of *Plasmodium vivax*. *Am J Trop Med Hyg* 1991;44(1):21-7.
- Bruno P, Hassell LH, Brown J, Tanner W, Lau A. The protean manifestations of hemorrhagic fever with renal syndrome. A retrospective review of 26 cases from Korea. *Ann Intern Med* 1990;113(5):385-91.
- Burrows DS, Cuether AC. Residual subclinical impairment in patients who totally recovered from Guillain-Barre syndrome: impact on military performance. *Mil Med* 1990;155(9):438-40.
- Capps L, Vermund SH, Johnsen C. Smallpox and biological warfare: the case for abandoning vaccination of military personnel. *Am J Public Health* 1986;76(10):1229-31.
- Centers for Disease Control. Leishmaniasis and the Arabian Gulf. *Commun Dis Rep CDR Wkly* 1992;2(14):61.
- Cooper RC, Olivieri AW, Danielson RE, Badger PG. *Evaluation of Military Field-Water Quality: Volume 6. Infectious Organisms of Military Concern Associated with Nonconsumptive Exposure: Assessment of Health Risks and Recommendations for Establishing Related Standards*. Livermore, CA: Lawrence Livermore National Lab; 1986. UCRL-21008-V.6.
- Cross ER, Hyams KC. Tuberculin skin testing in US Navy and Marine Corps personnel and recruits, 1980-86. *Am J Public Health* 1990;80(4):435-8.
- Crutcher J, Sharp T, Wallace M, Hoffman S. Malaria (part 1). Lessons from Somalia and General Slim. *Navy Med* 1994;85(2):16-9.
- Daniels JJ. *Evaluation of Military Field-Water Quality: Volume 4, Health Criteria and Recommendations for Standards: Part I, Chemicals and Properties of Military Concern Associated with Natural and Anthropogenic Sources*. Livermore, CA: Lawrence Livermore National Lab; 1988. UCRL-21008-V.4-PT.1.
- Daniels JJ, Layton DW. *Evaluation of Military Field-Water Quality: Volume 9, Data for Assessing Health Risks in Potential Theaters of Operation for US Military Forces: (Final Report)*. Livermore, CA: Lawrence Livermore National Lab; 1988. UCRL-21008-V.9.
- Danil'chenko V, Zhiburt E, Bel'gesov N, Serebrianaia N, Sidorkevich S. The hepatitis C problem in transfusions in military medicine. *Voen Med Zh* 1994;(6):44-5. [In Russian]
- DeMaio J, Bailey L, Hall K, Boyd R. A major outbreak of foodborne gastroenteritis among Air Force personnel during Operation Desert Storm. *Mil Med* 1993;158(3):161-4.
- Dembert M, Shaffer R, Baugh N, Berg S, Zajdowicz T. Epidemiology of viral hepatitis among US Navy and Marine Corps personnel, 1984-85. *Am J Public Health* 1987;77(11):1446-7.
- Efimov E, Razgulin S. The chemoprophylaxis of influenza in troop units. *Voen Med Zh* 1994;(11):34-6. [In Russian]
- Eitrem R, Vene S, Niklasson B. Incidence of sand fly fever among Swedish United Nations soldiers on Cyprus during 1985. *Am J Trop Med Hyg* 1990;43(2):207-11.
- Farghaly A. Cross sectional study of schistosomiasis among military recruits in Alexandria. *J Egypt Public Health Assoc* 1992;67(5-6):593-605.
- Farghaly A, Barakat R. Association between chronic hepatitis B carrier state and schistosomiasis. *J Egypt Public Health Assoc* 1992;67(5-6):607-21.
- Farghaly A, Barakat R. Prevalence, impact and risk factors of hepatitis C infection. *J Egypt Public Health Assoc* 1993;68(1-2):63-79.

- Freeman K, De Mello W. Leishmanian skin testing in the diagnosis of American cutaneous leishmaniasis. *Int J Dermatol* 1985;24(1):52-3.
- Fryauff DJ, Modi GB, Mansour NS, Kreutzer RD, Soliman S, Youssef FG. Epidemiology of cutaneous leishmaniasis at a focus monitored by the multinational force and observers in the northeastern Sinai Desert of Egypt. *Am J Trop Med Hyg* 1993;49(5):598-607.
- Furgal S, Degtiarev A, Korol'kov V. The prospects for using inactivated influenza vaccines on the troops. *Voen Med Zh* 1993;(5):35-6. [In Russian]
- Gabriel A, Su N, Cross J, Garcia D. *Chloroquine Resistant Plasmodium falciparum Malaria in the Armed Forces of the Philippines*. Manila, Philippines: Naval Medical Research Unit No. 2; 1987.
- Gasser RAJ, Magill AJ, Oster CN, Tramont EC. The threat of infectious disease in Americans returning from Operation Desert Storm. *N Engl J Med* 1991;324(12):859-64.
- Giladi M, Block C, Danon YL, Schinder E, Greenblatt CL. Local environmental risk factors in the acquisition of cutaneous leishmaniasis. *Isr J Med Sci* 1988;24(3):185-7.
- Giladi M, Danon YL, Greenblatt C, Schinder E, Nili E. Keziot—a new endemic site of cutaneous leishmaniasis in Israel. An epidemiological and clinical study of a non-immune population entering an endemic area. *Trop Geogr Med* 1985;37(4):298-303.
- Gillis D, Slepon R, Karsenty E, Green MS. Sociodemographic factors associated with *Pediculosis capitis* and *pubis* among young adults in the Israel Defense Forces. *Public Health Rev* 1991;18(4):345-50.
- Gras C, Martet G, Renoux E, Lecamus J, Aubry P. An outbreak of *Schistosoma mansoni bilharziasis*. 113 cases in a military unit returning from Central Africa. *Rev Med Interne* 1987;8(4):379-82. [In French]
- Green MS, Block C, Rannon L. Immunogenicity of a single dose of trivalent influenza vaccine including A/Philippines (H3N2): results of a field trial. *J Med Virol* 1986;19(2):161-6.
- Grogl M, Dargirda JL, Hoover DL, Magill AJ, Berman JD. Survivability and infectivity of viscerotropic *Leishmania tropica* from Operation Desert Storm participants in human blood products maintained under blood bank conditions. *Am J Trop Med Hyg* 1993;49(3):308-15.
- Haberberger RL, Mikhail IA, Burans JP, Hyams KC, Glenn JC. Travelers' diarrhea among United States military personnel during joint American-Egyptian armed forces exercises in Cairo, Egypt. *Mil Med* 1991;156(1):27-30.
- Hawkins RE, Malone JD, Cloninger LA, Jozmajzl PJ, Lewis D. Risk of viral hepatitis among military personnel assigned to US Navy ships. *J Infect Dis* 1992;165:716-9.
- Hayes CG, O'Rourke TF, Fogelman V, Leavengood DD, Crow G. Dengue fever in American military personnel in the Philippines: Clinical observations on hospitalized patients during a 1984 epidemic. *Southeast Asian J Trop Med Public Health* 1989;20(1):1-8.
- Hepburn NC, Tidman M, Hunter J. Cutaneous leishmaniasis in British troops from Belize. *Br J Dermatol* 1993;128(1):63-8.
- Hooper R, Cunison S, Conwill D, Merrell B, Wallace J, Batchelor R. Hepatitis A and B in a naval population. *Mil Med* 1988;153(7):350-5.
- Huh S, Huh S. Intestinal parasitic infections of Korean Army soldiers in Whachon-gun, Korea. *Korean J Parasitol* 1993;31(3):293-4.
- Huh S, Lee S, Huh S. A follow-up examination of intestinal parasitic infections of the Army soldiers in Whachon-gun, Korea. *Korean J Parasitol* 1994;32(1):61-3.
- Hyams K, Palinkas L, Burr R. Viral hepatitis in the US Navy, 1975-1984. *Am J Epidemiol* 1989;130(2):319-26.
- Hyams KC, Krogwold RA, Brock S, Wignall FS, Cross E. Heterosexual transmission of viral hepatitis and cytomegalovirus infection among United States military personnel stationed in the Western Pacific. *Sex Transm Dis* 1993;20(1):36-40.
- Ivanov K, Kosachev I, Liashenko I, Fisun V. Characteristics of chemotherapy of infectious diseases associated with gunshot wounds and trauma. *Antibiot Khimioter* 1992;37(6):19-21. [In Russian]
- James J, Morgenstern M, Hatten J, Koch M. HTLV III and hepatitis A and B serological markers among U.S. military venereal disease patients. *Mil Med* 1986;151(4):193-8.
- Kanasa-thasan N, Iacona-Connors L, Magill A, Smoke B. Dengue serotypes 2 and 3 in US forces in Somalia. *Lancet* 1994;343:676-8.
- Kelley PW, Petrucci BP, Stehr-Green P, Erickson RL, Mason CJ. The susceptibility of young adult Americans to vaccine-preventable infections. A national serosurvey of US Army recruits. *JAMA* 1991;266(19):2724-9.
- Kreutzer R, Grogl M, Neva FA, Fryauff D, Magill A, Aleman-Munoz M. Identification and genetic comparison of leishmanial parasites causing viscerotropic and cutaneous disease in soldiers returning from Operation Desert Storm. *Am J Trop Med Hyg* 1993;49(3):357-63.
- Krylov N, Ivlev A, Kalinin A, Vasil'ev A, Lytsar' B. The clinico-epidemiologic aspects of viral hepatitis C. *Voen Med Zh* 1993;(6):64-7. [In Russian]
- Lacey EJ. Leptospirosis. *J R Nav Med Serv* 1993;79(1):37-8.

- Lambert AW. Cautionary tales. *J R Nav Med Serv* 1994;80(1):33-4.
- Laubach H, Barkin J, Ager A, Gilcrease W, Ratkey B, Silverman M. Evaluation of Army field sanitation during Blazing Trails '87. *Mil Med* 1990;155(12):604-6.
- Layton DW, Mallon BJ, McKone TE, Ricker YE, Lessard PC. *Evaluation of Military Field-Water Quality: Volume 2, Constituents of Military Concern from Natural and Anthropogenic Sources: Part 1, Organic Chemical Contaminants*. Livermore, CA: Lawrence Livermore National Lab; 1988. UCRL-21008-V.2-PT.1.
- LeDuc J, Ksiazek T, Rossi C, Dalrymple J. A retrospective analysis of sera collected by the Hemorrhagic Fever Commission during the Korean Conflict. *J Infect Dis* 1990;162(5):1182-4.
- Lehtomaki K, Leinonen M, Takala A, Hovi T, Herva E, Koskela M. Etiological diagnosis of pneumonia in military conscripts by combined use of bacterial culture and serological methods. *Eur J Clin Microbiol Infect Dis* 1988;7(3):348-54.
- Lesho E. Leishmaniasis. Another threat to Persian Gulf veterans. *Postgrad Med* 1991;90(8):213-4.
- Lew J, Kapikian A, Jiang X, Estes M, Green K. Molecular characterization and expression of the capsid protein of a Norwalk-like virus recovered from a Desert Shield troop with gastroenteritis. *Virology* 1994;200(1):319-25.
- Liashenko I, Velichko M. The diagnostic and treatment characteristics of diphtheria in troop units and military medical institutions. *Voen Med Zh* 1993;(10):37-40. [In Russian]
- Longfield JN, Winn RE, Gibson RL, Juchau SV, Hoffman PV. Varicella outbreaks in Army recruits from Puerto Rico. Varicella susceptibility in a population from the tropics. *Arch Intern Med* 1990;150(5):970-3.
- Magill AJ, Grogl M, Gasser RA Jr, Sun W, Oster CN. Visceral infection caused by *Leishmania tropica* in veterans of Operation Desert Storm. *N Engl J Med* 1993;328(19):1383-7.
- Malone JD, Paparello S, Thornton S, Mapes T, Haberberger R. Parasitic infections in troops returning from Operation Desert Storm. *N Engl J Med* 1991;325(20):1448-9.
- Mansour N, Fryauff D, Modi G, Mikhail E, Youssef F. Isolation and characterization of *Leishmania major* from *Phlebotomus papatasi* and military personnel in north Sinai, Egypt. *Trans R Soc Trop Med Hyg* 1991;85(5):590-1.
- Matzkin H. Acute non-B hepatitis in the Israel Defence Forces: comparison of some epidemiologic features before and after the usage of preexposure immune serum globulin prophylaxis. *Hepatology* 1987;7(6):1330-2.
- Matzkin H. Epidemiological features of acute viral hepatitis among the Israeli Defence Forces, 1977-83. *J Infect Dis* 1987;14(3):271-8.
- McKinlay KP, Masterton RG. West African malaria. *J R Army Med Corps* 1991;137(3):149-51.
- McNeil JG, Lednar WM, Stansfield SK, Prier RE, Miller RN. Central European tick-borne encephalitis: assessment of risk for persons in the armed services and vacationers. *J Infect Dis* 1985;152(3):650-1.
- Mehr Z, Powers NR, Konkol KA. Myiasis in a wounded soldier returning from Panama. *J Med Entomol* 1991;28(4):553-4.
- Niklasson B, Jonsson M, Widegren I, Persson K, LeDuc J. Study of *Nephropathia epidemica* among military personnel in Sweden. *Institut Pasteur* 1992;143:211-4.
- Niklasson B, Peters CJ, Bengtsson E, Norrby E. Rift valley fever virus vaccine trial: study of neutralizing antibody response in humans. *Vaccine* 1985;3(2):123-7.
- Ohl C, Hyams K, Malone J, Oldfield E 3rd. Leishmaniasis among Desert Storm veterans: a diagnostic and therapeutic dilemma. *Mil Med* 1993;158(11):726-9.
- Palinkas L, Pineda T, Burr R, Hyams K. Ten-year profile of infectious and parasitic disease hospitalizations in the U.S. Navy. *Mil Med* 1990;155(9):401-6.
- Parkinson MD, Stout RW, Mahon DR, Clardy WF, Warner RW, Weston ME, et al. Viral hepatitis in the US Air Force, 1980-1989. *Vaccine* 1993;11(5):516-7.
- Pearce R, Grove D. Tick infestation in soldiers who were bivouacked in the Perth region. *Med J Aust* 1987;146(5):238-40.
- Perepelkin V, Raevskii K, Nikolaev V, Sheibak V. The etiology of sandfly fever in Soviet servicemen in Afghanistan. *Voen Med Zh* 1989;(1):48-9. [In Russian]
- Pon E, McKee KT Jr, Diniega BM, Merrell B, Corwin A, Ksiazek TG. Outbreak of hemorrhagic fever with renal syndrome among U.S. Marines in Korea. *Am J Trop Med Hyg* 1990;42(6):612-9.
- Selleck RE, Ungun Z, Chesler G, Diyamandoglu V, Daniels JI. *Evaluation of Military Field-Water Quality. Volume 9. Data for Assessing Health Risks in Potential Theaters of Operation for U.S. Military Forces*. Livermore, CA: Lawrence Livermore National Lab; 1990.
- Shanks G, Wilairatanaporn C. Eosinophilic response to *falciparum* malaria infections. *Southeast Asian J Trop Med Public Health* 1992;23(4):795-7.
- Sharp T, Thornton S, Wallace M, Defraites R, Sanchez J, Batchelor R, et al. Diarrheal disease among military personnel during Operation Restore Hope, Somalia, 1992-1993. *Am J Trop Med Hyg* 1995;52(2):188-93.
- Simchen E, Raz R, Stein H, Danon Y. Risk factors for infection in fracture war wounds (1973 and 1982 wars, Israel). *Mil Med* 1991;156(10):520-7.

- Stout R, Mitchell S, Parkinson M, Warner R, Miles R, Franz B, et al. Viral hepatitis in the U.S. Air Force, 1980-89: an epidemiological and serological study. *Aviat Space Environ Med* 1994;65(5 Suppl):A66-70.
- White C, Pratt S, Bass J, Nevin-Woods C, Weir M. Prenatal screening for hepatitis B infection in the military population in Hawaii. *Pediatr Infect Dis J* 1988;7(2):138-40.

CUTANEOUS/DERMAL CONDITIONS

- Christmas TI, Nicholls D, Holloway BA, Greig D. Blister beetle dermatosis in New Zealand. *N Z Med J* 1987;100(830):515-7.
- Cooke J, Creager M, Osmundson P, Shepherd J. Sex differences in control of cutaneous blood flow. *Circulation* 1990;82(5):1607-15.
- Garland FC, White MR, Garland CF, Shaw E, Gorham ED. Occupational sunlight exposure and melanoma in the U.S. Navy. *Arch Environ Health* 1990;45(5):261-7.
- Gillis D, Slepion R, Karsenty E, Green M. Seasonality and long-term trends of *Pediculosis capitis* and *pubis* in a young adult population. *Arch Dermatol* 1990;126(5):638-41.
- Long G, Rickman L. Infectious complications of tattoos. *Clin Infect Dis* 1994;18(4):610-9.
- Lubach D, Beckers P. Wet working conditions increase brittleness of nails, but do not cause it. *Dermatology* 1992;185(2):120-2.
- Pace J. Sun, sand, and skin: the Persian Gulf. *Int J Dermatol* 1991;30(4):247-9.
- Patterson H, Woolley T, Lednar W. Foot blister risk factors in an ROTC summer camp population. *Mil Med* 1994;159(2):130-5.
- Pehr K, Kornfeld BW. Dermatology in a war zone: a Persian Gulf experience. *Int J Dermatol* 1992;31(7):494-7.
- Ramani ML, Bennett RG. High prevalence of skin cancer in World War II servicemen stationed in the Pacific theatre. *J Am Acad Dermatol* 1993;28((5 Pt 1)):733-7.
- Sertoli A, Gola M, Martinelli C, Lombardi P, Zavaroni C, Panconesi E. Computer analysis of 3312 cases of contact dermatitis. *Contact Dermatitis* 1986;15(4):259.
- Wolf R, Movshowitz M, Brenner S. Contact dermatitis in Israeli soldiers. *J Toxicol Environ Health* 1994;43(1):7-11.

EATING DISORDERS

- Bale P. Body composition and menstrual irregularities of female athletes. Are they precursors of anorexia? *Sports Med* 1994;17(6):347-52.
- Brewerton T, Lydiard R, Laraia M, Shook J, Ballenger J. CSF beta-endorphin and dynorphin in bulimia nervosa. *Am J Psychiatry* 1992;149(8):1086-90.
- Davis C, Fox J, Cowles M, Hastings P, Schwass K. The functional role of exercise in the development of weight and diet concerns in women. *J Psychosom Res* 1990;34(5):563-74.
- de la Serna de Pedro I, Moreno OI, Vinas PR. Comparative study of anorexia nervosa in a group of males and females. *Actas Luso Esp Neurol Psiquiatr Cienc Afines* 1990;18(5):332-8. [In Spanish]
- Drug Therapy Bulletin. Bulimia nervosa—common in women. *Drug Ther Bull* 1992;30(4):13-4.
- Economos C, Bortz S, Nelson M. Nutritional practices of elite athletes. Practical recommendations. *Sports Med* 1993;16(6):381-99.
- Goldbloom D, Naranjo C, Bremner K, Hicks L. Eating disorders and alcohol abuse in women. *Br J Addict* 1992;87(6):913-9.
- Goodwin G, Fairburn C, Cowen P. Dieting changes serotonergic function in women, not men: implications for the aetiology of anorexia nervosa? *Psychol Med* 1987;17(4):839-42.
- Halmi K, Eckert E, Marchi P, Sampugnaro V, Apple R, Cohen J. Comorbidity of psychiatric diagnoses in anorexia nervosa. *Arch Gen Psychiatry* 1991;48(8):712-18.
- Hentze M, Engel K. Prognostic factors for long-term survival in anorexia nervosa. *Z Klin Psychol Psychopathol Psychother* 1991;39(2):173-81. [In German]
- Hesse-Biber S, Clayton-Matthews A, Downey J. The differential importance of weight and body image among college men and women. *Genet Soc Gen Psychol Monogr* 1987;113(4):509-28.
- Hsu L. The treatment of anorexia nervosa. *Am J Psychiatry* 1986;143(5):573-81.
- Johnson M. Disordered eating in active and athletic women. *Clin Sports Med* 1994;13(2):355-69.
- Koslowsky M, Scheinberg Z, Bleich A, Mark M, Apter A, Danon Y, et al. The factor structure and criterion validity of the short form of the Eating Attitudes Test. *J Pers Assess* 1992;58(1):27-35.

- Kurtzman FD, Yager J, Landsverk J, Wiesmeier E, Bodurka DC. Eating disorders among selected female student populations at UCLA. *J Am Diet Assoc* 1989;89(1):45-53.
- Lindeman A. Self-esteem: its application to eating disorders and athletes. *Int J Sport Nutr* 1994;4(3):237-52.
- Love C, Seaton H. Eating disorders. Highlights of nursing assessment and therapeutics. *Nurs Clin North Am* 1991;26(3):677-97.
- Lundholm J, Anderson D. Eating disordered behaviors: a comparison of male and female university students. *Addict Behav* 1986;11(2):193-6.
- Lydiard R, Brewerton T, Fossey M, Laraia M, Stuart G, Beinfeld M, et al. CSF cholecystokinin octapeptide in patients with bulimia nervosa and in normal comparison subjects. *Am J Psychiatry* 1993;150(7):1099-101.
- Mark M, Rabinowitz J, Rabinowitz S, Gaoni B, Babur I, Danon Y. Brief treatment of anorexia nervosa in military personnel. *Hosp Community Psychiatry* 1993;44(1):69-71.
- Miller K. Body-image therapy. *Nurs Clin North Am* 1991;26(3):727-36.
- Nattiv A, Agostini R, Drinkwater B, Yeager KK. The female athlete triad. The inter-relatedness of disordered eating, amenorrhea, and osteoporosis. *Clin Sports Med* 1994;13(2):405-18.
- Owens RG, Slade PD. Running and anorexia nervosa: an empirical study. *Int J Eat Disord* 1987;6(6):771-5.
- Price W. Pharmacologic management of eating disorders. *Am Fam Physician* 1988;37(5):157-62.
- Putukian M. The female triad. Eating disorders, amenorrhea, and osteoporosis. *Med Clin North Am* 1994;78(2):345-56.
- Rippon C, Nash J, Myburgh KH, Noakes TD. Abnormal Eating Attitude Test scores predict menstrual dysfunction in lean females. *Int J Eat Disord* 1988;7(5):617-24.
- Rosmark B, Berne C, Holmgren S, Lago C, Renholm G, Sohlberg S. Eating disorders in patients with insulin-dependent diabetes mellitus. *J Clin Psychiatry* 1986;47(11):547-50.
- Rubenstein C, Pigott T, L'Heureux F, Hill J, Murphy D. A preliminary investigation of the lifetime prevalence of anorexia and bulimia nervosa in patients with obsessive compulsive disorder. *J Clin Psychiatry* 1992;53(9):309-14.
- Scheinberg Z, Bleich A, Koslovsky M, Apter A, Mark M, Kotler B, et al. Prevalence of eating disorders among female Israel defence force recruits. *Harefuah* 1992;123(3-4):73-8. [In Hebrew]
- Schotte D, Stunkard A. Bulimia vs bulimic behaviors on a college campus. *JAMA* 1987;258(9):1213-5.
- Sciacca J, Melby C, Hyner G, Brown A, Femea P. Body mass index and perceived weight status in young adults. *J Community Health* 1991;16(3):159-68.
- Skolnick AA. "Female athlete triad" risk for women. *JAMA* 1993;270(8):921-3.
- Smead V, Bloyd J. Correlates of eating related difficulties among college students: a preliminary investigation. *Addict Behav* 1987;12(2):185-8.
- Sundgot-Borgen J. Eating disorders in female athletes. *Sports Med* 1994;17(3):176-88.
- Sundgot-Borgen J. Risk and trigger factors for the development of eating disorders in female elite athletes. *Med Sci Sports Exerc* 1994;26(4):414-9.
- Suzuki K, Higuchi S, Yamada K, Mizutani Y, Kono H. Young female alcoholics with and without eating disorders: a comparative study in Japan. *Am J Psychiatry* 1993;150(7):1053-8.
- Sykes DJ, Gross M, Subishin S. Preliminary findings of demographic variables in patients suffering from anorexia nervosa and bulimia. *Int J Psychosom* 1986;33(4):27-30.
- Sykora C, Grilo CM, Wilfley D, Brownell K. Eating, weight, and dieting disturbances in male and female lightweight and heavyweight rowers. *Int J Eat Disord* 1993;14(2):203-11.
- Voge V, Yacavone DE. Bulimia: an uncommon problem in aircrewmen—a case report. *Aviat Space Environ Med* 1987;58(4):347-9.
- Wilmore JH. Eating and weight disorders in the female athlete. *Int J Sport Nutr* 1991;1(2):104-17.
- Yates A. Biologic considerations in the etiology of eating disorders. *Pediatr Ann* 1992;21(11):739-44.
- Yeager KK, Agostini R, Nattiv A, Drinkwater B. The female athlete triad: Disordered eating, amenorrhea, osteoporosis. *Med Sci Sports Exerc* 1993;25(7):775-7.
- Zerbe K. Eating disorders in the 1990s: clinical challenges and treatment implications. *Bull Menninger Clin* 1992;56(2):167-87.
- Zuckerman D, Colby A, Ware NC, Lazerson J. The prevalence of bulimia among college students. *Am J Public Health* 1986;76(9):1135-7.

ENDOCRINE

- Nuutila P, Knuuti MJ, Maki M, Laine H, Ruotsalainen U, Teras M, et al. Gender and insulin sensitivity in the heart and in skeletal muscles. Studies using positron emission tomography. *Diabetes* 1995;44(1):31-6.
- Rubinstein A, Koffler M, Villa Y, Graff E. The Gulf War and diabetes mellitus. *Diabet Med* 1993;10(8):774-6.

FAMILY ISSUES

- Anson O, Rosenzweig A, Shwarzmann P. The health of women married to men in regular Army service: women who cannot afford to be ill. *Women Health* 1993;20(1):33-45.
- Birgenheier PS. Parents and children, war and separation. *Pediatr Nurs* 1993;19(5):471-6.
- Black WGJ. Military-induced family separation: a stress reduction intervention. *Soc Work* 1993;38(3):273-80.
- Blair JW. *The Impact of Desert Storm on Military Wives Who are Human Service Professionals: Report of a Social Action Project*. OH: Union Institute; 1992. Dissertation.
- Blaisure KR, Arnold-Mann J. Return and reunion: a psychoeducational program aboard U.S. Navy ships. *Fam Relat* 1992;41(2):178-85.
- Bowen GL. *Spouse Support and the Retention Intentions of Air Force Members: A Basis for Program Development*. Dearborn, MI: Paper presented at the annual meeting of the National Council on Family Relations; 1986.
- Bowen GL. Single mothers for the defense. *Conciliation Courts Rev* 1987;1(June):13-8.
- Bowen GL. *The Relationship of Family Satisfaction to Satisfaction with the Military Way of Life among Soldiers. Technical Report: 864*. Research Triangle Park, NC: Research Triangle Institute; 1989.
- Bowen GL. *The Family Adaptation Model: A Life Course Perspective*. Alexandria, VA: Army Research Institute for the Behavioral and Social Sciences; 1990.
- Bowen GL, Orthner DK. Single parents in the U.S. Air Force. *Fam Relat* 1986;35(1):45-52.
- Bowen GL, et al. Family adaptation of single parents in the United States Army: an empirical analysis of work stressors and adaptive resources. *Fam Relat* 1993;42(3):293-304.
- Davidson ML. *Building Family Strengths: Implementation of Professional Training Program for Military Family Application*. Lincoln, NE: Paper presented at the 10th Annual National Symposium on Building Family Strengths; 1987.
- Dreman S. Children of victims of terrorism in Israel: coping and adjustment in the face of trauma. *Isr J Psychiatry Relat Sci* 1989;26(4):212-22.
- Dukes RL, Naylor J. Persian Gulf sojourn—stereotypes of family separation. *Sociol Soc Res* 1991;76(1):29-34.
- Getts AG. Dating and sexual behavior in military dependent adolescents. *Mil Med* 1988;153(12):614-7.
- Guttmann J. Intimacy in young adult males' relationships as a function of divorced and non-divorced family of origin structure. *J Divorce* 1988;12(2-3):253-61.
- Harrison D, Laliberte L. How combat ideology structures military wives' domestic labour. *Stud Political Economy* 1993;42(Autumn):45-80.
- Kelley ML. The effects of military-induced separation on family factors and child behavior. *Am J Orthopsychiatry* 1994;64(1):103-11.
- Kelley ML, Herzog-Simmer PA, Harris MA. Effects of military-induced separation on the parenting stress and family functioning of deploying mothers. *Mil Psychol* 1994;6(2):125-38.
- Kleiger JH, Kennedy D, Becker DJ, Smith S. "Children, don't forget me": a resource and support group for deployed parents during Operations Desert Shield and Desert Storm. *Health Soc Work* 1993;18(3):237-40.
- Klein HA, Tatone CL, Lindsay NB. Correlates of life satisfaction among military wives. *J Psychol* 1989;123(5):465-75.
- Knapp TS, Newman SJ. Variables related to the psychological well being of Army wives during the stress of an extended military separation. *Mil Med* 1993;158(2):77-80.
- Levai M, Kaplan S, Daly K, McIntosh G. The effect of the Persian Gulf Crisis on the psychiatric hospitalization of Navy children and adolescents. *Child Psychiatry Hum Dev* 1994;24(4):245-54.
- Martin J, Ickovics J. The effects of stress on the psychological well-being of Army wives: initial findings from a longitudinal study. *J Human Stress* 1987;13(3):108-15.
- McNelis PJ, Awalt SJ. Project SAFE: an Armed Forces cooperative initiative for the prevention and treatment of family violence. *Eval Program Plann* 1986;9(3):233-41.
- Rabb DD, Baumer RJ, Wieseler NA. Counseling Army reservists and their families during Operation Desert Shield/Storm. *Community Ment Health J* 1993;29(5):441-7.
- Raiha NK. *Dual Career Couples in the U.S. Army: A Descriptive Study (Military, Families)*. Seattle, WA: University of Washington; 1986. Dissertation.
- Raschmann JK, Patterson JC, Schofield G. A retrospective study of marital discord in pilots: the USAFSAM experience. *Aviat Space Environ Med* 1990;61(12):1145-8.
- Rindfuss RR, Stephen EH. Marital noncohabitation: separation does not make the heart grow fonder. *J Marriage Fam* 1990;52(1):259-70.
- Rosen L, Carpenter C, Moghadam L. Impact of military life stress on the quality of life of military wives. *Mil Med* 1989;154(3):116-20.

- Rosen L, Westhuis D, Teitelbaum J. Patterns of adaptation among Army wives during Operations Desert Shield and Desert Storm. *Mil Med* 1994;159(1):43-7.
- Rosen LN, Ickovics JR, Moghadam LZ. Employment and role satisfaction: Implications for the general well-being of military wives. *Psychol Women Q* 1990;3(Sept):371-85.
- Rosen LN, Moghadam LZ. Social support, family separation, and well-being among military wives. *Behav Med* 1988;14(2):64-70.
- Rosen LN, Moghadam LZ. Predictors of general well being among Army wives. *Mil Med* 1991;156(7):357-61.
- Rosen LN, Teitelbaum JM, Westhuis DJ. Children's reactions to the Desert Storm deployment: initial findings from a survey of Army families. *Mil Med* 1993;158(7):465-9.
- Rosenberg FR. *Mental Health among Army Spouses: A Study of the Relationship between Institutional Factors and Well Being*. Bethesda, MD: U.S. Uniformed Health Services, Department of Psychiatry; 1994.
- Segal MW. The military and the family as greedy institutions. *Armed Forces & Society* 1986;1(Fall):9-38.
- Stratton SP. *Intensive Case Studies of Attachment Utilizing a Naturally-Occurring Separation in Marital Relationships*. Auburn, AL: Auburn University; 1991. Dissertation.
- U.S. Air Force, Family Matters Office. *A Study of the Effectiveness of Family Assistance Programs in the Air Force during Operation Desert Shield/Storm. Final Report*. Toronto, Canada: Paper presented at the 101st Annual Meeting of the American Psychological Association; 1993.
- Wynd CA, Dziedzicki RE. Heightened anxiety in Army Reserve nurses anticipating mobilization during Operation Desert Storm. *Mil Med* 1992;157(12):630-4.

GASTROINTESTINAL CONDITIONS

- Burkhalter E. Incidence of gastrectomy in United States Army hospitals worldwide from 1975 to 1985. *Am J Gastroenterol* 1988;83(11):1231-4.
- Johnson GP, Weston TD, Ward JE. Treatment of acute diarrhea with norfloxacin during Desert Storm deployment. *Aviat Space Environ Med* 1992;63(8):717-20.
- Ozbonfil D, Cohen D, Ohad E, Sechter I. An outbreak of enteritis associated with enteroinvasive *E. coli* in an Israeli military base. *Public Health Rev* 1991;18(2):171-7.
- Smoak BL, Kelley P, Taylor D. Seroprevalence of *Helicobacter pylori* infections in US Army recruits. *Am J Epidemiol* 1994;139(5):513-9.

GYNECOLOGIC/GENITO-URINARY

- Berliner D, No P. Prevalence of penicillinase-producing *Neisseria gonorrhoeae* in Korea. *Aviat Space Environ Med* 1986;57(12 Pt 1):1170-5.
- Catterson M, Zadoo V. Prevalence of asymptomatic chlamydial cervical infection in active duty Army females. *Mil Med* 1993;158(9):618-9.
- Cobb CE. Chief complaints, contraceptive use and diagnoses of female soldiers in ambulatory GYN clinic. *Mil Med* 1987;152(2):70-5.
- Hanna J. An analysis of gynecological problems presenting to an evacuation hospital during Operation Desert Storm. *Mil Med* 1992;157(5):222-4.
- Kearney PJ. Cases from the aerospace medicine residents' teaching file. Case #54. Fibrous dysplasia [clinical conference]. *Aviat Space Environ Med* 1993;64(10):955-6.
- Schell C, Harris J, Honkanen A, Edwards M, Raia TJ. Report on *Gardnerella* vaginitis. *Mil Med* 1992;157(1):37-40.
- Thompson I, Peek M, Rodriguez F. The impact of cigarette smoking on stage, grade and number of recurrences of transitional cell carcinoma of the bladder. *J Urol* 1987;137(3):401-3.

GYNECOLOGIC/REPRODUCTIVE HEALTH, BIRTH CONTROL

- Ferraiolo A, Bellone F, Gazzo R, Gerbaldo D, De Cecco L. Hormonal contraception in athletes. *G Ital Ostet Ginecol* 1992;14(11):746-50.
- Fine BJ, McCord L. Oral contraceptive use, caffeine consumption, field-dependence, and the discrimination of colors. *Percept Mot Skills* 1991;73(3 Pt 1):931-41.

- Hipkin L. The induction of amenorrhoea. *J R Army Med Corps* 1992;138(1):15-8.
- Huisveld IA, Derkx FM, Bouma BN, Erich WB, Schalekamp MA. Renin-angiotensin system: oral contraception and exercise in healthy female subjects. *J Appl Physiol* 1985;59(6):1690-7.
- Margenet-Baudry M. Weight and oral contraception. *Symbioses* 1985;17(3):171-4.
- Prior JC, Vigna Y. Gonadal steroids in athletic women. Contraception, complications and performance. *Sports Med* 1985;2(4):287-95.
- Trussell J, Grummer-Strawn L. Contraceptive failure of the ovulation method of periodic abstinence. *Fam Plann Perspect* 1990;22(2):65-75.

GYNECOLOGIC/REPRODUCTIVE HEALTH, LACTATION

- Madlon-Kay D, Carr R. The effect of decreasing maternity leave on breast-feeding patterns. *Fam Med* 1988;20(3):220-1.

GYNECOLOGIC/REPRODUCTIVE HEALTH, LONG-RANGE IMPLICATIONS

- Bassoff BZ, Ortiz ET. *Women and Reproductive Health: A Challenge for the Military*. Atlanta, GA: Paper presented at the NASW National Conference on Women's Issues; 1986.
- Brushwood D. Women of childbearing capacity may not be excluded from working with hazardous substances because of their gender. *Am J Hosp Pharm* 1991;48(6):1281-3.
- Cumming DC, Wheeler GD, Harber VJ. Physical activity, nutrition, and reproduction. *Ann N Y Acad Sci* 1994;709:55-76.
- General Accounting Office. *Operation Desert Storm. Questions Remain on Possible Exposure to Reproductive Toxins*. Washington, DC: GAO; 1994. GAO/PEMD-94-30.
- Loucks AB, Vaitukaitis J, Cameron JL, Rogol AD, Skrinar G, Warren MP, et al. The reproductive system and exercise in women. *Med Sci Sports Exerc* 1992;24(6 Suppl):S288-93.
- Martin TE. Infertility in a large Royal Air Force general practice. *J R Army Med Corps* 1989;135(2):68-75.
- O'Brien M. Women and sport. *Appl Ergon* 1985;16(1):25-39.

GYNECOLOGIC/REPRODUCTIVE HEALTH, POSTPARTUM

- Clapp JF, Capeless E. The VO_2max of recreational athletes before and after pregnancy. *Med Sci Sports Exerc* 1991;23(10):1128-33.

GYNECOLOGIC/REPRODUCTIVE HEALTH, PREGNANCY

- Adams M, Harlass F, Sarno A, Read J, Rawlings J. Antenatal hospitalization among enlisted servicewomen, 1987-1990. *Obstet Gynecol* 1994;84(1):35-9.
- Adams M, Read J, Rawlings J, Harlass F, Sarno A, Rhodes P. Preterm delivery among black and white enlisted women in the United States Army. *Obstet Gynecol* 1993;81(1):65-71.
- Alexander G, Baruffi G, Mor J, Kieffer E, Hulsey T. Multiethnic variations in the pregnancy outcomes of military dependents. *Am J Public Health* 1993;83(12):1721-5.
- Artal R. Exercise and pregnancy. *Clin Sports Med* 1992;11(2):363-77.
- Birdsong W. Ectopic pregnancy in a military population. *Mil Med* 1987;152(10):525-6.
- Borsay-Trindle L, Pass C, Gilzean S. Unplanned pregnancy among active-duty Army females as a readiness issue. *Mil Med* 1991;156(2):82-6.
- Brunader R, Brunader J, Kugler J. Prevalence of cocaine and marijuana use among pregnant women in a military health care setting. *J Am Board Fam Pract* 1991;4(6):395-8.
- Bung P, Spatling L, Huch R, Huch A. Performance training in pregnancy. Report of respiratory and cardiovascular physiologic changes in a pregnant high-performance athlete in comparison with a sample of normal pregnant patients. *Geburtshilfe Frauenheilkd* 1988;48(7):500-11. [In German]
- Cavedon G, Figa-Talamanca I. Correlates of early fetal death among women working in industry. *Am J Ind Med* 1987;11(5):497-504.

- Clapp JF. Oxygen consumption during treadmill exercise before, during, and after pregnancy. *Am J Obstet Gynecol* 1989;161(6 Pt 1):1458-64.
- Clapp JF. The course of labor after endurance exercise during pregnancy. *Am J Obstet Gynecol* 1990;163(6 Pt 1):1799-805.
- Clapp JF, Capeless E. The VO_2max of recreational athletes before and after pregnancy. *Med Sci Sports Exerc* 1991;23(10):1128-33.
- Clapp JF, Capeless EL, Little KD. The effect of sustained exercise on follicular phase levels of 17beta-estradiol in recreational athletes. *Am J Obstet Gynecol* 1993;168(2):581-4.
- Correnti EE, Jensen PS. Support of the pregnant soldier in the workplace: a comparison of her assessment with that of her supervisor. *Mil Med* 1989;154(11):571-3.
- Forrest JD. Epidemiology of unintended pregnancy and contraceptive use. *Am J Obstet* 1994;170:1485-8.
- Greenberg D, Yoder B, Clark R, Butzin C, Null DJ. Effect of maternal race on outcome of preterm infants in the military. *Pediatrics* 1993;91(3):572-7.
- Halman L, Andrews F, Abbey A. Gender differences and perceptions about childbearing among infertile couples. *J Obstet Gynecol Neonatal Nurs* 1994;23(7):593-600.
- Irwin D, Savitz D, Hertz-Picciotto I, St. Andre KA. The risk of pregnancy-induced hypertension. black and white differences in a military population. *Am J Public Health* 1994;84(9):1508-10.
- Killien M. Working during pregnancy: psychological stressor or asset? *NAACOGS Clin Issu Perinat Womens Health Nurs* 1990;1(3):325-32.
- Kimmance K, Waters W. Infant mortality and Army families: a case-control study. *Br Med J* 1992;305(6863):1197.
- King N, Fridlund K, Askew E. Nutrition issues of military women. *J Am Coll Nutr* 1993;12(4):344-8.
- Kugler J, Connell FA, Henley C. Lack of difference in neonatal mortality between blacks and whites served by the same medical care system. *J Fam Pract* 1990;30(3):281-7.
- Kulpa PJ, White BM, Visscher R. Aerobic exercise in pregnancy. *Am J Obstet Gynecol* 1987;156(6):1395-1403.
- Laatikainen T. Corticotropin-releasing hormone and opioid peptides in reproduction and stress. *Ann Med* 1991;23(5):489-96.
- Lemarie PH, Lemarie-Dechriste D. Clinical aspects of pregnancy in the sportswoman. *Rev Fr Gynecol Obstet* 1986;81(9):469-72. [In French]
- Long J, Thomas R. A one-year experience in the antenatal evaluation of suspected abdominal wall and bowel defects at a military tertiary referral center. *Mil Med* 1993;158(3):199-202.
- Magann E, Nolan T. Pregnancy outcome in an active-duty population. *Obstet Gynecol* 1991;78(3 Pt 1):391-3.
- Messersmith-Heroman K, Heroman W, Moore T. Pregnancy outcome in military and civilian women. *Mil Med* 1994;159(8):577-9.
- Meyer WR, Pierce EF, Katz VL. The effect of exercise on reproductive function and pregnancy. *Curr Opin Obstet Gynecol* 1994;6(3):293-9.
- Prior JC, Vigna YM, McKay DW. Reproduction for the athletic woman. New understandings of physiology and management. *Sports Med* 1992;14(3):190-9.
- Ramirez G, Grimes RM, Annegers J, Davis B, Slater C. Occupational physical activity and other risk factors for preterm birth among US Army primigravidas. *Am J Public Health* 1990;80(6):728-30.
- Rawlings J, Weir M. Race- and rank-specific infant mortality in a US military population. *Am J Dis Child* 1992;146(3):313-6.
- Srisuphan W, Bracken MB. Caffeine consumption during pregnancy and association with late spontaneous abortion. *Am J Obstet Gynecol* 1986;154(1):14-20.
- White J. Exercising for two: what's safe for the active pregnant woman? *Phys Sportsmed* 1992;20(5):179, 181-4.

HEALTH, GENERAL

- Ballweg J, Li L. Comparison of health habits of military personnel with civilian populations. *Public Health Rep* 1989;104(5):498-509.
- Becraft C. Women in the U.S. Armed Services: the war in the Persian Gulf. *Women and Criminal Justice* 1992;4(1):155-63.
- Blood C, Pugh W, Gauker E, Pearsall D. Comparisons of wartime and peacetime disease and non-battle injury rates aboard ships of the British Royal Navy. *Mil Med* 1992;157(12):641-4.
- Carel R. Findings in pre-employment examinations. *Isr J Med Sci* 1992;28(8-9):666-74.
- Hines JF. Ambulatory health care needs of women deployed with a heavy armor division during the Persian Gulf War. *Mil Med* 1992;157(5):219-21.
- Hoiberg A. *Health Status of Women in the U.S. Military*. San Diego, CA: U.S. Naval Health Research Center; 1982. Report No. 82-32.

- Hoiberg A, White JF. *Health Status of Women in the Armed Forces*. San Diego, CA: U.S. Naval Health Research Center; 1991. Report No. 89-37.
- Institute of Medicine. *Health Consequences of Service During the Persian Gulf War: Initial Findings and Recommendations for Immediate Action*. Washington, DC: National Academy Press; 1995.
- Kawachi I, Colditz G, Stampfer M, Willett W, Manson J, Rosner B, et al. Smoking cessation in relation to total mortality rates in women. A prospective cohort study. *Ann Intern Med* 1993;119(10):992-1000.
- Kroenke K, Wood D, Mangelsdorff A, Meier N, Powell J. Chronic fatigue in primary care. Prevalence, patient characteristics, and outcome. *JAMA* 1988;260(7):929-34.
- Martikainen K, Hasan J, Urponen H, Vuori I, Partinen M. Daytime sleepiness: a risk factor in community life. *Acta Neurol Scand* 1992;86(4):337-41.
- McCrary BF, LeGare TK, Nang RN. An analysis of duty restrictions of aviation personnel in the Republic of Korea. *Mil Med* 1994;159(3):242-5.
- Miller A, Kershaw C. Initial medical reception, intervention and survey work in combined military and civilian humanitarian aid: operation "Safe Haven," northern Iraq 1991. *Med War* 1993;9(1):24-32.
- Miwa T, Miura K, Miyakawa S, Narayama S, Hirano H, Kanai K. Athletes as health testing examinees. *Methods Inf Med* 1993;32(3):211-3.
- National Institutes of Health, Office of Medical Applications of Research. The Persian Gulf experience and health. *JAMA* 1994;272:391-6.
- National Institutes of Health, Office of Research on Women's Issues. *Report of the National Institutes of Health: Opportunities for Research on Women's Health*. Washington, DC: U.S. Department of Health and Human Services; 1992. NIH 92-3457-A.
- Nattiv A, Puffer JC. Lifestyles and health risks of collegiate athletes. *J Fam Pract* 1991;33(6):585-90.
- Rasmussen B. Migraine and tension-type headache in a general population: precipitating factors, female hormones, sleep pattern and relation to lifestyle. *Pain* 1993;53(1):65-72.
- Robson S. Women at work. *Practitioner* 1992;236(1511):133-4.
- Rosenfeld P. Effects of gender and ethnicity on Hispanic women in the U.S. Navy. *J Soc Psychol* 1994;134(3):349-54.
- Satterfield D. Prevalence and variation of astigmatism in a military population. *J Am Optom Assoc* 1989;60(1):14-8.
- Sienko D, Atchison A, Higdon AJ. Disease prevention strategies for Army aviators: clues from a descriptive analysis of the flying duty medical examination. *Mil Med* 1992;157(5):236-8.
- Symmons D, Chakravarty K. Can immunisation trigger rheumatoid arthritis? *Ann Rheum Dis* 1993;52(12):843-4.
- Troumbley PF, Burman K, Rinke W, Lenz E. A comparison of the health risk, health status, self-motivation, psychological symptomatic distress, and physical fitness of overweight and normal-weight soldiers. *Mil Med* 1990;155(9):424-9.
- Ungs TJ. Extent and etiology of aeromedical duty restrictions at a U.S. Coast Guard air station. *Aviat Space Environ Med* 1991;62(10):974-7.
- Van de Kamp J, Ferguson JH. *Persian Gulf Experience and Health: January 1971 through March 1994: 594 Selected Citations*. Bethesda, MD: National Library of Medicine. 24p.
- Woodruff S, Conway T. A longitudinal assessment of the impact of health/fitness status and health behavior on perceived quality of life. *Percept Mot Skills* 1992;75(1):3-14.

HEALTH SERVICES

- Ahlberg A, Corea JR, Sadat-Ali M, al-Habdan I, Marwah S, Moussa M, et al. The SCUD missile disaster in Al-Khobar, Saudi Arabia, 1991: the orthopaedic experience. *Injury* 1994;25(2):97-8.
- Alexander G, Baruffi G, Mor J, Kieffer E, Hulsey T. Multiethnic variations in the pregnancy outcomes of military dependents. *Am J Public Health* 1993;83(12):1721-5.
- Allen JC, Crate ID, Corner NB. Post-operative wound infections in Belize. *J R Army Med Corps* 1992;138(2):87-91.
- Black WR. You're the flight surgeon. Abdominal pain that has lasted 3 days. *Aviat Space Environ Med* 1993;64(1):82-3.
- Blood CG, Nirona CB. *Geographical and Temporal Variations in Outpatient Morbidity at U.S. Navy Overseas Facilities*. San Diego, CA: Naval Health Research Center; 1990.
- Bruce DM. *Evaluating Quality of Life Programs: Summary of a Literature Review*. San Diego, CA: Navy Personnel Research and Development Center; 1990.
- Bruckart JE, Licina JR, Quattlebaum M. Laboratory and flight tests of medical equipment for use in U.S. Army Medevac helicopters. *Air Med J* 1993;1(3):51-6.
- Burke MD. *A Study to Determine Demand for Health Care Services in the Catchment Area of the Joint Military Medical Command, San Antonio, Texas*. Washington, DC: Academy of Health Sciences, Health Care Administration; 1990. 198p.

- Butler TL. *The Impact of Force Reductions on Promotions in the Navy Medical Service Corps*. Monterey, CA: Naval Postgraduate School; 1990. Thesis.
- Callahan CJ, FitzSimmons S, Schidlow D. Source of health care for military dependents with cystic fibrosis. *Mil Med* 1994;159(2):126-30.
- Chisick MC. *Dental Utilization by Soldiers and Their Families*. Fort Sam Houston, TX: Army Health Care Studies and Clinical Investigation Activity; 1990. 71p.
- Clements TI, Griffin RF, Spaulding VC, Xenakis SN. *Army Medical Department: 2005*. Maxwell Air Force Base, AL: Air War College; 1990. 67p.
- Cloutier MG, Cowan ML. Disaster medicine training through simulations for fourth-year students. *J Med Educ* 1986;61(5):408-10.
- Cobb CE. Chief complaints, contraceptive use and diagnoses of female soldiers in ambulatory GYN clinic. *Mil Med* 1987;152(2):70-5.
- Coe L. How we geared up for the Gulf. *Health Serv J* 1991;101(5253):18-9.
- Cook JS. *A Study to Determine a Viable System for Tracking Outpatient Medical Records at Letterman Army Medical Center*. Washington, DC: Academy of Health Sciences, Health Care Administration; 1990. Thesis. 87p.
- Cross ER, Hyams KC. Tuberculin skin testing in US Navy and Marine Corps personnel and recruits, 1980-86. *Am J Public Health* 1990;80(4):435-8.
- Defraites RF, Krauss MR. Attendance and referral patterns in a health promotion program for soldiers. *Mil Med* 1992;157(4):214-8.
- Department of Veterans Affairs. *Survey of Medical System Users*. Washington, DC: Dept. of Veterans Affairs, Office of Planning and Management Analysis; 1990. 268p.
- Dillingham TR, Spellman NT, Braverman SE, Zeigler DN, Belandres PV, Bryant P, et al. Analysis of casualties referred to Army physical medicine services during the Persian Gulf conflict. *Am J Phys Med Rehabil* 1993;72(4):214-8.
- Duffy R, Adelson R, Niessen L, Wescott W, Watkins K, Rhyne R. VA oral HIV surveillance program: understanding the disease. *J Am Dent Assoc* 1992;123(10):57-62.
- Fite AR. *Military Health Service System: Beneficiary Satisfaction and an Option for Change*. Monterey, CA: Naval Postgraduate School; 1990. Thesis. 89p.
- Georgoulakis JM, Guillen AC, Gaffney CL, Akins SE, Bolling DR. *Evaluation of Ambulatory Care Classification Systems for the Military Health Care System*. Fort Sam Houston, TX: Army Health Care Studies and Clinical Investigation Activity; 1990. 213p.
- Gerrard M, Gibbons FX, Warner TD. Effects of reviewing risk-relevant behavior on perceived vulnerability among women Marines. *Health Psychol* 1991;10(3):173-9.
- Glenn JF, Burr RE, Hubbard RW, Mays MZ, Moore RJ. *Sustaining Health and Performance in the Desert: Environmental Medicine Guidance for Operations in Southwest Asia*. Natick, MA: Army Research Institute of Environmental Medicine; 1990. 57p.
- Grisso J, Baum C, Turner B. What do physicians in practice do to prevent osteoporosis? *J Bone Miner Res* 1990;5(3):213-9.
- Hales R, Stolt J, Woodmansee JJ. Report of a preventive health program in an Army division. *Mil Med* 1987;152(9):441-5.
- Hanna J. An analysis of gynecological problems presenting to an evacuation hospital during Operation Desert Storm. *Mil Med* 1992;157(5):222-4.
- Harris and Associates. *Survey of Female Veterans: A Study of the Needs, Attitudes and Experiences of Women Veterans*. Washington, DC: Veterans Administration; 1985. STUDY-843002;VA/IM/SM-70-85-7.
- Hawkins M, Cooke A, Major J. An evaluation of the weight control program at a U.S. Army installation. *Mil Med* 1986;151(3):185-6.
- Holser MA. *Evaluation of a Work-Site Health-Promotion Program Emphasizing Leisure Awareness within a Navy Command. Executive Summary*. New York. 1990. ERIC-SP034476.
- Horton J, Cruess D, Korper M. Use of obstetrical care compared among military and civilian families. *Public Health Rep* 1989;104(3):309-10.
- Jennings BM. *Patient care outcomes: implications for the military health services systems*. Washington, DC: Army War College; 1990. 78p.
- Johnson D, Twidwell J, Henderson R, Wesson S, Fischer R, Lorenzen WF. A prototype multidisciplinary cancer screening clinic for the military medical facility. *Mil Med* 1993;158(5):345-7.
- Kelley PW, Petruccielli BP, Stehr-Green P, Erickson RL, Mason CJ. The susceptibility of young adult Americans to vaccine-preventable infections. A national serosurvey of US Army recruits. *JAMA* 1991;266(19):2724-9.
- Kenkel PJ. High utilization rate offsets efficiencies in pilot military mental healthcare program. *Mod Healthc* 1992;22(10):32-3.
- Koehler WF. *The Effects of Postencounter Communications on Patient Satisfaction with Health Care in a Military Setting*. Birmingham, AL: University of Alabama; 1990. Dissertation.

- Korenyi-Both AL, Juncer DJ, Davis RE, Dellva WL, Bachman L, Farr JO Jr. Joint task force "forward care" multicomponent health service support for an Army Reserve separate infantry brigade (mechanized)--Part III. *Mil Med* 1992;157(6):284-90.
- Kugler J, Yeash J, Rumbaugh P. The impact of sociodemographic, health care system, and family function variables on prenatal care utilization in a military setting. *J Fam Pract* 37(2):143-7.
- Landymore RW, Voynovich P, Henderson B. Casualties treated during MILCON 92: relevance to training of militia medical personnel. *Mil Med* 1994;159(7):484-7.
- Lee D, Patrissi G. Routine 36-week hemoglobin and hematocrits: are they necessary? *Mil Med* 1994;159(3):201-3.
- Long J, Thomas R. A one-year experience in the antenatal evaluation of suspected abdominal wall and bowel defects at a military tertiary referral center. *Mil Med* 1993;158(3):199-202.
- Lopreiato J, Moriarty R. Immunization status of a military dependent population. *Mil Med* 1993;158(6):371-3.
- Lott CM. The case for mandatory HIV testing of active duty sex offenders. *Mil Med* 1994;159(5):386-9.
- Lynch-Blosse R. A study into medical wastage of recruits. *J R Army Med Corps* 1987;133(1):43-9.
- Mader T, Aragones J, Chandler A, Hazlehurst J, Heier J, Kingham J, et al. Ocular and ocular adnexal injuries treated by United States military ophthalmologists during Operations Desert Shield and Desert Storm. *Ophthalmology* 1993;100(10):1462-7.
- Mangelsdorff AD. *Patient Satisfaction Survey 1989*. Fort Sam Houston, TX: Army Health Care Studies and Clinical Investigation Activity; 1990. 7p.
- Markenson G, Raez E, Colavita M. Female health care during Operation Desert Storm: the Eighth Evacuation Hospital experience. *Mil Med* 1992;157(11):610-3.
- Masi GV, Andrews KG, Gisin GJ Jr. Teleradiology: managing change through technology innovation. *J Ambulatory Care Manage* 1990;13(3):55-9.
- Mihara TG. *Measuring the Efficient Utilization of Medical Personnel at Navy Military Treatment Facilities*. Monterey, CA: Naval Postgraduate School; 1990. Thesis. 138p.
- Miller A, Kershaw C. Initial medical reception, intervention and survey work in combined military and civilian humanitarian aid: operation "Safe Haven," northern Iraq 1991. *Med War* 1993;9(1):24-32.
- Mlinaric J, Nincevic N, Peranic H, Kostov D, Gnjatovic D, Dominis M, et al. Intensive care of severely wounded military and civilian casualties in Zadar, Croatia. *Mil Med* 1994;159(6):434-7.
- Modderman ME, Rogers HG. Market orienting military health care through a voucher system. *J Ambulatory Care Manage* 1990;13(3):60-8.
- Muller D, Hartmann B, Klingbeil M. Possibilities for cooperation between child and adolescent health protection, occupational health services and military medicine. *Z Gesamte Hyg* 1987;33(8):388-9. [In German]
- Nagel SK. *Evaluation of Six Chest Drainage Units for Use in Aeromedical Evacuation*. Brooks Air Force Base, TX: U.S. Air Force, School of Aerospace Medicine; 1990. 18p.
- Olson KW, Kingsley CP. Drawover anesthesia. A review of equipment, capabilities, and utility under austere conditions. *Anesthesiol Rev* 1990;17(4):19-29.
- Rust O, Place J, Melendez D, Leyro P. Lowering the cesarean rate at a small USAF hospital. *Mil Med* 1993;158(1):22-6.
- Schallhorn S. Photorefractive surgery in the Navy. *Navy Med* 1994;85(1):27-32.
- Scott RJ, Illions E, Hayslip C. Establishment of an assisted reproduction program in the Armed Forces. *Mil Med* 1993;158(2):92-6.
- Spain J, Greifenhagen R, Myers BR. Challenges facing pharmacy practice during Operation Desert Storm. *Hosp Pharm* 1993;28(4):317-8, 320-2, 334.
- Stanley J, Blair JD. Challenges in military health care: perspectives on health status and the provision of care. *Armed Forces & Society* 1992;Summer.
- Summerlin AJ. *Study of Managed Care Activities in USAF and Other DOD Medical Treatment Facilities*. Academy of Health Sciences, Health Care Administration; 1990. 110p.
- Troumbley P, Lenz E. Application of Cox's interaction model of client health behavior in a weight control program for military personnel: a preintervention baseline. *ANS Adv Nurs Sci* 1992;14(4):65-78.
- Tsvelev I, Kozovenko M. The prospects for improving specialized gynecological care for light casualties and those with mild illness among women service personnel. *Voen Med Zh* 1993;(8):25-6. [In Russian]
- Verdone RD, Sipes W, Miles R. Current trends in the usage of the Adaptability Rating for Military Aviation (ARMA) among USAF flight surgeons. *Aviat Space Environ Med* 1993;64(12):1086-93.
- Weber KJ. *Evaluation of a Constrained Facet Analysis Efficiency Model for Identifying the Efficiency of Medical Treatment Facilities in the Army Medical Department*. Washington, DC: Academy of Health Sciences, Health Care Administration; 1990. Thesis. 204p.
- White C, Pratt S, Bass J, Nevin-Woods C, Weir M. Prenatal screening for hepatitis B infection in the military population in Hawaii. *Pediatr Infect Dis J* 1988;7(2):138-40.

- Wians FH Jr, Hankins GD, Yeomans ER, Hammond TL, Strickland DM. Guidelines for establishing a maternal serum alpha-fetoprotein screening program. *Mil Med* 1990;155(10):468-72.
- Wier LT, Jackson AS, Pinkerton MB. Evaluation of the NASA/JSC Health Related Fitness Program. *Aviat Space Environ Med* 1989;60(5):438-44.
- Wilcox WW, Pugh WM. *Evaluation of a Revised Field Medical Card for Navy and Marine Corps Personnel*. San Diego, CA: Naval Health Research Center; 1990. 73p.

HIV/AIDS

- Arday DR, Brundage JF, Gardner LI, Goldenbaum M, Wann F, Wright S. The effect of human immunodeficiency virus type 1 antibody status on military applicant aptitude test scores. *Am J Epidemiol* 1991;133(12):1210-9.
- Burke DS. HIV: the U.S. military experience. *Proc Annu Meet Med Sect Am Counc Life Insur* 1990;169-77.
- Cowan D, Pomerantz R, Wann Z, Goldenbaum M, Brundage J, Miller R, et al. Human immunodeficiency virus infection among members of the reserve components of the US Army: prevalence, incidence, and demographic characteristics. The Walter Reed Retrovirus Research Group. *J Infect Dis* 1990;162(4):827-36.
- Cowan DN, Brundage JF, Pomerantz RS, Gardner LI, Miller RN, Wann ZF. HIV infection among members of the Army Reserve components residing in New York City. *N Y State J Med* 1991;91(11):479-82.
- Cowan DN, Brundage JF, Pomerantz RS, Miller RN, Burke DS. HIV infection among members of the US Army Reserve Components with medical and health occupations. *JAMA* 1991;265(21):2826-30.
- Duffy R, Adelson R, Niessen L, Wescott W, Watkins K, Rhyne R. VA oral HIV surveillance program: understanding the disease. *J Am Dent Assoc* 1992;123(10):57-62.
- General Accounting Office. *Defense Health Care: Procurement of an Interactive Videodisc Program for AIDS Education*. Washington, DC: General Accounting Office; 1991. GAO/HRD-91-53.
- Gerrard M, Gibbons FX, Warner TD. Effects of reviewing risk-relevant behavior on perceived vulnerability among women Marines. *Health Psychol* 1991;10(3):173-9.
- Kane S. Prostitution and the military: planning AIDS intervention in Belize. *Soc Sci Med* 1993;36(7):965-79.
- Kelley PW, Miller RN, Pomerantz R, Wann F, Brundage JF, Burke DS. Human immunodeficiency virus seropositivity among members of the active duty US Army 1985-89. *Am J Public Health* 1990;80(4):405-10.
- Levin VR. Tuberculosis incidence and the seroprevalence of HIV infection in the United States. *Am J Prev Med* 1991;7(6):422-24.
- Lott CM. The case for mandatory HIV testing of active duty sex offenders. *Mil Med* 1994;159(5):386-9.
- McGrane WL, Toth FJ, Allely EB. The use of interactive media for HIV/AIDS prevention in the military community. *Mil Med* 1990;155(6):235-40.
- Nishimoto PW. HIV infection and women of the military. *NAACOGS Clin Issu Perinat Womens Health Nurs* 1990;1(1):107-14.
- Pace J, Brown G, Rundell J, Paolucci S, Drexler K, McManis S. Prevalence of psychiatric disorders in a mandatory screening program for infection with human immunodeficiency virus: a pilot study. *Mil Med* 1990;155(2):76-80.
- Renzullo PO, McNeil JG, Levin LI, Bunin JR, Brundage JF. Risk factors for prevalent human immunodeficiency virus (HIV) infection in active duty Army men who initially report no identified risk: a case-control study. *J Acquir Immune Defic Syndr* 1990;3(3):266-71.
- Satten GA, Mastro TD, Longini IM Jr. Modelling the female-to-male per-act HIV transmission probability in an emerging epidemic in Asia. *Stat Med* 1994;13(19-20):2097-106.
- Schmitt HH, Alexander M, Barth DS. *Ad Hoc Subgroup on Threat of AIDS on Operational Deployment of Army Forces to a Theater*. Washington, DC: Army Science Board; 1990.
- Stoneburner RL, Chiasson MA, Solomon K, Rosenthal S. Risk factors in military recruits positive for HIV antibody. *N Engl J Med* 1986;315(21):1355.
- Torres-Anjel M. Macroepidemiology of the HIVs-AIDS (HAIDS) pandemic. Insufficiently considered zoological and geopolitical aspects. *Ann N Y Acad Sci* 1992;653:257-73.
- Tramont EC, Burke DS. AIDS/HIV in the US military. *Vaccine* 1993;11(5):529-33.
- Warner R, Mathis R, Weston M, Bigbee L, Hendrix C, Lucey D. Estimates of human immunodeficiency virus (HIV) incidence and trends in the US Air Force. *Vaccine* 1993;11(5):534-37.
- Withers BG, Kelley PW, McNeil JG, Cowan DN, Brundage JF. A brief review of the epidemiology of HIV in the U.S. Army. *Mil Med* 1992;157(2):80-4. [Published erratum appears in *Mil Med* 1992;157(4):A9].

JOB SATISFACTION

- Bowen GL. *The Influence of Family Factors on the Retention Decision Making Process of Military Members*. Washington, DC: Paper presented at the 94th annual convention of the American Psychological Association; 1986.
- Bowen GL. Spouse support and the retention intentions of Air Force members: a basis for program development. *Eval Program Plann* 1986;9(3):209-20.
- Bowen GL. *The Relationship of Family Satisfaction to Satisfaction with the Military Way of Life among Soldiers*. Technical Report 864. Research Triangle Park, NC: Research Triangle Institute; 1989.
- Butler MC, Ehrlich SB. Positional influences on job satisfaction and job performance: a multivariate, predictive approach. *Psychol Rep* 1991;69(3 Pt 1):855-65.
- Cooke TW, Quester AO. What characterizes successful enlistees in the all-volunteer force: A study of male recruits in the U.S. Navy. *Soc Sci Quarterly* 1992;72(2):238-52.
- Foley JE, Foley BJ. USAR Nurse Referral and Retention Program. *Mil Med* 1992;157(9):498-500.
- Frelin AJ, Oda DS, Staggers N. The clinical nurse specialist role in the Army Medical Department. *Clin Nurse Spec* 1990;4(3):147-50.
- Gade PA, Lakhani H, Kimmel M. Military service: a good place to start? *Mil Psychol* 1991;3(4):251-67.
- Janelli LM, Jarmuz PA. Motivational factors that affect the retention of reserve nurses in eight aeromedical evacuation flights. *Aviat Space Environ Med* 1987;58(4):375-8.
- Kocher KM, Thomas GW. Retaining Army nurses: a longitudinal model. *Res Nurs Health* 1994;17(1):59-65.
- Kravitz R, Thomas N, Sloss E, Hosek S. Satisfaction and dissatisfaction in institutional practice: results from a survey of U.S. military physicians. *Mil Med* 1993;158(1):41-50.
- Marsden MA. *Psychological Androgyny, Mental Health, and Job Satisfaction Among Enlisted Army Women in Traditional and Nontraditional Military Units*. Baltimore, MD: University of Maryland; 1985. Dissertation.
- Marsden MA. Sex-role attributes, mental health, and job satisfaction among enlisted Army women in traditional and nontraditional military units. *Natl J Soc* 1991;1(Spring):81-9.
- Martin HP. *The Integration of Women into the Military: A Preliminary Investigation of Relevant Factors*. Austin, TX: University of Texas; 1987. Dissertation.
- Martin PY, Harkreader S. Multiple gender contexts and employee rewards. *Work & Occupations* 1993;3(Aug):296-336.
- McPhee SD, Townsend LJ. A study of organizational commitment and job satisfaction among Air Force occupational therapy officers. *Mil Med* 1992;157(3):117-21.
- Moore BL. African-American women in the U.S. military. *Armed Forces & Society* 1991;3(Spring):363-84.
- Mosher MA. *Army Women in Combat: An Examination of Roles, Opportunities, Administration, and Social Acceptability*. Tuscaloosa, AL: University of Alabama; 1993. Thesis.
- National Technical Information Service. *Women in the Military. (Latest Citations from the NTIS Bibliographic Database)*. Springfield, VA: National Technical Information Service; 1994.
- Nice FJ. Professional and organizational values of male and female U.S. Public Health Service commissioned officers. *Mil Med* 1994;159(11):693-8.
- Office of the Assistant Secretary of Defense (Force Management and Personnel). *Military Women in the Department of Defense. Volumes 3-6*. Washington, DC: Office of the Assistant Secretary of Defense (Force Management and Personnel); 1985.
- Office of the Assistant Secretary of Defense (Force Management and Personnel). *Report, Task Force on Women in the Military*. Washington, DC: Office of the Assistant Secretary of Defense (Force Management and Personnel); 1988.
- Powers JM. No longer destined to eat their young: satisfaction among Army family practice faculty. *Mil Med* 1993;158(1):32-7.
- Robinson SE, Rodriguez ER, Sammons MT, Keim J. Does being in the military affect nurses' perceptions of work life? *J Adv Nurs* 1993;18(7):1146-51.
- Rome RJ. *Personality Characteristics of Women in a Nonstereotypic Occupational Sex Role as Women Marines*. Washington, DC: International University; 1983. Dissertation.
- Savage S, Simms LM, Williams RA, Erbin-Roesemann M. Discovering work excitement among Navy nurses. *Nurs Econ* 1993;11(3):153-61.
- Schumm WR, Bell DB, Palmerjohnson CE, Tran G. Gender trends in the United States Army and a discussion of implications for readiness and retention. *Psychol Rep* 1994;74(2):499-511.
- St. Pierre M. Accession and retention of minorities: implications for the future. *Int J Intercultural Relations* 1991;15(4):469-89.
- Steinweg KK. Retention rates and retention predictors among graduates of Army Family Practice residency programs. *Mil Med* 1994;159(7):516-9.
- Stewart JB, Firestone JM. Looking for a few good men: predicting patterns of retention, promotion, and accession of minority and women officers. *Am J Econ Sociol* 1992;4:435-58.

U.S. Coast Guard. *Women in the Coast Guard Study*. Washington, DC: U.S. Coast Guard; 1990. USCG-COMDTPUB-P5312.17.

Waite LJ, Berryman SE. Job stability among young women: a comparison of traditional and nontraditional occupations. *Am J Soc* 1986;3(Nov):568-95.

Zaloznik AJ. Retention of internal medicine physicians in the U.S. Army. *Mil Med* 1994;159(7):520-3.

JOB STRESS

Allen RD, Fry FL. An investigation of sex as a moderator of the relationship between occupational stress and perceived organizational effectiveness in formal groups. *J Behav Econ* 1987;16(2):9-15.

Aro S. Occupational stress, health-related behavior, and blood pressure: a 5-year follow-up. *Prev Med* 1984;13(4):333-48.

Attridge C, Callahan M. Women in women's work: nurses, stress and power. *Recent Adv Nurs* 1989;25:41-69.

Bancroft J. Impact of environment, stress, occupational, and other hazards on sexuality and sexual behavior. *Environ Health Perspect* 1993;101(Suppl 2):101-7.

Barnett R, Baruch G. Women's involvement in multiple roles and psychological distress. *J Pers Soc Psychol* 1985;49(1):135-45.

Bartz C, Maloney J. Burnout among intensive care nurses. *Res Nurs Health* 1986;9(2):147-53.

Beena C, Poduval PR. Gender differences in work stress of executives. *Psychol Stud* 1992;37(2-3):109-13.

Beer J, Beer J. Burnout and stress, depression and self-esteem of teachers. *Psychol Rep* 1992;71(3 Pt 2):1331-6.

Bishop GD. Gender, role, and illness behavior in a military population. *Health Psychol* 1984;3(6):519-34.

Blower DJ, Dolgin DL, Shull RN. *Naval Aviation Selection Test Scores and Female Aviator Performance*. Pensacola, FL: Naval Aerospace Medical Research Lab; 1990.

Borman J. Chief nurse executives' balance of their work and personal lives. *Nurs Adm Q* 1993;18(1):30-9.

Brown-Rowat B, Amsel R, Jeans M. Professional and executive women: health and lifestyle characteristics. *Health Care Women Int* 1990;11(2):133-49.

Butters M, Retzlaff P, Gibertini M. Non-adaptability to basic training and the Millon Clinical Multiaxial Inventory. *Mil Med* 1986;151(11):574-6.

Clarke DG. *A Study of Stress in Canadian Forces Personnel Employed in Traditional and Non-traditional Environments*. Wolfville, Nova Scotia: Acadia University; 1990. Thesis.

Crabbs MA, Black KU, Morton SP. Stress at work: a comparison of men and women. *J Employ Counsel* 1986;23(1):2-8.

Croake JW, Lyon RS, Myers KM. Marital adjustment and personality in aviation-rated and nonrated warrant officers. *Mil Med* 1986;151(3):173-4.

Culbertson AL, Rosenfeld P. Assessment of sexual harassment in the active-duty Navy. *Mil Psychol* 1994;6(2):69-93.

di Salvo V, Lubbers C, Rossi AM, Lewis J. The impact of gender on work-related stress. *J Soc Behav & Personality* 1988;3(3):161-76.

Dunne EA, Mullins PM. Sex differences in psychological and psychophysiological arousal patterns: a study of "working couples." *Work & Stress* 1989;3(3):261-8.

Eisler RM, Skidmore JR, Ward CH. Masculine gender-role stress: Predictor of anger, anxiety, and health-risk behaviors. *J Pers Assess* 1988;52(1):133-41.

Eshkol E, Liebllich A, Bar-Yosef R, Wiseman H. Some correlates of adjustment of Israeli women-soldiers to their military roles. *Isr Soc Sci Res* 1987;5(1-2):17-28.

Etzion D. Moderating effect of social support on the stress-burnout relationship. *J Appl Psychol* 1984;69(4):615-22.

Etzion D, Pines A. Sex and culture in burnout and coping among human service professionals: a social psychological perspective. *J Cross Cult Psychol* 1986;17(2):191-209.

Fatkin LT. Daily reports of distress: Not for women only. *Work & Stress* 1987;1(3):261-70.

Firth-Cozens J. Source of stress in women junior house officers. *Br Med J* 1990;301(6743):89-91.

Foraker BM, Michael WB. Reliability and construct validity of the Dimensions of Self-Concept (DOSC)—Form W measure for an Air Force sample. *Educ Psychol Meas* 1994;54(2):409-16.

Frankenhaeuser M, Lundberg U, Fredrikson M, Melin B, et al. Stress on and off the job as related to sex and occupational status in white-collar workers. *J Organizational Behav* 1989;10(4):321-46.

Freedman S, Bisesi M. Women and workplace stress. *Am Assoc Occ Health Nurses J* 1988;36(6):271-5.

George KM. *Work Stress and Social Support: Toward a Better Understanding of Sex Differences*. Oxford, OH: Miami University; 1990. Dissertation.

Gordon N, Cleary P, Parker C, Czeisler C. The prevalence and health impact of shiftwork. *Am J Public Health* 1986;76(10):1225-8.

- Greenglass ER. Type A behavior and coping strategies in female and male supervisors. *Appl Psychol* 1988;37(3):271-88.
- Greenglass ER, Burke RJ, Ondrack M. A gender-role perspective of coping and burnout. *Appl Psychol* 1990;39(1):5-27.
- Greenglass ER, Pantony K, Burke RJ. A gender-role perspective on role conflict, work stress and social support. *J Soc Behav & Personality* 1988;3(4):317-28.
- Hammer J, Mathews J, Lyons J, Johnson N. Occupational stress within the paramedic profession: an initial report of stress levels compared to hospital employees. *Ann Emerg Med* 1986;15(5):536-9.
- Hancock CR. *Women Officers at the United States Military Academy: A Study of Acceptance Patterns and Coping Mechanism*. Chapel Hill, NC: University of North Carolina; 1991. Dissertation.
- Heim E. Job stressors and coping in health professions. *Psychother Psychosom* 1991;55(2-4):90-9.
- Houston B, Cates D, Kelly K. Job stress, psychosocial strain, and physical health problems in women employed full-time outside the home and homemakers. *Women Health* 1992;19(1):1-26.
- Hudiburg R, Brown S, Jones T. Psychology of computer use: XXIX. Measuring computer users' stress: the Computer Hassles Scale. *Psychol Rep* 1993;73(3 Pt 1):923-9.
- James G, Cates E, Pickering T, Laragh J. Parity and perceived job stress elevate blood pressure in young normotensive working women. *Am J Hypertens* 1989;2(8):637-9.
- Jennings BM. Stress, locus of control, social support, and psychological symptoms among head nurses. *Res Nurs Health* 1990;13(6):393-401.
- Jensen TD, White DD, Singh R. Impact of gender, hierarchical position, and leadership styles on work-related values. *J Bus Res* 1990;20(2):145-52.
- Johansson G, Laakso M, Peder M, Karonen S. Examination stress decreases plasma level of luteinizing hormone in male students. *Psychosom Med* 1988;50(3):286-94.
- Johansson G, Laakso M, Peder M, Karonen S. Endocrine patterns before and after examination stress in males and females. *Acta Nerv Supra (Praha)* 1989;31(2):81-8.
- Johansson G, Laakso M, Peder M, Karonen S. Initially high plasma prolactin levels are depressed by prolonged psychological stress in males. *Int J Psychophysiol* 1990;9(2):195-9.
- Kandel D, Davies M, Raveis V. The stressfulness of daily social roles for women: marital, occupational and household roles. *J Health Soc Behav* 1985;26(1):64-78.
- Karasek R, Gardell B, Lindell J. Work and non-work correlates of illness and behaviour in male and female Swedish white collar workers. *J Occup Behav* 1987;8(3):187-207.
- Kelly K, Houston B. Type A behavior in employed women: relation to work, marital, and leisure variables, social support, stress, tension, and health. *J Pers Soc Psychol* 1985;48(4):1067-79.
- Killien M, Brown M. Work and family roles of women: sources of stress and coping strategies. *Health Care Women Int* 1987;8(2-3):169-84.
- Kushnir T, Kasan R. Major sources of stress among women managers, clerical workers, and working single mothers: demands vs. resources. *Public Health Rev* 1993;20(3-4):215-29.
- Lee GE. *Proceedings of the Symposium: Psychology in the Department of Defense*. Colorado Springs, CO: Air Force Academy; 1986. 689p.
- Leiter MP, Clark D, Durup J. Distinct models of burnout and commitment among men and women in the military. *J Appl Behav Sci* 1994;30(1):63-82.
- Littman A, Fava M, Halperin P, Lamon-Fava S, Drews F, Oleshansky M, et al. Physiologic benefits of a stress reduction program for healthy middle-aged Army officers. *J Psychosom Res* 1993;37(4):345-54.
- Lowe GS, Northcott HC. The impact of working conditions, social roles, and personal characteristics on gender differences in distress. *Work & Occupations* 1988;15(1):55-77.
- Maoz B, Rabinowitz S, Mark M, Antonovsky H, Ribak J, Kotler M. Physicians' detection of psychological distress in primary-care clinics. *Psychol Rep* 1991;69(3 Pt 1):999-1003.
- Maryland Nurse. Stress tops list of workplace hazards affecting women. *Md Nurse* 1989;8(3):1.
- Maslach C, Jackson SE. The role of sex and family variables in burnout. *Sex Roles* 1985;12(7-8):837-51.
- Matteo S. The effect of job stress and job interdependency on menstrual cycle length, regularity and synchrony. *Psychoneuroendocrinology* 1987;12(6):467-76.
- Meleis A, Norbeck J, Laffrey S. Role integration and health among female clerical workers. *Res Nurs Health* 1989;12(6):355-64.
- National Technical Information Service. *Role of Women in the Military. (Citations from the NTIS Bibliographic Database)*. Springfield, VA: National Technical Information Service; 1994.
- Nelson DL, Quick JC, Hitt MA. Men and women of the personnel profession: some differences and similarities in their stress. *Stress Med* 1989;5(3):145-52.

- Nice FJ. Professional and organizational values of male and female U.S. Public Health Service commissioned officers. *Mil Med* 1994;159(11):693-8.
- Niles SG, Anderson WP. Career development and adjustment: the relation between concerns and stress. *J Employ Counsel* 1993;30(2):79-87.
- Ott EM. Effects of the male-female ratio at work: policewomen and male nurses. *Psychol Women Q* 1989;13(1):41-57.
- Pretty GM, McCarthy ME, Catano VM. Psychological environments and burnout: gender considerations within the corporation. *J Organizational Behav* 1992;13(7):701-11.
- Randolph S. Stress, working women, and an occupational stress model. *Occup Health Nurs* 1984;32(12):622-5.
- Richman J, Flaherty J. Gender differences in medical student distress: contributions of prior socialization and current role-related stress. *Soc Sci Med* 1990;30(7):777-87.
- Robson S. Women at work. *Practitioner* 1992;236(1511):133-4.
- Rospenda K, Halpert J, Richman J. Effects of social support on medical students' performances. *Acad Med* 1994;69(6):496-500.
- Rossi A, Lubbers C. Stressed at work. Identification of physiological responses to occupational stressors. *Am Assoc Occ Health Nurses J* 1989;37(7):258-64.
- Rudestam JR. *Sex Differences in Personality and Social Support Resources for Resisting the Impact of Work-Related Stress*. Downsview, Ontario: York University; 1986. Dissertation.
- Saimons VJ. *Women in Combat: Are the Risks to Combat Effectiveness Too Great?* Fort Leavenworth, KS: Army Command and General Staff College; 1991. 53p.
- Sakai K. Strategy for reducing fatigue in women workers. *Sangyo Igaku* 1992;34(7):658-9. [In Japanese]
- Samler JD. Reserve unit mobilization trauma. *Mil Med* 1994;159(10):631-5.
- Scannell-Desch EA. *The Lived Experience of Women Military Nurses in Vietnam During the Vietnam War*. Atlanta, GA: Georgia State University; 1992. Dissertation.
- Schmied L, Lawler K. Hardiness, type A behavior, and the stress-illness relation in working women. *J Pers Soc Psychol* 1986;51(6):1218-23.
- Simon R. Parental role strains, salience of parental identity and gender differences in psychological distress. *J Health Soc Behav* 1992;33(1):25-35.
- Snapp M. Occupational stress, social support, and depression among black and white professional-managerial women. *Women Health* 1992;18(1):41-79.
- Violanti J. Coping strategies among police recruits in a high-stress training environment. *J Soc Psychol* 1992;132(6):717-29.
- Woods GT III. *Women in the Infantry—The Effect on the Moral Domain*. Fort Leavenworth, KS: Army Command and General Staff College; 1992.
- Young E. Relationship of residents' emotional problems, coping behaviors, and gender. *J Med Educ* 1987;62(8):642-50.
- Zappert LT, Weinstein HM. Sex differences in the impact of work on physical and psychological health. *Am J Psychiatry* 1985;142(10):1174-8.

LOAD-BEARING

- Cook T, Neumann D. The effects of load placement on the EMG activity of the low back muscles during load carrying by men and women. *Ergonomics* 1987;30(10):1413-23.
- Hennig EM, Milani TL. The tripod support of the foot. An analysis of pressure distribution under static and dynamic loading. *Z Orthop Ihre Grenzgeb* 1993;131(3):279-84. [In German]
- Jager M, Luttmann A. The load on the lumbar spine during asymmetrical bi-manual materials handling. *Ergonomics* 1992;35(7-8):783-805.
- Leskinen T, Stalhammar H, Rautanen M, Troup J. Biomechanically and electromyographically assessed load on the spine in self-paced and force-paced lifting work. *Ergonomics* 1992;35(7-8):881-8.
- Marras WS, Sommerich CM. A three-dimensional motion model of loads on the lumbar spine: II. Model validation. *Hum Factors* 1991;33(2):139-49.
- Martin PE, Nelson RC. The effect of carried loads on the walking patterns of men and women. *Ergonomics* 1986;29(10):1191-202.
- Mayer TG, Barnes D, Kishino ND, Nichols G, Gatchel RJ, Mayer H, et al. Progressive isoinertial lifting evaluation. I. A standardized protocol and normative database. *Spine* 1988;13(9):993-7.
- Mital A. Maximum weights of asymmetrical loads acceptable to industrial workers for symmetrical manual lifting. *Am Ind Hyg Assoc J* 1987;48(6):539-44.
- Nicholson L, Legg S. A psychophysical study of the effects of load and frequency upon selection of workload in repetitive lifting. *Ergonomics* 1986;29(7):903-11.

- Stalhammar HR, Leskinen TP, Rautanen MT, Troup JD. Shrinkage and psychophysical load ratings in self-paced and force-paced lifting work and during recovery. *Ergonomics* 1992;35(1):1-5.
- Stauffer R, McCarter M, Campbell J, Wheeler LJ. Comparison of metabolic responses of United States Military Academy men and women in acute military load bearing. *Aviat Space Environ Med* 1987;58(11):1047-56.
- Stevenson J, Bryant T, Greenhorn D, Smith T, Deakin J, Surgenor B. The effect of lifting protocol on comparisons with isoinertial lifting performance. *Ergonomics* 1990;33(12):1455-69.

MEDICAL TECHNOLOGY

- Bruce SL. *Effect of a Coronary Artery Risk Evaluation Program on the Serum Lipid Values of a Selected Military Population*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1991. Thesis. 132p.
- Fullerton CS, Ursano RJ. Health care delivery in the high-stress environment of chemical and biological warfare. *Mil Med* 1994;159(7):524-8.
- Lessard CS, Wong WC. *Evaluation of Noninvasive Measurement Methods and Systems for Application in Vital Signs Detection. Part 1. Literature Review*. College Station, TX: Texas A&M University, Bioengineering Program; 1986. USAFSAM-TR-85-44-PT-1. 142p.

MENSTRUAL CYCLE

- Baker E, Demers L. Menstrual status in female athletes: correlation with reproductive hormones and bone density. *Obstet Gynecol* 1988;72(5):683-7.
- Bale P. Body composition and menstrual irregularities of female athletes. Are they precursors of anorexia? *Sports Med* 1994;17(6):347-52.
- Broocks A, Pirke KM, Schweiger U, Tuschl RJ, Laessle RG, Strowitzki T, et al. Cyclic ovarian function in recreational athletes. *J Appl Physiol* 1990;68(5):2083-6.
- Buvat J, Buvat-Herbaut M. Ovulation disturbances in athletes and their mechanisms. *J Gynecol Obstet Biol Reprod (Paris)* 1991;20(7):899-907. [In French]
- Cavanaugh DJ, Kanonchoff AD, Bartels RL. Menstrual irregularities in athletic women may be predictable based on pre-training menses. *J Sports Med Phys Fitness* 1989;29(2):163-9.
- Choi PYL, Salmon P. Physical exercise and menstrual cycle symptoms: a study of competitive sportswomen, keep-fitters and sedentary women. *J Sports Sci* 1991;9(4):437-8.
- Cockerill IM, Nevill AM, Byrne NC. Mood, mileage and the menstrual cycle. *Br J Sports Med* 1992;26(3):145-50.
- Cook SD, Harding AF, Thomas KA, Morgan EL, Schnurpfeil KM, Haddad RJ Jr. Trabecular bone density and menstrual function in women runners. *Am J Sports Med* 1987;15(5):503-7.
- Davies BN, Elford JCC, Jamieson KF. Variations in performance in simple muscle tests at different phases of the menstrual cycle. *J Sports Med Phys Fitness* 1991;31(4):532-7.
- De Cree C. Endogenous opioid peptides in the control of the normal menstrual cycle and their possible role in athletic menstrual irregularities. *Obstet Gynecol Surv* 1989;44(10):720-32.
- De Cree C. The possible involvement of endogenous opioid peptides and catecholestrogens in provoking menstrual irregularities in women athletes. *Int J Sports Med* 1990;11(5):329-48.
- De Cree C, Lewin R, Ostyn M. The monitoring of the menstrual status of female athletes by salivary steroid determination and ultrasonography. *Eur J Appl Physiol* 1990;60(6):472-7.
- De Cree C, Vermeulen A, Ostyn M. Are high-performance young women athletes doomed to become low-performance old wives? A reconsideration of the increased risk of osteoporosis in amenorrheic women. *J Sports Med Phys Fitness* 1991;31(1):108-14.
- De Souza MJ, Maguire MS, Rubin KR, Maresh CM. Effects of menstrual phase and amenorrhea on exercise performance in runners. *Med Sci Sports Exerc* 1990;22(5):575-80.
- De Souza MJ, Metzger DA. Reproductive dysfunction in amenorrheic athletes and anorexic patients: a review. *Med Sci Sports Exerc* 1991;23(9):995-1007.
- De Souza MJ, Sequenzia LC. Menstrual phase and exercise: intermediary effects on glucose metabolism. *Semin Reprod Endocrinol* 1994;12(2):97-109.
- Ding JH, Sheckter CB, Drinkwater BL, Soules MR, Bremner WJ. High serum cortisol levels in exercise-associated amenorrhea. *Ann Intern Med* 1988;108(4):530-4.

- Dombovy ML, Bonekat HW, Williams TJ, Staats BA. Exercise performance and ventilatory response in the menstrual cycle. *Med Sci Sports Exerc* 1987;19(2):111-7.
- Drinkwater BL, Bruemner B, Chesnut CH. Menstrual history as a determinant of current bone density in young athletes. *JAMA* 1990;263(4):545-8.
- Eston RG. The regular menstrual cycle and athletic performance. *Sports Med* 1984;1(6):431-45.
- Fauno P, Kalund S, Kanstrup IL. Menstrual patterns in Danish elite swimmers. *Eur J Appl Physiol* 1991;62(1):36-9.
- Frisch R. Body fat, menarche, fitness and fertility. *Hum Reprod* 1987;2(6):521-33.
- Frisch RE, Snow RC, Johnson LA, Gerard B, Barbieri R, Rosen B. Magnetic resonance imaging of overall and regional body fat, estrogen metabolism, and ovulation of athletes compared to controls. *J Clin Endocrinol Metab* 1993;77(2):471-7.
- Girdler S, Light K. Hemodynamic stress responses in men and women examined as a function of female menstrual cycle phase. *Int J Psychophysiol* 1994;17(3):233-48.
- Harber VJ, Webber CE, Sutton JR, MacDougall JD. The effect of amenorrhea on calcaneal bone density and total bone turnover in runners. *Int J Sports Med* 1991;12(5):505-8.
- Henley K, Vaitukaitis JL. Exercise-induced menstrual dysfunction. *Annu Rev Med* 1988;39:443-51.
- Hipkin L. The induction of amenorrhoea. *J R Army Med Corps* 1992;138(1):15-8.
- Hoshi A, Kita N, Arao T, Aoki K, Goto Y, Sugawara I, et al. Hormonal status of menstrual cycles in female athletes. *Bull Phys Fitness Res Inst* 1989;(71):25-34.
- Jenkins PJ, Ibanez-Santos X, Holly J, Cotterill A, Perry L, Wolman R, et al. IGFBP-1: a metabolic signal associated with exercise-induced amenorrhoea. *Neuroendocrinology* 1993;57(4):600-4.
- Kaiserauer S, Snyder AC, Sleeper M, Zierath J. Nutritional, physiological, and menstrual status of distance runners. *Med Sci Sports Exerc* 1989;21(2):120-5.
- Kanaley JA, Boileau RA, Bahr JM, Misner JE, Nelson RA. Cortisol levels during prolonged exercise: the influence of menstrual phase and menstrual status. *Int J Sports Med* 1992;13(4):332-6.
- Kanaley JA, Boileau RA, Bahr JA, Misner JE, Nelson RA. Substrate oxidation and GH responses to exercise are independent of menstrual phase and status. *Med Sci Sports Exerc* 1992;24(8):873-80.
- Kanaley JA, Ji LL. Antioxidant enzyme activity during prolonged exercise in amenorrheic and eumenorrheic athletes. *Metabolism* 1991;40(1):88-92.
- Keizer HA. Exercise- and training-induced menstrual cycle irregularities (AMI). *Int J Sports Med* 1986;7(Suppl 1):38-44.
- Kolka MA, Stephenson LA. Control of sweating during the human menstrual cycle. *Eur J Appl Physiol* 1989;58(8):890-5.
- Lamont LS. Lack of influence of the menstrual cycle on blood lactate. *Phys Sportsmed* 1986;14(11):159-63.
- Laughlin GA, Loucks AB, Yen SS. Marked augmentation of nocturnal melatonin secretion in amenorrheic athletes, but not in cycling athletes: unaltered by opioidergic or dopaminergic blockade. *J Clin Endocrinol Metab* 1991;73(6):1321-6.
- Lebrun CM. Effect of the different phases of the menstrual cycle and oral contraceptives on athletic performance. *Sports Med* 1993;16(6):400-30.
- Lebrun CM. The effect of the phase of the menstrual cycle and the birth control pill on athletic performance. *Clin Sports Med* 1994;13(2):419-41.
- Lebrun CM, McKenzie DC, Prior JC, Taunton JE. Effects of menstrual cycle phase on athletic performance. *Med Sci Sports Exerc* 1995;27(3):437-44.
- Lloyd T, Triantafyllou SJ, Baker ER, Houts PS, Whiteside JA, Kalenak A, et al. Women athletes with menstrual irregularity have increased musculoskeletal injuries. *Med Sci Sports Exerc* 1986;18(4):374-9. [Published erratum appears in *Med Sci Sports Exerc* 1987 19(4):421].
- Loucks AB, Callister R. Induction and prevention of low-T3 syndrome in exercising women. *Am J Physiol* 1993;264(5 Pt 2):R924-30.
- Loucks AB, Laughlin GA, Mortola JF, Girton L, Nelson JC, Yen SS. Hypothalamic-pituitary-thyroidal function in eumenorrheic and amenorrheic athletes. *J Clin Endocrinol Metab* 1992;75(2):514-8.
- Loucks AB, Mortola JF, Girton L, Yen SS. Alterations in the hypothalamic-pituitary-ovarian and the hypothalamic-pituitary-adrenal axes in athletic women. *J Clin Endocrinol Metab* 1989;68(2):402-11.
- McArthur JW, Turnbull BA, Pehrson J, Bauman M, Henley K, Turner A, et al. Nalmefene enhances LH secretion in a proportion of oligo-amenorrheic athletes. *Acta Endocrinol (Copenh)* 1993;128(4):325-33.
- Mesaki N, Motobu M, Sasaki J. Decreased bone mineral density in athletic amenorrhea. *Jpn J Fertil Steril* 1994;39(4):11-6.
- Millar AL, Hunter D. Osteopenia: its relation to menstrual disorder in female athletes. *J Orthop Sports Phys Ther* 1990;11(8):351-4.
- Nattiv A, Agostini R, Drinkwater B, Yeager KK. The female athlete triad. The inter-relatedness of disordered eating, amenorrhea, and osteoporosis. *Clin Sports Med* 1994;13(2):405-18.
- Nnakwe N. Menstrual irregularities, nutritional pattern and mineral intake and excretion of female athletes. *Nutr Res* 1990;10(1):23-30.

- Otis CL. Exercise-associated amenorrhea. *Clin Sports Med* 1992;11(2):351-62.
- Pirke KM, Schweiger U, Broocks A, Tuschl RJ, Laessle RG. Luteinizing hormone and follicle stimulating hormone secretion patterns in female athletes with and without menstrual disturbances. *Clin Endocrinol (Oxf)* 1990;33(3):345-53.
- Prior JC, Vigna Y. Conditioning exercise and premenstrual symptoms. *J Reprod Med* 1987;32(6):423-8.
- Rippon C, Nash J, Myburgh KH, Noakes TD. Abnormal Eating Attitude Test scores predict menstrual dysfunction in lean females. *Int J Eat Disord* 1988;7(5):617-24.
- Samuels MH, Sanborn CF, Hofeldt F, Robbins R. The role of endogenous opiates in athletic amenorrhea. *Fertil Steril* 1991;55(3):507-12.
- Schweiger U, Laessle R, Schweiger M, Herrmann F, Riedel W, Pirke KM. Caloric intake, stress, and menstrual function in athletes. *Fertil Steril* 1988;49(3):447-50.
- Shangold MM. Causes, evaluation, and management of athletic oligo-/amenorrhea. *Med Clin North Am* 1985;69(1):83-95.
- Sinning WE, Little KD. Body composition and menstrual function in athletes. *Sports Med* 1987;4(1):34-45.
- Sundell G, Milsom I, Andersch B. Factors influencing the prevalence and severity of dysmenorrhoea in young women. *Br J Obstet Gynaecol* 1990;97(7):588-94.
- Toriola AL, Mathur DN. Menstrual dysfunction in Nigerian athletes. *Br J Obstet Gynaecol* 1986;93(9):979-85.
- Walberg JL, Johnston CS. Menstrual function and eating behavior in female recreational weight lifters and competitive body builders. *Med Sci Sports Exerc* 1991;23(1):30-6.
- Wolman RL, Clark P, McNally E, Harries M, Reeve J. Menstrual state and exercise as determinants of spinal trabecular bone density in female athletes. *Br Med J* 1990;301(6751):516-8.
- Wolman RL, Faulmann L, Clark P, Hesp R, Harries MG. Different training patterns and bone mineral density of the femoral shaft in elite, female athletes. *Ann Rheum Dis* 1991;50(7):487-9.
- Yahiro J, Glass AR, Fears WB, Ferguson EW, Jigersky RA. Exaggerated gonadotropin response to luteinizing hormone-releasing hormone in amenorrheic runners. *Am J Obstet Gynecol* 1987;156(3):586-91.
- Yeager KK, Agostini R, Nattiv A, Drinkwater B. The female athlete triad: disordered eating, amenorrhea, osteoporosis. *Med Sci Sports Exerc* 1993;25(7):775-7.
- Zani A. Brain evoked responses reflect information processing changes with the menstrual cycle in young female athletes. *J Sports Med Phys Fitness* 1989;29(1):113-21.

MILITARY WOMEN, GENERAL

- General Accounting Office. *Women in the Military. Deployment in the Persian Gulf War*. Washington, DC: GAO; 1993. General Accounting Office/NSIAD-93-93.
- McDonald A. *Women in Combat: When the Best Man for the Job is a Woman*. Maxwell Air Force Base, AL: Air War College; 1991.
- McNally JA. *Women in the United States Military: A Contemporary Perspective*. Newport, RI: Naval War College; 1985. NWC-W84-82.
- Oelke ME, Vogt RJ. *Women in Combat Roles: Past and Future*. Maxwell Air Force Base, AL: Air War College; 1988. AU-AWC-88-188.

MUSCULOSKELETAL, BIOMECHANICS

- Andres R, Chaffin D. Validation of a biodynamic model of pushing and pulling. *J Biomech* 1991;24(11):1033-45.
- Bryant J, Cooke T. Standardized biomechanical measurement for varus-valgus stiffness and rotation in normal knees. *J Orthop Res* 1988;6(6):863-70.
- Castro MJ, McCann DJ, Shaffrath JD, Adams WC. Peak torque per unit cross-sectional area differs between strength-trained and untrained young adults. *Med Sci Sports Exerc* 1995;27(3):397-403.
- Chavalitsakulchai P, Shahnava H. Musculoskeletal discomfort and feeling of fatigue among female professional workers: the need for ergonomics consideration. *J Hum Ergol Tokyo* 1991;20(2):257-64.
- Cholewicki J, McGill S, Norman R. Lumbar spine loads during the lifting of extremely heavy weights. *Med Sci Sports Exerc* 1991;23(10):1179-86.
- Colliander E, Tesch P. Bilateral eccentric and concentric torque of quadriceps and hamstring muscles in females and males. *Eur J Appl Physiol* 1989;59(3):227-32.
- Cooper RG, Hollis S, Jayson MIV. Gender variation of human spinal and paraspinal structures. *Clin Biomech* 1992;7(2):120-4.
- Dillingham T, Lehmann J, Price R. Effect of lower limb on body propulsion. *Arch Phys Med Rehabil* 1992;73(7):647-51.

- Dvorak J, Vajda EG, Grob D, Panjabi MM. Normal motion of the lumbar spine as related to age and gender. *Eur Spine J* 1995;4(1):18-23.
- Fothergill D, Grieve D, Pheasant S. Human strength capabilities during one-handed maximum voluntary exertions in the fore and aft plane. *Ergonomics* 1991;34(5):563-73.
- Freedson PS, Gilliam TB, Mahoney T, Maliszewski AF, Kastango K. Industrial torque levels by age group and gender. *Isokinetics & Exerc Sci* 1993;3(1):34-42.
- Fugl-Meyer A, Gerdle B, Langstrom M. Characteristics of repeated isokinetic plantar flexions in middle-aged and elderly subjects with special regard to muscular work. *Acta Physiol Scand* 1985;124(2):213-22.
- Gerdle B, Fugl-Meyer A. Mechanical output and iEMG of isokinetic plantar flexion in 40-64-year-old subjects. *Acta Physiol Scand* 1985;124(2):201-11.
- Gilsanz V, Boechat MI, Gilsanz R, Loro ML, Roe TF, Goodman WG. Gender differences in vertebral sizes in adults: biomechanical implications. *Radiology* 1994;190(3):678-82.
- Gleim G, Stachenfeld N, Nicholas J. The influence of flexibility on the economy of walking and jogging. *J Orthop Res* 1990;8(6):814-23.
- Grana W, Muse G. The effect of exercise on laxity in the anterior cruciate ligament deficient knee. *Am J Sports Med* 1988;16(6):586-8.
- Guerra J, Arnold M, Gajdosik R. Q angle: effects of isometric quadriceps contraction and body position. *J Orthop Sports Phys Ther* 1994;19(4):200-4.
- Hakkinen K. Force production characteristics of leg extensor, trunk flexor and extensor muscles in male and female basketball players. *J Sports Med Phys Fitness* 1991;31(3):325-31.
- Hanten W, Lucio R, Russell J, Brunt D. Assessment of total head excursion and resting head posture. *Arch Phys Med Rehabil* 1991;72(11):877-80.
- Horton M, Hall T. Quadriceps femoris muscle angle: normal values and relationships with gender and selected skeletal measures. *Phys Ther* 1989;69(11):897-901.
- Hsu R, Himeno S, Coventry M, Chao E. Normal axial alignment of the lower extremity and load-bearing distribution at the knee. *Clin Orthop* 1990;(255):215-27.
- Jerome J, Hunter K, Gordon P, McKay N. A new robust index for measuring isokinetic trunk flexion and extension. Outcome from a regional study. *Spine* 1991;16(7):804-8.
- Kannus P, Beynon B. Peak torque occurrence in the range of motion during isokinetic extension and flexion of the knee. *Int J Sports Med* 1993;14(8):422-6.
- Kerner MS, Kurrant AB. Relative isoinertial performance expressions for the isostation B-200. *J Orthop Sports Phys Ther* 1990;12(2):60-5.
- Michelson J, Easley M, Wigley F, Hellmann D. Foot and ankle problems in rheumatoid arthritis. *Foot Ankle Int* 1994;15(11):608-13.
- Milgrom C. The Israeli elite infantry recruit: a model for understanding the biomechanics of stress fractures. *J R Coll Surg Edinb* 1989;34(6 Suppl):S18-22.
- Milgrom C, Giladi M, Simkin A, Rand N, Kedem R, Kashtan H, et al. An analysis of the biomechanical mechanism of tibial stress fractures among Israeli infantry recruits. A prospective study. *Clin Orthop* 1988;(231):216-21.
- Milgrom C, Giladi M, Simkin A, Rand N, Kedem R, Kashtan H, et al. The area moment of inertia of the tibia: a risk factor for stress fractures. *J Biomech* 1989;22(11-12):1243-8.
- Mital A, Sanghavi N. Comparison of maximum volitional torque exertion capabilities of males and females using common hand tools. *Hum Factors* 1986;28(3):283-94.
- Moga P, Erig M, Chaffin D, Nussbaum M. Torso muscle moment arms at intervertebral levels T10 through L5 from CT scans on eleven male and eight female subjects. *Spine* 1993;18(15):2305-9.
- Mysorekar V, Nandedkar A. A possible morphological sexual dimorphism in the human gastrocnemius muscle. *Med Sci Law* 1987;27(1):17-20.
- Neumann D, Sobush D, Paschke S, Cook T. An electromyographic analysis of the hip abductor muscles during a standing work task. *Arthritis Care Res* 1990;3(3):116-26.
- Newton M, Thow M, Somerville D, Henderson I, Waddell G. Trunk strength testing with iso-machines. Part 2: Experimental evaluation of the Cybex II Back Testing System in normal subjects and patients with chronic low back pain. *Spine* 1993;18(7):812-24.
- Nisell R, Ekholm J. Patellar forces during knee extension. *Scand J Rehabil Med* 1985;17(2):63-74.
- Nisell R, Nemeth G, Ohlson H. Joint forces in extension of the knee. Analysis of a mechanical model. *Acta Orthop Scand* 1986;57(1):41-6.
- Nissan M, Whittle M. Initiation of gait in normal subjects: a preliminary study. *J Biomed Eng* 1990;12(2):165-71.

- Opila KA. Gender and somatotype differences in postural alignment: response to high-heeled shoes and simulated weight gain. *Clin Biomech* 1988;3(3):145-52.
- Sepic S, Murray M, Mollinger L, Spurr G, Gardner G. Strength and range of motion in the ankle in two age groups of men and women. *Am J Phys Med* 1986;65(2):75-84.
- Soo C, Currier DP, Threlkeld A. Augmenting voluntary torque of healthy muscle by optimization of electrical stimulation. *Phys Ther* 1988;68(3):333-7.
- Tata G, Ng L, Kramer J. Shoulder antagonistic strength ratios during concentric and eccentric muscle actions in the scapular plane. *J Orthop Sports Phys Ther* 1993;18(6):654-60.
- Tepperman P, Mazliah J, Naumann S, Delmore T. Effect of ankle position on isometric quadriceps strengthening. *Am J Phys Med* 1986;65(2):69-74.
- Tsunoda N, O'Hagan F, Sale D, MacDougall J. Elbow flexion strength curves in untrained men and women and male bodybuilders. *Eur J Appl Physiol* 1993;66(3):235-9.
- Wessel J, Ford D, van Driesum D. Torque of trunk flexion and trunk flexion with axial rotation in healthy men and women. *Spine* 1994;19(3):329-34.
- Wheeler D, Miller GJ. *Biomechanical Assessment of Work Tasks and Musculature*. Gainesville, FL: University of Florida; 1991.
- Yoon T, Park D, Kang S, Chun S, Shin J. Isometric and isokinetic torque curves at the knee joint. *Yonsei Med J* 1991;32(1):33-43.

MUSCULOSKELETAL, INJURIES

- Bhatnagar M, Curtis M, Smith G. Musculoskeletal injuries in the Afghan war. *Injury* 1992;23(8):545-8.
- Bowyer G, Stewart M, Ryan J. Gulf War wounds: application of the Red Cross wound classification. *Injury* 1993;24(9):597-600.
- Bricknell M. Traumatic rupture of biceps brachii—a hazard of military parachuting. *J R Army Med Corps* 1991;137(3):144-5.
- Brunet ME, Cook SD, Brinker MR, Dickinson JA. A survey of running injuries in 1505 competitive and recreational runners. *J Sports Med Phys Fitness* 1990;30(3):307-15.
- Bullock-Saxton J. Local sensation changes and altered hip muscle function following severe ankle sprain. *Phys Ther* 1994;74(1):17-28.
- Calandra J, Baker C, Uribe J. The incidence of Hill-Sachs lesions in initial anterior shoulder dislocations. *Arthroscopy* 1989;5(4):254-7.
- Chatterjee DS. Workplace upper limb disorders: a prospective study with intervention. *Occup Med* 1992;42(3):129-36.
- Chisin R, Milgrom C, Giladi M, Stein M, Margulies J, Kashtan H. Clinical significance of nonfocal scintigraphic findings in suspected tibial stress fractures. *Clin Orthop* 1987;(220):200-5.
- Darre E, Trier H, Iversen J, Andersen K. Prevention of athletic injuries by changing the regulations. Experiences with a military obstacle track. *Ugeskr Laeger* 1991;153(4):281-2. [In Danish]
- Deen HJ, Yamodis N. Lumbar disk disease in active duty military personnel. *Mil Med* 1989;154(10):502-4.
- Farr W, Ruehle C, Posey D, Wagner G. Injury pattern analysis of helicopter wire strike accidents (-Gz load). *Aviat Space Environ Med* 1985;56(12):1216-9.
- Finestone A, Shlamkovitch N, Eldad A, Karp A, Milgrom C. A prospective study of the effect of the appropriateness of foot-shoe fit and training shoe type on the incidence of overuse injuries among infantry recruits. *Mil Med* 1992;157(9):489-90.
- Finestone A, Shlamkovitch N, Eldad A, Wosk J, Laor A, Danon Y, et al. Risk factors for stress fractures among Israeli infantry recruits. *Mil Med* 1991;156(10):528-30.
- Friedl K, Nuovo J, Patience T, Dettori J. Factors associated with stress fracture in young Army women: indications for further research. *Mil Med* 1992;157(7):334-8.
- Fullerton LJ. Knee arthroscopy in the military population: an analysis of 600 knee arthroscopies. *Arthroscopy* 1986;2(4):259-61.
- Fuortes L, Shi Y, Zhang M, Zwerling C, Schootman M. Epidemiology of back injury in university hospital nurses from review of workers' compensation records and a case-control survey. *J Occup Med* 1994;36(9):1022-6.
- Garcia J, Grabhorn L, Franklin K. Factors associated with stress fractures in military recruits. *Mil Med* 1987;152(1):45-8.
- Giladi M, Milgrom C, Danon Y, Aharonson Z. The correlation between cumulative march training and stress fractures in soldiers. *Mil Med* 1985;150(11):600-1.
- Giladi M, Milgrom C, Kashtan H, Stein M, Chisin R, Dizian R. Recurrent stress fractures in military recruits. One-year follow-up of 66 recruits. *J Bone Joint Surg [Br]* 1986;68(3):439-41.
- Giladi M, Milgrom C, Simkin A, Danon Y. Stress fractures. Identifiable risk factors. *Am J Sports Med* 1991;19(6):647-52.

- Giladi M, Milgrom C, Simkin A, Stein M, Kashtan H, Margulies J, et al. Stress fractures and tibial bone width. A risk factor. *J Bone Joint Surg [Br]* 1987;69(2):326-9.
- Giladi M, Milgrom C, Stein M, Kashtan H, Margulies J, Chisin R, et al. External rotation of the hip. A predictor of risk for stress fractures. *Clin Orthop* 1987;(216):131-4.
- Gill R, Hopkins G. Stress fracture in parachute regiment recruits. *J R Army Med Corps* 1988;134(2):91-3.
- Gladman D, Brubacher B, Buskila D, Langevitz P, Farewell V. Psoriatic spondyloarthropathy in men and women: a clinical, radiographic, and HLA study. *Clin Invest Med* 1992;15(4):371-5.
- Guill F. Ascertaining the causal factors for "ejection-associated" injuries. *Aviat Space Environ Med* 1989;60(10 Pt 2):B44-71.
- Guill F, Herd G. An evaluation of proposed causal mechanisms for "ejection associated" neck injuries. *Aviat Space Environ Med* 1989;60(7 Pt 2):A26-47.
- Hald N, Pedersen O, Hau C, Hansen B. Medial stress syndrome in military conscripts. *Ugeskr Laeger* 1989;151(33):2070-2. [In Danish]
- Hamalainen O, Vanharanta H, Bloigu R. +Gz-related neck pain: a follow-up study. *Aviat Space Environ Med* 1994;65(1):16-8.
- Hamalainen O, Vanharanta H, Kuusela T. Degeneration of cervical intervertebral disks in fighter pilots frequently exposed to high +Gz forces. *Aviat Space Environ Med* 1993;64(8):692-6.
- Hellsing A. Passive lumbar mobility. A prospective study of back pain in young men during their military service. *Ups J Med Sci* 1988;93(3):255-65.
- Hellsing A. Tightness of hamstring- and psoas major muscles. A prospective study of back pain in young men during their military service. *Ups J Med Sci* 1988;93(3):267-76.
- Hoek van Dijke G, Snijders C, Roosch E, Burgers P. Analysis of biomechanical and ergonomic aspects of the cervical spine in F-16 flight situations. *J Biomech* 1993;26(9):1017-25.
- Hopkinson W, Mitchell W, Curl W. Chondral fractures of the knee. Cause for confusion. *Am J Sports Med* 1985;13(5):309-12.
- Jacob E, Erpelding J, Murphy K. A retrospective analysis of open fractures sustained by U.S. military personnel during Operation Just Cause. *Mil Med* 1992;157(10):552-6.
- Jensen I, Nygren A, Gamberale F, Goldie I, Westerholm P. Coping with long-term musculoskeletal pain and its consequences: is gender a factor? *Pain* 1994;57(2):167-72.
- John H, Burckhardt A, Gachter A. Fatigue fracture: a frequently overlooked injury?. *Helv Chir Acta* 1994;60(4):551-5. [In German]
- Jones B, Bovee M, Harris J, Cowan D. Intrinsic risk factors for exercise-related injuries among male and female Army trainees. *Am J Sports Med* 1993;21(5):705-10.
- Jones B, Cowan D, Tomlinson J, Robinson J, Polly D, Frykman P. Epidemiology of injuries associated with physical training among young men in the Army. *Med Sci Sports Exerc* 1993;25(2):197-203.
- King J, O'Brien D, Mangelsdorff A. Fitness programs and the mid-career medical soldier. *Mil Med* 1988;153(3):114-7.
- Kirkpatrick A, Smallman T. Spondylolysis and spondylolisthesis in military parachutists. *Mil Med* 1991;156(12):687-90.
- Knapik JJ, Bauman CL, Jones BH, Harris JM, Vaughan L. Preseason strength and flexibility imbalances associated with athletic injuries in female collegiate athletes. *Am J Sports Med* 1991;19(1):76-81.
- Knapik JJ, Jones BH, Bauman CL, Harris JM. Strength, flexibility and athletic injuries. *Sports Med* 1992;14(5):277-88.
- Kvist M. Achilles tendon injuries in athletes. *Sports Med* 1994;18(3):173-201.
- Leino P, Hasan J, Karppi S. Occupational class, physical workload, and musculoskeletal morbidity in the engineering industry. *Br J Ind Med* 1988;45(10):672-81.
- Linenger J, Shwayhat A. Epidemiology of podiatric injuries in US Marine recruits undergoing basic training. *J Am Podiatr Med Assoc* 1992;82(5):269-71.
- Linenger J, West L. Epidemiology of soft-tissue/musculoskeletal injury among U.S. Marine recruits undergoing basic training. *Mil Med* 1992;157(9):491-3.
- Lloyd T, Triantafyllou SJ, Baker ER, Houts PS, Whiteside JA, Kalenak A, et al. Women athletes with menstrual irregularity have increased musculoskeletal injuries. *Med Sci Sports Exerc* 1986;18(4):374-9. [Published erratum appears in *Med Sci Sports Exerc* 1987 19(4):421].
- Marcinik E. Sprain and strain injuries in the Navy: the possible role of physical fitness in their prevention. *Aviat Space Environ Med* 1986;57(8):800-4.
- Marcinik J, Hodgdon JA, O'Brien JJ. A comparison of sprain and strain injury rates during aerobic/calisthenic and aerobic/circuit weight training programs. *Mil Med* 1987;152(5):252-4.
- Matheson G, Clement D, McKenzie D, Taunton J, Lloyd-Smith D, MacIntyre J. Stress fractures in athletes. A study of 320 cases. *Am J Sports Med* 1987;15(1):46-58.
- Mauer UM, Rath SA. Stress-induced carpal tunnel syndrome in athletes—exemplified by 3 kinds of sports. *Schweiz Z Sportmed* 1992;40(3):131-5. [Multilingual]

- McCarroll J, Gunderson C. 5-year study of incidence rates of hospitalized cases of head injuries in the US Army. *Neuroepidemiology* 1990;9(6):296-305.
- McNiesh L. Injury pattern aboard the USS Enterprise. *Mil Med* 1989;154(5):236-8.
- Mellen P. Parachute static line injury with vascular compromise. *Mil Med* 1989;154(7):364-5.
- Milgrom C, Chisin R, Margulies J, Giladi M, Stein M, Kashtan H, et al. Stress fractures of the medial femoral condyle. *J Trauma* 1986;26(2):199-200.
- Milgrom C, Finestone A, Eldad A, Shlamkovitch N. Patellofemoral pain caused by overactivity. A prospective study of risk factors in infantry recruits. *J Bone Joint Surg [Am]* 1991;73(7):1041-3.
- Milgrom C, Finestone A, Shlamkovitch N, Eldad A, Saltzman S, Giladi M, et al. The clinical assessment of femoral stress fractures: a comparison of two methods. *Mil Med* 1993;158(3):190-2.
- Milgrom C, Finestone A, Shlamkovitch N, Rand N, Lev B, Simkin A, et al. Youth is a risk factor for stress fracture. A study of 783 infantry recruits. *J Bone Joint Surg [Br]* 1994;76(1):20-2.
- Milgrom C, Giladi M, Chisin R, Dizian R. The long-term followup of soldiers with stress fractures. *Am J Sports Med* 1986;26(2):199-200.
- Milgrom C, Giladi M, Stein M, Kashtan H, Margulies J, Chisin R, et al. Stress fractures in military recruits. A prospective study showing an unusually high incidence. *J Bone Joint Surg [Br]* 1985;67(5):732-5.
- Milgrom C, Giladi M, Stein M, Kashtan H, Margulies J, Chisin R, et al. Medial tibial pain. A prospective study of its cause among military recruits. *Clin Orthop* 1986;213:167-71.
- Milgrom C, Shlamkovitch N, Finestone A, Eldad A, Laor A, Danon Y, et al. Risk factors for lateral ankle sprain: a prospective study among military recruits. *Foot Ankle* 1991;12(1):26-30.
- Montgomery L, Nelson F, Norton J, Deuster P. Orthopedic history and examination in the etiology of overuse injuries. *Med Sci Sports Exerc* 1989;21(3):237-43.
- Myburgh KH, Grobler N, Noakes TD. Factors associated with shin soreness in athletes. *Phys Sportsmed* 1988;16(4):129-34.
- Myburgh KH, Hutchins J, Fataar AB, Hough SF, Noakes TD. Low bone density is an etiologic factor for stress fractures in athletes. *Ann Intern Med* 1990;113(10):754-9.
- Nielsen M, Hansen K, Holmer P, Dyrbye M. Tibial periosteal reactions in soldiers. A scintigraphic study of 29 cases of lower leg pain. *Acta Orthop Scand* 1991;62(6):531-4.
- Nouwen A, Van Akkerveeken P, Versloot J. Patterns of muscular activity during movement in patients with chronic low-back pain. *Spine* 1987;12(8):777-82.
- Paaajanen H, Erkintalo M, Dahlstrom S, Kuusela T, Svedstrom E, Korman M. Disc degeneration and lumbar instability. Magnetic resonance examination of 16 patients. *Acta Orthop Scand* 1989;60(4):375-8.
- Parsons T, Lauerma W, Ethier D, Gormley W, Cain J, Elias Z, et al. Spine injuries in combat troops—Panama, 1989. *Mil Med* 1993;158(7):501-2.
- Pester S, Smith PC. Stress fractures in the lower extremities of soldiers in basic training. *Orthop Rev* 1992;21(3):297-303.
- Pope M. Risk indicators in low back pain. *Ann Med* 1989;21(5):387-92.
- Pouilles J, Bernard J, Tremolieres F, Louvet J, Ribot C. Femoral bone density in young male adults with stress fractures. *Bone* 1989;10(2):105-8.
- Reynolds KL, Heckel HA, Witt CE, Martin JW, Pollard JA. Cigarette smoking, physical fitness, and injuries in infantry soldiers. *Am J Prev Med* 1994;10(3):145-50.
- Riel K, Bernett P. Fatigue fractures in sports. Personal experiences and literature review. *Z Orthop Ihre Grenzgeb* 1991;129(6):471-6. [In German]
- Rikun O, Maistrenko N, Poduto S. Pressing problems in the diagnosis and surgical treatment of knee joint pathology in servicemen. *Voen Med Zh* 1994;(9):27-31. [In Russian]
- Ross J. A review of lower limb overuse injuries during basic military training. Part 2: Prevention of overuse injuries. *Mil Med* 1993;158(6):415-20.
- Ross J, Woodward A. Risk factors for injury during basic military training. Is there a social element to injury pathogenesis? *J Occup Med* 1994;36(10):1120-6.
- Schwellnus M, Jordaan G. Does calcium supplementation prevent bone stress injuries? A clinical trial. *Int J Sport Nutr* 1992;2(2):165-74.
- Schwellnus M, Jordaan G, Noakes TD. Prevention of common overuse injuries by the use of shock absorbing insoles. A prospective study. *Am J Sports Med* 1990;18(6):636-41.
- Simkin A, Leichter I, Giladi M, Stein M, Milgrom C. Combined effect of foot arch structure and an orthotic device on stress fractures. *Foot Ankle* 1989;10(1):25-9.
- Simpson M, Young D, Bucknell A. The incidence of permanent upper and lower extremity profiles in active duty Army officers. *Mil Med* 1992;157(1):17-21.

- Spalding T, Stewart M, Tulloch D, Stephens K. Penetrating missile injuries in the Gulf War 1991. *Br J Surg* 1991;78(9):1102-4.
- Stein M, Shlamkovitch N, Finestone A, Milgrom C. Marcher's digitalgia paresthetica among recruits. *Foot Ankle* 1989;9(6):312-3.
- Stoneham M, Morgan N. Stress fractures of the hip in Royal Marine recruits under training: a retrospective analysis. *Br J Sports Med* 1991;25(3):145-8. [published erratum appears in *Br J Sports Med* 1991 25(4):190].
- Swissa A, Milgrom C, Giladi M, Kashtan H, Stein M, Margulies J, et al. The effect of pretraining sports activity on the incidence of stress fractures among military recruits. A prospective study. *Clin Orthop* 1989;Aug(245):255-60.
- Taimela S, Kujala UM, Osterman K. Stress injury proneness: a prospective study during a physical training program. *Int J Sports Med* 1990;11(2):162-5.
- Thiele H. The injury pattern in parachuting. *Langenbecks Arch Chir Suppl Kongressbd* 1991;470-2. [In German]
- van Mechelen W. Running injuries. A review of the epidemiological literature. *Sports Med* 1992;14(5):320-35.
- Vanderbeek R. Period prevalence of acute neck injury in U.S. Air Force pilots exposed to high G forces. *Aviat Space Environ Med* 1988;59(12):1176-80.
- Visuri T, Hietaniemi K. Displaced stress fracture of the femoral shaft: a report of three cases. *Mil Med* 1992;157(6):325-7.
- Visuri T, Koskenvuo M, Dahlstrom S. Hemarthrosis of the clinically stable knee due to sports and military training in young recruits: an arthroscopic analysis. *Mil Med* 1993;158(6):378-81.
- Volpin G, Milgrom C, Goldsher D, Stein H. Stress fractures of the sacrum following strenuous activity. *Clin Orthop* 1989;(243):184-8.
- Volpin G, Petronius G, Hoerer D, Stein H. Lower limb pain and disability following strenuous activity. *Mil Med* 1989;154(6):294-7.
- Woodruff S, Conway T, Bradway L. The U.S. Navy Healthy Back Program: effect on back knowledge among recruits. *Mil Med* 1994;159(7):475-84.
- Yacavone D, Bason R. Cervical injuries during high G maneuvers: a review of Naval Safety Center data, 1980-1990. *Aviat Space Environ Med* 1992;63(7):602-5.
- Zwas S, Elkanovitch R, Frank G. Interpretation and classification of bone scintigraphic findings in stress fractures. *J Nucl Med* 1987;28(4):452-7.

MUSCULOSKELETAL, TREATMENT

- Alexander A, Burkus J, Mitchell J, Ayers W. Chymopapain chemonucleolysis versus surgical discectomy in a military population. *Clin Orthop* 1989;July(244):158-65.
- Anderson ST, Charlesworth RW. Rheumatologic disease among Air Force recruits: a multimillion-dollar epidemic. *Semin Arthritis Rheum* 1993;22(4):275-9.
- Aro H, Dahlstrom S. Conservative management of distraction-type stress fractures of the femoral neck. *J Bone Joint Surg [Br]* 1986;68(1):65-7.
- Buckley S, Alexander A, Jones M, Culp RW, Smallman T. Arthroscopic surgery of the knee: its role in the support of U.S. troops during Operation Desert Shield on USNS Mercy. *Arthroscopy* 1992;8(3):359-62.
- Burkus J, Turner M. Surgical discectomy in an active-duty military population: a report of 66 consecutive cases. *Mil Med* 1989;154(9):452-5.
- Bury R. Bone scintigraphy in the evaluation of ejection injuries. *Aviat Space Environ Med* 1989;60(7 Pt 2):A16-7.
- Cherkin DC, Deyo RA, Wheeler K, Ciol MA, Carey T. Physician views about treating low back pain: the results of a national survey. *Spine* 1995;20(1):1-10.
- Denegar CR, Yoho AP, Borowicz AJ, Bifulco N. The effects of low-volt, microamperage stimulation on delayed onset muscle soreness. *J Sport Rehabil* 1992;1(2):95-102.
- Edeen J, Dainer R, Barrack R, Alexander A. Results of conservative treatment for recalcitrant anterior knee pain in active young adults. *Orthop Rev* 1992;21(5):593-9.
- Edwards K, Goral A, Hay R, Kelso T. Functional restoration following anterior cruciate ligament reconstruction in active-duty military personnel. *Mil Med* 1991;156(3):118-21.
- Finestone A, Radin E, Lev B, Shlamkovitch N, Wiener M, Milgrom C. Treatment of overuse patellofemoral pain. Prospective randomized controlled clinical trial in a military setting. *Clin Orthop* 1993;(293):208-10.
- Langstaff R, Handley C. Functional ankle instability in members of the armed forces, the results of the extensor digitorum brevis transfer operation. *Injury* 1991;22(2):105-7.
- Lebar R, Alexander A. Multidirectional shoulder instability. Clinical results of inferior capsular shift in an active-duty population. *Am J Sports Med* 1992;20(2):193-8.

- Milford P, Dunleavy P. A pilot trial of treatment of acute inversion sprains to the ankle by ankle supports. *J R Nav Med Serv* 1990;76(2):97-100.
- Milgrom C, Finestone A, Lev B, Wiener M, Floman Y. Overexertional lumbar and thoracic back pain among recruits: a prospective study of risk factors and treatment regimens. *J Spinal Disord* 1993;6(3):187-93.
- Pailthorpe C, Milner S, Sims M. Is patellectomy compatible with an Army career? *J R Army Med Corps* 1991;137(2):76-9.
- Pennington G, Danley D, Sumko M, Bucknell A, Nelson J. Pulsed, non-thermal, high-frequency electromagnetic energy (DIAPULSE) in the treatment of grade I and grade II ankle sprains. *Mil Med* 1993;158(2):101-4.
- Villar R. Patellofemoral pain and the infrapatellar brace. A military view. *Am J Sports Med* 1985;13(5):313-5.
- Visuri T, Vara A, Meurman K. Displaced stress fractures of the femoral neck in young male adults: a report of twelve operative cases. *J Trauma* 1988;28(11):1562-9.
- Volpin G, Hoerer D, Groisman G, Zaltzman S, Stein H. Stress fractures of the femoral neck following strenuous activity. *J Orthop Trauma* 1990;4(4):394-8.
- Weinstein M. An ankle protocol for second-degree ankle sprains. *Mil Med* 1993;158(12):771-4.

NEUROSENSORY CONDITIONS

- Bachman WG, Behar I. The effect of cycloplegia on the visual contrast sensitivity function. *Aviat Space Environ Med* 1987;58(4):339-42.
- Bachman WG, Egenmaier W. Assessment of cycloplegic effects on the VISTECH contrast sensitivity test in Army aviator candidates. *Optom Vis Sci* 1991;68(6):452-5.
- Blough P, Slavin L. Reaction time assessments of gender differences in visual-spatial performance. *Percept Psychophys* 1987;41(3):276-81.
- Brinkmann H. Impulse noise generator—design and operation. *Scand Audiol Suppl* 1991;34:79-85.
- Engelken EJ, Stevens KW. Saccadic eye movements in response to visual, auditory, and bisensory stimuli. *Aviat Space Environ Med* 1989;60(8):762-8.
- Munro P, Govier E. Dynamic gender-related differences in dichotic listening performance. *Neuropsychologia* 1993;31(4):347-53.
- Price G. Firing recoilless weapons from enclosures. *Scand Audiol Suppl* 1991;34:39-48.
- Tirre WC, Raouf KK. Gender differences in perceptual-motor performance. *Aviat Space Environ Med* 1994;65(5, Sect 2, Suppl):A49-53.

NOISE, HEARING LOSS

- Baker M, Holding D. The effects of noise and speech on cognitive task performance. *J Gen Psychol* 1993;120(3):339-55.
- Bauer P, Korpert K, Neuberger M, Raber A, Schwetz F. Risk factors for hearing loss at different frequencies in a population of 47,388 noise-exposed workers. *J Acoust Soc Am* 1991;90(6):3086-98.
- Borchgrevink H. Effects of noise—editor's introduction. *Scand Audiol Suppl* 1991;34:7-18.
- Carter N. Effectiveness of foam earplug hearing protection for artillerymen firing L118/119 105 mm howitzers. *Mil Med* 1989;154(9):473-6.
- Chermak G, Dengerink J. Characteristics of temporary noise-induced tinnitus in male and female subjects. *Scand Audiol* 1987;16(2):67-73.
- Christiansson B, Wintzell K. An audiological survey of officers at an infantry regiment. *Scand Audiol* 1993;22(3):147-52.
- Chung S, Stephens S. Factors influencing binaural hearing aid use. *Br J Audiol* 1986;20(2):129-40.
- Corso JF. Support for Corso's hearing loss model relating aging and noise exposure. *Audiology* 1992;31(3):162-7.
- Di Nisi J, Muzet A, Weber LD. Cardiovascular responses to noise: effects of self-estimated sensitivity to noise, sex, and time of the day. *J Sound Vib* 1987;114(2):271-9.
- Henderson D, Subramaniam M, Boettcher F. Individual susceptibility to noise-induced hearing loss: an old topic revisited. *Ear Hear* 1993;14(3):152-68.
- Holding D, Baker M. Toward meaningful noise research. *J Gen Psychol* 1987;114(4):395-410.
- Hotz M, Probst R, Harris F, Hauser R. Monitoring the effects of noise exposure using transiently evoked otoacoustic emissions. *Acta Otolaryngol Stockh* 1993;113(4):478-82.
- Joachims Z, Netzer A, Ising H, Rebentisch E, Attias J, Weisz G, et al. Oral magnesium supplementation as prophylaxis for noise-induced hearing loss: results of a double blind field study. *Schriftenr Ver Wasser Boden Luftthyg* 1993;88:503-16.
- Kiukaanniemi H, Sorri M. Speech intelligibility in difficult signal/noise circumstances. *Scand Audiol Suppl* 1988;30:215-8.

- Kobryn U, Peikert D, Rehfeldt H, Herrmann L. Sex- and age-related differences in blood pressure response to local muscular work during noise. *Z Gesamte Hyg* 1990;36(7):360-2. [In German]
- Koelega HS, Brinkman JA, Bergman H. No effect of noise on vigilance performance? *Hum Factors* 1986;28(5):581-93.
- Lutman ME, Spencer HS. Occupational noise and demographic factors in hearing. *Acta Otolaryngol Stockh* 1991;(Suppl)476:74-84.
- Matschke R. Communication and noise. Speech intelligibility of airplane pilots with and without active noise compensation. *HNO* 1994;42(8):499-504. [In German]
- McFadden D. A speculation about the parallel ear asymmetries and sex differences in hearing sensitivity and otoacoustic emissions. *Hear Res* 1993;68(2):143-51.
- McFadden D, Mishra R. On the relation between hearing sensitivity and otoacoustic emissions. *Hear Res* 1993;71(1-2):208-13.
- Petiot J, Parrot J. Effects of the ovarian and contraceptive cycles on absolute thresholds, auditory fatigue and recovery from temporary threshold shifts at 4 and 6 Khz. *Audiology* 1984;23(6):581-98.
- Petrovic D, Hadzibegovic E, Radojkovic Z, Kitanovski B, Fiser A, Hrnjak M, et al. Working environment conditions and occupational disorders in artillery unit personnel. *Vojnosanit Pregl* 1990;47(4):259-62. [In Serbo-Croatian (Roman)]
- Pilgramm M. Clinical and animal experiment studies to optimise the therapy for acute acoustic trauma. *Scand Audiol Suppl* 1991;34:103-22.
- Pirila T, Sorri M, Jounio-Ervasti K, Sipila P, Karjalainen H. Hearing asymmetry among occupationally noise-exposed men and women under 60 years of age. *Scand Audiol* 1991;20(4):217-22.
- Price G, Kalb J. A new approach to a damage risk criterion for weapons impulses. *Scand Audiol Suppl* 1991;34:21-37.
- Richmond D. Blast criteria for open spaces and enclosures. *Scand Audiol Suppl* 1991;34:49-76.
- Smith A, Miles C. Sex differences in the effects of noise and nightwork on performance efficiency. *Work & Stress* 1987;1(4):333-9.
- Sulkowski W, Kowalska S, Lipowczan A. A permanent noise-induced shift in the auditory threshold in textile industry workers. *Med Pr* 1986;37(3):175-86. [In Polish]
- Sullivan P. MD launches study to determine amount of job-related hearing loss in military. *Can Med Assoc J* 1992;146(11):2061-3.
- Whitehead M, Kamal N, Lonsbury-Martin B, Martin G. Spontaneous otoacoustic emissions in different racial groups. *Scand Audiol* 1993;22(1):3-10.
- Wu T, Huang J, Chou PFS, Chang P. Effects of noise exposure and task demand on cardiovascular function. *Int Arch Occup Environ Health* 1988;60(2):99-105.
- Ylikoski J, Pekkarinen J, Starck J. The efficiency of earmuffs against impulse noise from firearms. *Scand Audiol* 1987;16(2):85-8.

NUTRITION

- American Dietetic Association and the Canadian Dietetic Association. Position of the American Dietetic Association and the Canadian Dietetic Association: nutrition for physical fitness and athletic performance for adults. *J Am Diet Assoc* 1993;93(6):691-6. [Published erratum appears in *J Am Diet Assoc* 1993;93(8):863].
- Askew EW. *Nutrient Requirements for High-Stress Environments*. San Antonio, TX: Paper presented at the Conference on Readiness-Commitment to Excellence; 1988.
- Basiotis P, Thomas R, Kelsay J, Mertz W. Sources of variation in energy intake by men and women as determined from one year's daily dietary records. *Am J Clin Nutr* 1989;50(3):448-53.
- Bazzarre T, Scarpino A, Sigmon R, Marquart L, Wu S, Izurieta M. Vitamin-mineral supplement use and nutritional status of athletes. *J Am Coll Nutr* 1993;12(2):162-9.
- Bompani GD, Cerasola G, Morici ML, Condorelli M, Trimarco B, De Luca N, et al. Effects of moderate low sodium/high potassium diet on essential hypertension: results of a comparative study. *Int J Clin Pharmacol Ther Toxicol* 1988;26(3):129-32.
- Daudy PA, Kelley DS, Taylor PC, Burri BJ, Wu MM. Effect of low beta-carotene diet on immune functions of adult women. *Am J Clin Nutr* 1994;60:969-72.
- DeBolt J, Singh A, Day B, Deuster P. Nutritional survey of the US Navy SEAL trainees. *Am J Clin Nutr* 1988;48(5):1316-23.
- Deuster PA, Kyle SB, Moser PB, Vigersky RA, Singh A, Schoomaker EB. Nutritional intakes and status of highly trained amenorrheic and eumenorrheic women runners. *Fertil Steril* 1986;46(4):636-43.
- Deuster PA, Kyle SB, Moser PB, Vigersky RA, Singh A, Schoomaker EB. Nutritional survey of highly trained women runners. *Am J Clin Nutr* 1986;44(6):954-62.

- Eisinger M, Plath M, Jung K, Leitzmann C. Nutrient intake of endurance runners with ovo-lacto-vegetarian diet and regular Western diet. *Z Ernahrungswiss* 1994;33(3):217-29.
- Fox M, Wenkam N, Hirsch E. Acceptability studies of military ration: meal, ready-to-eat. *J Foodserv Syst* 1989;5(3):189-99.
- Grandjean AC, Ruud JS. Energy intake of athletes. In: *Oxford Textbook of Sports Medicine*. New York: Oxford University Press; 1994.
- Grunberg N, Straub R. The role of gender and taste class in the effects of stress on eating. *Health Psychol* 1992;11(2):97-100.
- Guthrie SR, Ferguson C, Grimmett D. Elite women bodybuilders: ironing out nutritional misconceptions. *Sport Psychologist* 1994;8(3):271-86.
- Haymes E, Spillman D. Iron status of women distance runners, sprinters, and control women. *Int J Sports Med* 1989;10(6):430-3.
- Jones TE, Mutter SH, Aylward JM, DeLany JP, Stephens RL. *Nutrition and Hydration Status of Aircrew Members Consuming the Food Packet, Survival, General Purpose, Improved during a Simulated Survival Scenario*. Natick, MA: Army Research Institute of Environmental Medicine; 1992. USARIEM-TR-T1-93.
- Keith R, O'Keefe K, Alt L, Young K. Dietary status of trained female cyclists. *J Am Diet Assoc* 1989;89(11):1620-3.
- Kelley DS, Daudu PA, Mackey BE, Tumlund JR. Effects of copper depletion on human immune response. *Am J Clin Nutr*. In press.
- King N, Arsenault JE, Mutter SH, Champagne C, Murphy TC. *Nutritional Intake of Female Soldiers During the U.S. Army Basic Combat Training. Final report*. Baton Rouge, LA: Pennington Biomedical Research Center; 1994. USARIEM-T94-17. 116p.
- King N, Fridlund K, Askew E. Nutrition issues of military women. *J Am Coll Nutr* 1993;12(4):344-8.
- King N, Roberts D, Edwards J, Morizen R, Askew E. Cold-weather field feeding: an overview. *Mil Med* 1994;159(2):121-6.
- Kodama M, Kodama T. Interrelation between Western type cancers and non-Western type cancers as regards their risk variations in time and space. II. Nutrition and cancer risk. *Anticancer Res* 1990;10(4):1043-9.
- Marriott BM. *Nutritional Needs in Hot Environments: Applications for Military Personnel in Field Operations*. Washington, DC: National Academy Press; 1993.
- Miles C, Collins J, Holbrook J, Patterson K, Bodwell C. Iron intake and status of men and women consuming self-selected diets. *Am J Clin Nutr* 1984;40(6 Suppl):1393-6.
- Miller WC. Diet composition, energy intake, and nutritional status in relation to obesity in men and women. *Med Sci Sports Exerc* 1991;23(3):280-4.
- Myhre K, Borch-Johnsen B. Iron and sports. *Tidsskr Nor Laegeforen* 1990;110(2):192-5. [In Norwegian]
- Newhouse I, Clement D. Iron status in athletes. An update. *Sports Med* 1988;5(6):337-52.
- Nicklas T, Webber L, Kern S, Powers C, Harsha D, Berenson G. Fort Polk Heart Smart Program. Part III: Assessment of dietary intake of military wives. *Mil Med* 1993;158(5):312-6.
- Popper R, Smits G, Meiselman H, Hirsch E. Eating in combat: a survey of U.S. Marines. *Mil Med* 1989;154(12):619-23.
- Price E, Lemire B. Iron deficiency in athletes: etiology, pathophysiology, diagnosis, and treatment. *Chiropr Sports Med* 1988;2(1):12-4.
- Rinke W, Herzberger J, Erdtmann F. The Army Weight Control Program: a comprehensive mandated approach to weight control. *J Am Diet Assoc* 1985;85(11):1429-36.
- Rokitzki L, Berg A, Keul J. Blood and serum status of water- and fat-soluble vitamins in athletes and non-athletes. *Int J Vitam Nutr Res Suppl* 1989;30:192-7.
- Rokitzki L, Sagredos A, Reuss F, Cufi D, Keul J. Assessment of vitamin B₆ status of strength and speedpower athletes. *J Am Coll Nutr* 1994;13(1):87-94.
- Rose MS. *Between-Meal Food Intake for Reservists Training in the Field*. Natick, MA: Army Research Institute of Environmental Medicine; 1989. USARIEM-T15-89.
- Rose MS, Szlyk PC, Francesconi RP, Lester LS, Armstrong L. *Effectiveness and Acceptability of Nutrient Solutions in Enhancing Fluid Intake in the Heat*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. USARIEM-T-10/89.
- Rose RW, Baker CJ, Salter C, Wisnaskas W, Edwards JS. *Dietary Assessment of U.S. Army Basic Trainees at Fort Jackson, South Carolina*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. USARIEM-T6-89. 324p.
- Singh A, Deuster P, Day B, Smith D, DeBolt J, Doubt T. Nutritional status of land-based U.S. Navy divers. *Undersea Biomed Res* 1988;15(2):135-45.
- Snyder A, Dvorak L, Roepke J. Influence of dietary iron source on measures of iron status among female runners. *Med Sci Sports Exerc* 1989;21(1):7-10.
- Soysa P. Women and nutrition. *World Rev Nutr Diet* 1987;52:1-70.
- Tilgner S, Schiller M. Dietary intakes of female college athletes: the need for nutrition education. *J Am Diet Assoc* 1989;89(7):967-9.

- Trent L. Nutrition knowledge of active-duty Navy personnel. *J Am Diet Assoc* 1992;92(6):724-8.
- van Erp-Baart A, Saris W, Binkhorst R, Vos J, Elvers J. Nationwide survey on nutritional habits in elite athletes. Part II. Mineral and vitamin intake. *Int J Sports Med* 1989;10(Suppl 1):S11-6.
- Weight L, Jacobs P, Noakes T. Dietary iron deficiency and sports anaemia. *Br J Nutr* 1992;68(1):253-60.
- Wenkam N, Fox M. Validity of self-estimated and weighed dietary data for assessment of military rations. *J Am Diet Assoc* 1989;89(2):203-8.
- Wenkam NS, Fox M, Eng, Thiele MN, Lichton JJ. Energy and nutrient intakes of soldiers consuming MRE operational rations: physiological correlates. *J Am Diet Assoc* 1989;89(3):407-409.
- Williford H, Olson M, Keith R, Barksdale J, Blessing D, Wang N, et al. Iron status in women aerobic dance instructors. *Int J Sport Nutr* 1993;3(4):387-97.

NUTRITION AND EXERCISE

- Angotti C, Levine M. Review of 5 years of a combined dietary and physical fitness intervention for control of serum cholesterol. *J Am Diet Assoc* 1994;94(6):634-8.
- Bale P. Body composition and menstrual irregularities of female athletes. Are they precursors of anorexia? *Sports Med* 1994;17(6):347-52.
- Ballor D, Poehlman E. Exercise-training enhances fat-free mass preservation during diet-induced weight loss: a meta-analytical finding. *Int J Obes Relat Metab Disord* 1994;18(1):35-40.
- Barr SI. Women, nutrition and exercise: a review of athletes' intakes and a discussion of energy balance in active women. *Prog Food Nutr Sci* 1987;11(3-4):307-61.
- Beals KA, Manore MM. The prevalence and consequences of subclinical eating disorders in female athletes. *Int J Sport Nutr* 1994;4(2):175-95.
- Beidleman BA, Puhl JL, De Souza MJ. Energy balance in female distance runners. *Am J Clin Nutr* 1995;61(2):303-11.
- Brownell KD, Steen SN, Wilmore JH. Weight regulation practices in athletes: Analysis of metabolic and health effects. *Med Sci Sports Exerc* 1987;19(6):546-56.
- Bunt JC, Going SB, Lohman TG, Heinrich CH, Perry CD, Pamentier RW. Variation in bone mineral content and estimated body fat in young adult females. *Med Sci Sports Exerc* 1990;22(5):564-9.
- Cumming DC, Wheeler GD, Harber VJ. Physical activity, nutrition, and reproduction. *Ann N Y Acad Sci* 1994;709:55-76.
- Davis C, Fox J, Cowles M, Hastings P, Schwass K. The functional role of exercise in the development of weight and diet concerns in women. *J Psychosom Res* 1990;34(5):563-74.
- DeLany J, Schoeller D, Hoyt R, Askew E, Sharp M. Field use of D₂¹⁸O to measure energy expenditure of soldiers at different energy intakes. *J Appl Physiol* 1989;67(5):1922-9.
- D'iaconov M. The current nutritional problems of servicemen. *Voen Med Zh* 1994;(4):55-8. [In Russian]
- Diehl DM, Lohman TG, Smith SC, Kertzner R. Effects of physical training and competition on the iron status of female field hockey players. *Int J Sports Med* 1986;7(5):264-70.
- Economos C, Bortz S, Nelson M. Nutritional practices of elite athletes. Practical recommendations. *Sports Med* 1993;16(6):381-99.
- Edwards J, Lindeman A, Mikesky A, Stager J. Energy balance in highly trained female endurance runners. *Med Sci Sports Exerc* 1993;25(12):1398-404.
- Elliot D, Goldberg L. Nutrition and exercise. *Med Clin North Am* 1985;69(1):71-82.
- Fogelholm M. Vitamins, minerals and supplementation in soccer. *J Sports Sci* 1994;12(Spec):S23-7.
- Friday KE, Drinkwater BL, Bruemmer B, Chesnut C, Chait A. Elevated plasma low-density lipoprotein and high-density lipoprotein cholesterol levels in amenorrheic athletes: effects of endogenous hormone status and nutrient intake. *J Clin Endocrinol Metab* 1993;77(6):1605-9.
- Gleim G. Exercise is not an effective weight loss modality in women. *J Am Coll Nutr* 1993;12(4):363-7.
- Grandjean A. Practices and recommendations of sports nutritionists. *Int J Sport Nutr* 1993;3(2):232-42.
- Haymes EM, Lamanca JJ. Iron loss in runners during exercise. Implications and recommendations. *Sports Med* 1989;7(5):277-85.
- Hill J, Thiel J, Heller P, Markon C, Fletcher G, DiGirolamo M. Energetic and metabolic studies of intragastric infusion of calories before and after exercise training. *Int J Obes* 1991;15(2):169-79.
- Holt WJ. Nutrition and athletes. *Am Fam Physician* 1993;47(8):1757-64.
- Kleiner SM, Bazzarre TL, Litchford MD. Metabolic profiles, diet, and health practices of championship male and female bodybuilders. *J Am Diet Assoc* 1990;90(7):962-7.

- Klesges R, Isbell T, Klesges L. Relationship between dietary restraint, energy intake, physical activity, and body weight: a prospective analysis. *J Abnorm Psychol* 1992;101(4):668-74.
- Klesges R, Klesges L, Haddock C, Eck L. A longitudinal analysis of the impact of dietary intake and physical activity on weight change in adults. *Am J Clin Nutr* 1992;55(4):818-22.
- Klesges RC, Eck LH, Clark EM, Meyers AW, et al. The effects of smoking cessation and gender on dietary intake, physical activity, and weight gain. *Int J Eat Disord* 1990;9(4):435-45.
- Lemon P. Effect of exercise on protein requirements. *J Sports Sci* 1991;9:53-70.
- Mamelie N, Bertucat I, Bossard N, Saury A, Monier MT, Tourmiaire J. Risk factors in overweight: a survey among female hospital personnel. *Rev Epidemiol Sante Publique* 1990;38(2):117-24. [In French]
- Manore M. Vitamin B₆ and exercise. *Int J Sport Nutr* 1994;4(2):89-103.
- Nieman D. Vegetarian dietary practices and endurance performance. *Am J Clin Nutr* 1988;48(3 Suppl):754-61.
- Nnakwe N. Menstrual irregularities, nutritional pattern and mineral intake and excretion of female athletes. *Nutr Res* 1990;10(1):23-30.
- Patterson RE. *Diet, Smoking, Alcohol Consumption, and Physical Activity: Lifestyle Patterns Chosen by U.S. Adults*. Chapel Hill, NC: University of North Carolina; 1993. Dissertation.
- Pavlica M, Obradovic B, Bevc Z, Milivojevic M, Sovtic P. The effect of nutrition and planned physical activity on the nutritional status, development and physical fitness in soldiers. *Vojnosanit Pregl* 1988;45(4):254-8. [In Serbo-Croatian (Roman)]
- Phillips S, Atkinson S, Tamopolsky M, MacDougall J. Gender differences in leucine kinetics and nitrogen balance in endurance athletes. *J Appl Physiol* 1993;75(5):2134-41.
- Price E, Lemire B. Iron deficiency in athletes: etiology, pathophysiology, diagnosis, and treatment. *Chiropr Sports Med* 1988;2(1):12-4.
- Rippon C, Nash J, Myburgh KH, Noakes TD. Abnormal Eating Attitude Test scores predict menstrual dysfunction in lean females. *Int J Eat Disord* 1988;7(5):617-24.
- Roberts WO, Elliot DL. Malnutrition in a compulsive runner: a case conference. *Med Sci Sports Exerc* 1991;23(5):513-6.
- Rognum TO, Vartdal F, Rodahl K, Opstad PK, Knudsen-Baas O, Kindt E, et al. Physical and mental performance of soldiers on high- and low-energy diets during prolonged heavy exercise combined with sleep deprivation. *Ergonomics* 1986;29(7):859-67.
- Schulz L, Alger S, Harper I, Wilmore J, Ravussin E. Energy expenditure of elite female runners measured by respiratory chamber and doubly labeled water. *J Appl Physiol* 1992;72(1):23-8.
- Singh R, Rastogi S, Ghosh S, Niaz MA, Singh N. The diet and moderate exercise trial (DAMET): results after 24 weeks. *Acta Cardiol* 1992;47(6):543-57.
- Sinning WE, Little KD. Body composition and menstrual function in athletes. *Sports Med* 1987;4(1):34-45.
- Slama G, Boillot J, Hellal I, Darmaun D, Rizkalla SW, Orvoen-Frija E, et al. Fructose is as good a fuel as glucose for exercise in normal subjects. *Diabete Metab* 1989;15(3):105-6.
- Smoak B, Singh A, Day B, Norton J, Kyle S, Pepper S, et al. Changes in nutrient intakes of conditioned men during a 5-day period of increased physical activity and other stresses. *Eur J Appl Physiol* 1988;58(3):245-51.
- Snead DB, Stubbs CC, Weltman JY, Evans WS, Veldhuis JD, Rogol AD, et al. Dietary patterns, eating behaviors, and bone mineral density in women runners. *Am J Clin Nutr* 1992;56(4):705-11.
- Sovtic P, Pavlica M, Milivojevic M, Obradovic B. Nutritional status, physical development and physical fitness of soldiers before and after training. *Vojnosanit Pregl* 1989;46(1):7-10. [In Serbo-Croatian (Roman)]
- Staten M. The effect of exercise on food intake in men and women. *Am J Clin Nutr* 1991;53(1):27-31.
- Storlie J. Nutrition assessment of athletes: a model for integrating nutrition and physical performance indicators. *Int J Sport Nutr* 1991;1(2):192-204.
- Teufel NI. Diet and activity patterns of male and female co-workers: should worksite health promotion programs assume homogeneity? *Women Health* 1992;19(4):31-54.
- Walberg J, Ruiz V, Tarlton S, Hinkle D, Thye F. Exercise capacity and nitrogen loss during a high or low carbohydrate diet. *Med Sci Sports Exerc* 1988;20(1):34-43.
- Walberg JL, Johnston CS. Menstrual function and eating behavior in female recreational weight lifters and competitive body builders. *Med Sci Sports Exerc* 1991;23(1):30-6.
- Walberg-Rankin J, Edmonds C, Gwazdauskas F. Diet and weight changes of female bodybuilders before and after competition. *Int J Sport Nutr* 1993;3(1):87-102.
- Williams C. Carbohydrate needs of elite athletes. *World Rev Nutr Diet* 1993;71:34-60.
- Wilmore JH. Eating and weight disorders in the female athlete. *Int J Sport Nutr* 1991;1(2):104-17.

OTOLARYNGOLOGICAL CONDITIONS

- Alster J, Shemesh Z, Ornan M, Attias J. Sleep disturbance associated with chronic tinnitus. *Biol Psychiatry* 1993;34(1-2):84-90.
- Borchgrevink H. Effects of noise—editor's introduction. *Scand Audiol Suppl* 1991;34:7-18.
- Craig T, Sitz K, Squire E, Smith L, Carpenter G. Vocal cord dysfunction during wartime. *Mil Med* 1992;157(11):614-6.
- Davis J, Vanderploeg J, Santy P, Jennings R, Stewart D. Space motion sickness during 24 flights of the space shuttle. *Aviat Space Environ Med* 1988;59(12):1185-9.
- Kennedy RS, Fowlkes JE, Berbaum KS, Lilienthal MG. Use of a motion sickness history questionnaire for prediction of simulator sickness. *Aviat Space Environ Med* 1992;63(7):588-93.
- Pingree B. Motion commotion—a seasickness update. *J R Nav Med Serv* 1989;75(2):75-84.
- Wang ET, Xue SY. A review of otolaryngologic aircrew disqualification in the Chinese Air Force, 1961-90. *Aviat Space Environ Med* 1994;65(5):424-7.

PERFORMANCE

- Arito H, Oguri M. Contingent negative variation and reaction time of physically-trained subjects in simple and discriminative tasks. *Ind Health* 1990;28(2):97-106.
- Barber AV. Visual mechanisms and predictors of far field visual task performance. *Hum Factors* 1990;32(2):217-33.
- Brodie EE. Sex and hand-preference effects in the simultaneous and consecutive discrimination of lifted weight. *Percept Psychophys* 1988;43(4):326-30.
- Cox RH. Utilization of psychomotor screening for USAF pilot candidates: enhancing predictive validity. *Aviat Space Environ Med* 1988;59(7):640-5.
- Fine BJ. Heat, chemical protective clothing and mental performance of female soldiers. In: *Proceedings of the Military Testing Association*. Ottawa, Ontario: Military Testing Association; 1987.
- Fine BJ, McCord L. Oral contraceptive use, caffeine consumption, field-dependence, and the discrimination of colors. *Percept Mot Skills* 1991;73(3 Pt 1):931-41.
- Hampson E. Estrogen-related variations in human spatial and articulatory-motor skills. *Psychoneuroendocrinology* 1990;15(2):97-111.
- Hudgens G, Fatkin L, Billingsley P, Mazurczak J. Hand steadiness: effects of sex, menstrual phase, oral contraceptives, practice, and handgun weight. *Hum Factors* 1988;30(1):51-60.
- Hult RE, Brous CW. Spatial visualization: athletic skills and sex differences. *Percept Mot Skills* 1986;63(1):163-8.
- Imrhan SN, Loo CH. Trends in finger pinch strength in children, adults, and the elderly. *Hum Factors* 1989;31(6):689-701.
- Kirkcaldy B. Sex and personality differences in psychomotor skills. *Studia Psychologica* 1988;30(3):215-26.
- Kuhlman JS. *The Relationships among Gender, Gender Identity, Competitive Athletic Experience, Degree of Lateralization, Spatial Visualization Ability, and Performance on a Temporal/Spatial Task*. Knoxville, TN: University of Tennessee; 1988. Dissertation.
- Larson GE, Saccuzzo DP. Gender, neuroticism and speed-accuracy tradeoffs on a choice reaction-time task. *Pers Individ Differences* 1986;7(6):919-21.
- Rahim A, Sharma B. Sex differences in performance on a combined manual and decision task. *Percept Mot Skills* 1991;73(2):695-700.
- Rammsayer T, Lustnauer S. Sex differences in time perception. *Percept Mot Skills* 1989;68(1):195-8.
- Raviv S, Geron E, Low M. Factor analysis of the relationships between personality and motor characteristics of men and women. *Percept Mot Skills* 1990;71(2):487-97.
- Sylva M, Byrd R, Mangum M. Effects of social influence and sex on rating of perceived exertion in exercising elite athletes. *Percept Mot Skills* 1990;70(2):591-4.
- Tharion W, Rice V, Sharp M, Marlowe B. The effects of litter carrying on rifle shooting. *Mil Med* 1993;158(8):566-70.
- Wood E. Inbuilt obsolescence in conventionally piloted advanced fighter aircraft. *Aviat Space Environ Med* 1993;64(7):666-7.

PHARMACEUTICAL

- Aarhaug P. Field evaluation of a hepatitis A vaccine in a Norwegian contingent to the United Nations Interim Force in Lebanon. *Vaccine* 1992;10 Suppl 1:S156-8.

- Ackerman Z, Flugelman M, Wax Y, Shouval D, Levy M. Hepatitis during measles in young adults: possible role of antipyretic drugs. *Hepatology* 1989;10(2):203-6.
- Back DJ, Orme ML. Pharmacokinetic drug interactions with oral contraceptives. *Clin Pharmacokin* 1990;18(6):472-84.
- Bisset AM, Dingwall-Fordyce I, Hamilton MIK. The progestogen only pill: acceptability and continuation rates. *Br J Fam Plann* 1992;18(2):47-9.
- Boslego J, Tramont E, Chung R, McChesney D, Ciak J, Sadoff J, et al. Efficacy trial of a parenteral gonococcal pilus vaccine in men. *Vaccine* 1991;9(3):154-62.
- Classen W, Netter P. Sex differences in perceiving analgesic drug effects as measured by subjective pain ratings: a concealed signal detection theory analysis. *Percept Mot Skills* 1985;61(3 Pt 1):761-2.
- Cohen HA, Livshin R. Treatment of *leishmaniasis nodosa* (oriental sore) with intralesionally injected emetine hydrochloride. *J Am Acad Dermatol* 1987;17(4):595-9.
- Cole-Harding S, Wilson J. Ethanol metabolism in men and women. *J Stud Alcohol* 1987;48(4):380-7.
- Coutinho A, Dreyer G, Medeiros Z, Lopes E, Machado G, Galdino E, et al. Ivermectin treatment of bancroftian filariasis in Recife, Brazil. *Am J Trop Med Hyg* 1994;50(3):339-48.
- Dawood M. Hormonal therapies for endometriosis: implications for bone metabolism. *Acta Obstet Gynecol Scand Suppl* 1994;159:22-34.
- De Cree C, Lewin R, Ostry M. Suitability of cyproterone acetate in the treatment of osteoporosis associated with athletic amenorrhea. *Int J Sports Med* 1988;9(3):187-92.
- De Cree C, Lewin R, Ostry M. Failure to induce ovulation with clomiphene citrate and bromocriptine in luteal deficient women athletes. *Int J Sports Med* 1991;12(3):269-75.
- De Lignieres B. The case for a nonplasma lipoprotein etiology of reduced vascular risk in estrogen replacement therapy. *Curr Opin Obstet Gynecol* 1993;5(3):389-95.
- Duthel J, Vallon J, Martin G, Ferret J, Mathieu R, Videman R. Caffeine and sport: role of physical exercise upon elimination. *Med Sci Sports Exerc* 1991;23(8):980-5.
- Elks ML. Open trial of fluoxetine therapy for premenstrual syndrome. *South Med J* 1993;86(5):503-7.
- Faas A, Chavannes A, van Eijk J, Gubbels J. A randomized, placebo-controlled trial of exercise therapy in patients with acute low back pain. *Spine* 1993;18(11):1388-95.
- Fisher SM, McMurray RG, Berry M, Mar MH, Forsythe WA. Influence of caffeine on exercise performance in habitual caffeine users. *Int J Sports Med* 1986;7(5):276-80.
- Fotherby K. Interactions with oral contraceptives. *Am J Obstet Gynecol* 1990;163(6 Pt 2):2153-9.
- Grisso J, Baum C, Turner B. What do physicians in practice do to prevent osteoporosis? *J Bone Miner Res* 1990;5(3):213-9.
- Heinrich L. Contraceptive self-efficacy in college women. *J Adolesc Health* 1993;14(4):269-76.
- Hepburn NC, Tidman M, Hunter J. Aminosidine (paromomycin) versus sodium stibogluconate for the treatment of American cutaneous leishmaniasis. *Trans R Soc Trop Med Hyg* 1994;88(6):700-3.
- Hipskind J. A prophylactic program to prevent traveler's diarrhea in United States Naval personnel comparing doxycycline and trimethoprim-sulfamethoxazole. *Mil Med* 1993;158(3):141-4.
- Hirvonen E, Allonen H, Anttila M, Kulmala Y, Ranta T, Rautiainen H, et al. Oral contraceptive containing natural estradiol for premenopausal women. *Maturitas* 1995;21(1):27-32.
- Horowitz M, Ershler W, McKinney W, Battiola R. Duration of immunity after hepatitis B vaccination: efficacy of low-dose booster vaccine. *Ann Intern Med* 1988;108(2):185-9.
- Hortonedo GM, Alfonso SJ, Cortes VC, Sabater PA. Antitubercular chemoprevention: hepatotoxicity and therapeutic compliance. *An Med Interna* 1993;10(12):587-9. [In Spanish]
- Hudgens G, Fatkin L, Billingsley P, Mazurczak J. Hand steadiness: effects of sex, menstrual phase, oral contraceptives, practice, and handgun weight. *Hum Factors* 1988;30(1):51-60.
- Jennings T, Nafziger A, Davidson L, Bertino JJ. Gender differences in hepatic induction and inhibition of theophylline pharmacokinetics and metabolism. *J Lab Clin Med* 1993;122(2):208-16.
- Jordan T, Lewit E, Reichman L. Isoniazid preventive therapy for tuberculosis. Decision analysis considering ethnicity and gender. *Am Rev Respir Dis* 1991;144(6):1357-60.
- Kakouris H, Kovacs GT. Pill failure and non-use of secondary precautions. *Br J Fam Plann* 1992;18(2):41-4.
- Keeler J, Hurst D, Dunn M. Pyridostigmine used as a nerve agent pretreatment under wartime conditions. *JAMA* 1991;266(5):693-5.
- Kepeczyk T, Ryan P 3d, McAllister K, Otraje J. The absence of nephrotoxicity and differential nephrotoxicity between tobramycin and gentamicin. *South Med J* 1990;83(10):1149-52.
- Kirmil-Gray K, Eagleston JR, Thoresen CE, Zarcone VP Jr. Brief consultation and stress management treatments for drug-dependent insomnia: effects on sleep quality, self-efficacy, and daytime stress. *J Behav Med* 1985;8(1):79-99.
- MacDonald RD. *Development of a Malaria Vaccine Using Recombinant Herpesvirus*. Lenexa, KS: Syntro Corporation; 1989.

- McArthur JW, Turnbull BA, Pehrson J, Bauman M, Henley K, Turner A et al. Nalmefene enhances LH secretion in a proportion of oligo-amenorrheic athletes. *Acta Endocrinol (Copenh)* 1993;128(4):325-33.
- McDonald A, Dyer A, Liu K, Stamler R, Gosch F, Grimm R et al. Sodium, lithium-countertransport and blood pressure control by nutritional intervention in "mild" hypertension. *J Hypertens* 1988;6(4):283-91.
- Melikian A, Prahalad A, Secker-Walker R. Comparison of the levels of the urinary benzene metabolite trans,trans-muconic acid in smokers and nonsmokers, and the effects of pregnancy. *Cancer Epidemiol Biomarkers Prev* 1994;3(3):239-44.
- Mendelson JH, Cristofaro P, Mello NK, Skupny AS, Ellingboe J, Benedikt R. Endogenous opioid modulation of luteinizing hormone, prolactin, and estradiol in women: interactions with ethanol. *NIDA Res Monogr* 1986;67:112-8.
- Mendelson JH, Mello NK. Clinical investigations of drug effects in women. *NIDA Res Monogr* 1986;65:21-30.
- Mendelson JH, Mello NK, Cristofaro P, Ellingboe J, Benedikt R. Acute effects of marijuana on pituitary and gonadal hormones during the periovulatory phase of the menstrual cycle. *NIDA Res Monogr* 1985;55:24-31.
- Montgomery LC, Deuster PA. Effects of antihistamine medications on exercise performance. Implications for sportspeople. *Sports Med* 1993;15(3):179-95.
- Norregaard J, Tonnesen P, Simonsen K, Sawe U. Long-term nicotine substitution after application of a 16-hour nicotine patch in smoking cessation. *Eur J Clin Pharmacol* 1992;43(1):57-60.
- Palva E. Gender-related differences in diazepam effects on performance. *Med Biol* 1985;63(2):92-5.
- Papaevangelou G, Totos G, Roumeliotou A, Safary A. Brief report: hepatitis A vaccination in Greek military recruits. *J Med Virol* 1993;40(1):1-4.
- Percival-Smith R, Morrison B, Sizto R, Abercrombie B. The effect of triphasic and biphasic oral contraceptive preparations on HDL-cholesterol and LDL-cholesterol in young women. *Contraception* 1987;35(2):179-87.
- Perkins K, Epstein L, Sexton J, Stiller R, Jacob R. Effects of dose, gender, and level of physical activity on acute metabolic response to nicotine. *Pharmacol Biochem Behav* 1991;40(2):203-8.
- Perkins K, Sexton J, Epstein L, DiMarco A, Fonte C, Stiller R, et al. Acute thermogenic effects of nicotine combined with caffeine during light physical activity in male and female smokers. *Am J Clin Nutr* 1994;60(3):312-9.
- Roscelli J, Bass J, Pang L. Guillain-Barre syndrome and influenza vaccination in the US Army, 1980-1988. *Am J Epidemiol* 1991;133(9):952-5.
- Schnider P, Aull S, Feucht M, Mraz M, Travnicek A, Zeiler K, et al. Use and abuse of analgesics in tension-type headache. *Cephalalgia* 1994;14(2):162-7.
- Shaaban MM, Elwan SI, Abdalla SA, Darwish HA. Effect of subdermal levonorgestrel contraceptive implants, NORPLANT® on serum lipids. *Contraception* 1984;30(5):413-9.
- Shanks GD. The rise and fall of mefloquine as an antimalarial drug in South East Asia. *Mil Med* 1994;159(4):275-81.
- Shanks GD, Watt G, Edstein MD, Webster HK, Suriyamongkol V, Watanasook C, et al. Halofantrine for the treatment of mefloquine chemoprophylaxis failures in plasmodium falciparum infections. *Am J Trop Med Hyg* 1991;45(4):488-91.
- Speerhas R. Drug metabolism in malnutrition and obesity: clinical concerns. *Cleveland Clin J Med* 1995;62(1):73-5.
- Srisuphan W, Bracken MB. Caffeine consumption during pregnancy and association with late spontaneous abortion. *Am J Obstet Gynecol* 1986;154(1):14-20.
- Trussell J, Grummer-Strawn L. Contraceptive failure of the ovulation method of periodic abstinence. *Fam Plann Perspect* 1990;22(2):65-75.
- Valdemarsson S, Edvinsson L, Hedner P, Ekman R. Hormonal influence on calcitonin gene-related peptide in man: effects of sex difference and contraceptive pills. *Scand J Clin Lab Invest* 1990;50(4):385-8.
- Van Thiel D, Gavalier J. Ethanol metabolism and hepatotoxicity. Does sex make a difference? *Recent Dev Alcohol* 1988;6:291-304.
- Van Thiel D, Tarter R, Rosenblum E, Gavalier J. Ethanol, its metabolism and gonadal effects: does sex make a difference? *Adv Alcohol Subst Abuse* 1988;7(3-4):131-69.
- Volpe A, Silferi M, Genazzani A, Genazzani A. Contraception in older woman. *Contraception* 1993;47(3):229-39.
- Wang M, Nicholson M, Jones C, Fitzhugh E, Westerfield C. Acute alcohol intoxication, body composition, and pharmacokinetics. *Pharmacol Biochem Behav* 1992;43(2):641-3.
- Ward J, Siojo L, Waller S. A prospective, masked clinical trial of trifluridine, dexamethasone, and artificial tears in the treatment of epidemic keratoconjunctivitis. *Cornea* 1993;12(3):216-21.
- Weir M, Wright JJ, Ferdinand K, Cook C, Champion D, Wong S, et al. Comparison of the efficacy and metabolic effects of nifedipine and hydrochlorothiazide in hypertensive black men and women. *J Hum Hypertens* 1993;7(2):141-7.
- Wenger N. Cardiovascular drugs: the urgent need for studies in women. *J Am Med Assoc* 1991;266(4):117-20.
- York J, Welte J. Gender comparisons of alcohol consumption in alcoholic and nonalcoholic populations. *J Stud Alcohol* 1994;55(6):743-50.
- Zangwill KM, Stout RW, Carlone GM, Pais L, Harekeh H, Mitchell S, et al. Duration of antibody response after meningococcal polysaccharide vaccination in US Air Force personnel. *J Infect Dis* 1994;169(4):847-52.

PHYSICAL FITNESS, GENERAL

- Adame DD, Johnson TC, Cole SP. Physical fitness, body image, and locus of control in college freshman men and women. *Percept Mot Skills* 1989;68(2):400-2.
- Adame DD, Johnson TC, Cole SP, Matthiasson H, Abbas MA. Physical fitness in relation to amount of physical exercise, body image, and locus of control among college men and women. *Percept Mot Skills* 1990;70(3 Pt 2):1347-50.
- American College of Obstetricians and Gynecologists. Women and exercise. ACOG Technical Bulletin Number 173. *Int J Gynecol Obstet* 1993;42(2):179-88.
- Anderson G. A comparison of predictive tests of aerobic capacity. *Can J Sport Sci* 1992;17(4):304-8.
- Arroll B, Beaglehole R. Potential misclassification in studies of physical activity. *Med Sci Sports Exerc* 1991;23(10):1176-8.
- Bhambhani Y, Singh M. Metabolic and cinematographic analysis of walking and running in men and women. *Med Sci Sports Exerc* 1985;17(1):131-7.
- Blair S, Kohl H, Barlow C. Physical activity, physical fitness, and all-cause mortality in women: do women need to be active? *J Am Coll Nutr* 1993;12(4):368-71.
- Boutcher SH, Fleischer-Curtian LA, Gines SD. The effects of self-presentation on perceived exertion. *J Sport Exerc Psychol* 1988;10(3):270-80.
- Butts NK. Relationships of aerobic and anaerobic power/capacity in males and females. In: Dotson CO, Humphrey JH, eds. *Exercise Physiology: Current Selected Research, Volume 4*. New York: AMS Press; 1990.
- Butts NK, Knox KM, Foley T.S. Energy costs of walking on a dual-action treadmill in men and women. *Med Sci Sports Exerc* 1995;27(1):121-5.
- Casazza G, Holly R, Van Alstine A, Amsterdam E. Exercise training and reduction of some coronary risk factors in female cigarette smokers. *Am J Cardiol* 1995;75(1):85-7.
- Crossman J, Jamieson J. Responses of competitive athletes to lay-offs in training: exercise addiction or psychological relief? *J Sport Behav* 1987;10(1):28-38.
- Destadio FJ. *Peacetime Physical Fitness and its Effect on Combat Readiness: An Air Force Perspective*. Carlisle Barracks, PA: Army War College; 1991. 44p.
- Drabik J, Wetzler HP, Porter V. Aerobic capacity of Polish soldiers. *Mil Med* 1989;154(4):196-8.
- Eaton WO, Enns LR. Sex differences in human motor activity level. *Psychol Bull* 1986;100(1):19-28.
- Esbjornsson M, Sylven C, Holm I, Jansson E. Fast twitch fibres may predict anaerobic performance in both females and males. *Int J Sports Med* 1993;14(5):257-63.
- Fox KR, Corbin CB, Coudry WH. Female physical estimation and attraction to physical activity. *J Sport Psychol* 1985;7(2):125-36.
- Hawkes J, Holm K. Gender differences in exercise determinants. *Nurs Res* 1993;42(3):166-72.
- Haynes T, McNamara JR. Factors influencing a person to become more physically active. *Percept Mot Skills* 1989;68(3 Pt 2):1104-6.
- Humphries TJ, Dietrick RF, Palan KM, Smith J. Report of an Air National Guard clinic's experience with screening at-risk individuals before initial physical fitness testing. *Mil Med* 1989;154(9):438-41.
- Huskey T, Mayhew J, Ball T, Arnold M. Factors affecting anaerobic power output in the Margaria-Kalamen test. *Ergonomics* 1989;32(8):959-65.
- Inoue Y, Nakao M, Ishizashi H, Murakami H. Estimation of total oxygen uptake in women during exercise by total heart beats and aerobic fitness. *J Sports Med Phys Fitness* 1990;30(2):147-54.
- Jacobs I, Schele R, Sjodin B. Blood lactate vs. exhaustive exercise to evaluate aerobic fitness. *Eur J Appl Physiol* 1985;54(2):151-5.
- Jasnosi M, Holmes D, Banks D. Changes in personality associated with changes in aerobic and anaerobic fitness in women and men. *J Psychosom Res* 1988;32(3):273-6.
- Jennings R, Davis J, Santy P. Comparison of aerobic fitness and space motion sickness during the shuttle program. *Aviat Space Environ Med* 1988;59(5):448-51.
- Jette M, Kimick A, Sidney K. Evaluation of an indoor standardized obstacle course for Canadian Infantry personnel. *Can J Sport Sci* 1990;15(1):59-64.
- Jette M, Sidney K, Kimick A. Effects of basic training on Canadian Forces recruits. *Can J Sport Sci* 1989;14(3):164-72.
- Jette M, Sidney K, Lewis W. Fitness, performance and anthropometric characteristics of 19,185 Canadian Forces personnel classified according to body mass index. *Mil Med* 1990;155(3):120-6.
- Jette M, Sidney K, Quenneville J. Association between an excessive body mass index and coronary heart disease risk factors in military personnel. *Mil Med* 1993;158(7):489-93.
- Koutedakis Y, Sharp N. Training the female competitor: physiological aspects of fitness. *Br J Sports Med* 1991;25(4):188-90.

- Lawson S, Webster JD, Pacy PJ, Garrow JS. Effect of a 10-week aerobic exercise programme on metabolic rate, body composition and fitness in lean sedentary females. *Br J Clin Pract* 1987;41(4):684-8.
- Lewis D, Kamon E, Hodgson J. Physiological differences between genders. Implications for sports conditioning. *Sports Med* 1986;3(5):357-69.
- Lirgg CD. Gender differences in self-confidence in physical activity: a meta-analysis of recent studies. *J Sport Exerc Psychol* 1991;13(3):294-310.
- Marcinik EJ, Hodgdon JA, O'Brien JJ, Mittleman K. *Comparison of the Effects of Circuit Weight Training on Men and Women*. San Diego, CA: Naval Health Research Center; 1985. NAVHLTHRSCHC-85-13.
- Marti B. Health effects of recreational running in women. Some epidemiological and preventive aspects. *Sports Med* 1991;11(1):20-51.
- Mathes SA, Battista R. College men's and women's motives for participation in physical activity. *Percept Mot Skills* 1985;61(3 Pt 1):719-26.
- McAuley E, Courneya KS, Lettunich J. Effects of acute and long-term exercise on self-efficacy responses in sedentary, middle-aged males and females. *Gerontologist* 1991;31(4):534-42.
- McTeer WG. *The Relationship between Physical Activity and Psychological Well Being: Multivariate Results from Two National Surveys*. Waterloo, Ontario: University of Waterloo; 1988. Dissertation.
- Morris M, Salmon P. Qualitative and quantitative effects of running on mood. *J Sports Med Phys Fitness* 1994;34(3):284-91.
- Morton R, Gass G. A systems model approach to the ventilatory anaerobic threshold. *Eur J Appl Physiol* 1987;56(3):367-73.
- Muraki S, Maehara T, Ishii K, Ajimoto M, Kikuchi K. Gender difference in the relationship between physical fitness and mental health. *Ann Physiol Anthropol* 1993;12(6):379-84.
- Netz Y. Relationship between exercise and perceived fitness among middle-aged women and men. *Percept Mot Skills* 1987;64(3 Pt 1):758.
- Parfitt G, Markland D, Holmes C. Responses to physical exertion in active and inactive males and females. *J Sport Exerc Psychol* 1994;16(2):178-86.
- Pleas J, Stevens LT. *Feasibility of a Walk Test to Assess the Cardiorespiratory Fitness of Naval Personnel*. San Diego, CA: Naval Health Research Center; 1991. NHRC-91-28.
- Rice PL. Relationship of estrogen to strength, percent body fat and oxygen uptake in women. *J Sports Med Phys Fitness* 1988;28(2):145-50.
- Sallis JF, Hovell M, Hofstetter C. Predictors of adoption and maintenance of vigorous physical activity in men and women. *Prev Med* 1992;21(2):237-51.
- Scheuble LK. *Sex Differences in Physical Activity Participation: Structural and Social Psychological Considerations*. Lincoln, NE: University of Nebraska; 1985. Dissertation.
- Shephard R. Occupational demand and human rights. Public safety officers and cardiorespiratory fitness. *Sports Med* 1991;12(2):94-109.
- Siconolfi SF, Lasater TM, Snow RC, Carleton RA. Self-reported physical activity compared with maximal oxygen uptake. *Am J Epidemiol* 1985;122(1):101-5.
- Sleivert G, Wenger H. Physiological predictors of short-course triathlon performance. *Med Sci Sports Exerc* 1993;25(7):871-6.
- Stevenson J, Deakin J, Andrew G, Bryant J, Smith J, Thomson J. Development of physical fitness standards for Canadian Armed Forces older personnel. *Can J Appl Physiol* 1994;19(1):75-90.
- Tanaka H, Bassett DJ, Swensen T, Sampedro R. Aerobic and anaerobic power characteristics of competitive cyclists in the United States Cycling Federation. *Int J Sports Med* 1993;14(6):334-8.
- Teves MA, Wright JE, Vogel JA. *Performance on Selected Candidate Screening Test Procedures Before and After Army Basic and Advanced Individual Training*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. USARIEM-T-13/85.
- Treiber F, Baranowski T, Braden D, Strong W, Levy M, Knox W. Social support for exercise: relationship to physical activity in young adults. *Prev Med* 1991;20(6):737-50. [Published erratum appears in *Prev Med* 1992;21(3):392].
- Trusova G, Zhukhorov L, Pozdniakov I. Isometric exercise tolerance in healthy women and in those with myocardial infarction. *Kardiologiia* 1987;27(10):90-3. [In Russian]
- Vandewalle H, Peres G, Heller J, Monod H. All out anaerobic capacity tests on cycle ergometers. A comparative study on men and women. *Eur J Appl Physiol* 1985;54(2):222-9.
- Vogel JA, Patton JF, Mello RP, Daniels WL. An analysis of aerobic capacity in a large United States population. *J Appl Physiol* 1986;60(2):494-500.
- Warren GL, Cureton KJ, Dengel DR, Graham RE, Ray CA. Is the gender difference in peak VO_2 greater for arm than leg exercise? *Eur J Appl Physiol* 1990;60(2):149-54.
- Williford HN, Scharff-Olson M, Blessing D. Exercise prescription for women. Special considerations. *Sports Med* 1993;15(5):299-311.

- Winborn MD, Meyers AW, Mulling C. Effects of gender and experience on perceived exertion. *J Sport Exerc Psychol* 1988;10(1):22-32.
- Woodhead AB 3rd, Moynihan ME. The effect of Aviation Officer Candidate's School on aerobic and anaerobic fitness. *Mil Med* 1994;159(2):118-20.
- Wrisberg CA, Franks BD, Birdwell MW, High DM. Physiological and psychological responses to exercise with an induced attentional focus. *Percept Mot Skills* 1988;66(2):603-16.

PHYSICAL FITNESS, STRENGTH/ENDURANCE

- Barnes WS, Hasson SM, Gadberry WL, Henrich TW, et al. Absolute and relative power output in men and women. *Percept Mot Skills* 1986;63(3):1309-10.
- Colliander E, Tesch P. Responses to eccentric and concentric resistance training in females and males. *Acta Physiol Scand* 1991;141(2):149-56.
- Cureton K, Collins M, Hill D, McElhannon FJ. Muscle hypertrophy in men and women. *Med Sci Sports Exerc* 1988;20(4):338-44.
- Dernbach A, Sherman W, Simonsen J, Flowers K, Lamb D. No evidence of oxidant stress during high-intensity rowing training. *J Appl Physiol* 1993;74(5):2140-5.
- Fahey T, Harvey M, Schroeder R, Ferguson F. Influence of sex differences and knee joint position on electrical stimulation-modulated strength increases. *Med Sci Sports Exerc* 1985;17(1):144-7.
- Falkel J, Sawka M, Levine L, Pimental N, Pandolf K. Upper-body exercise performance: comparison between women and men. *Ergonomics* 1986;29(1):145-54.
- Falkel JE, Sawka MN, Levine L, Pandolf KB. Upper to lower body muscular strength and endurance ratios for women and men. *Ergonomics* 1985;28(12):1661-70.
- Frauenthorf H, Kobryn U, Hoffmann B, Gelbrich W, Ransch E, Erdmann U. Sex- and age-related behaviour of the integrated EMG during one-arm cranking. *Biomed Biochim Acta* 1986;45(1-2):S85-7.
- Gangelhoff J, Cordain L, Tucker A, Sockler J. Metabolic and heart rate responses to submaximal arm lever and arm crank ergometry. *Arch Phys Med Rehabil* 1988;69(2):101-5.
- Genaidy A, Hidalgo J, Karwowski W. A comparative study of the myoelectric amplitude characteristics for weight-holding tasks. *J Hum Ergol (Tokyo)* 1992;21(1):33-46.
- Glass SC, Whaley MH, Wegner MS. Ratings of perceived exertion among standard treadmill protocols and steady state running. *Int J Sports Med* 1991;12(1):77-82.
- Gleeson NP, Mercer TH. Reproducibility of isokinetic leg strength and endurance characteristics of adult men and women. *Eur J Appl Physiol* 1992;65(3):221-8.
- Hakkinen K. Neuromuscular responses in male and female athletes to two successive strength training sessions in one day. *J Sports Med Phys Fitness* 1992;32(3):234-42.
- Hakkinen K. Neuromuscular fatigue and recovery in male and female athletes during heavy resistance exercise. *Int J Sports Med* 1993;14(2):53-9.
- Harber V, Sutton J. Endorphins and exercise. *Sports Med* 1984;1(2):154-71.
- Hickson R, Hidaka K, Foster C, Falduto M, Chatterton RJ. Successive time courses of strength development and steroid hormone responses to heavy-resistance training. *J Appl Physiol* 1994;76(2):663-70.
- Hickson RC, Dvorak BA, Gorostiaga EM, Kurowski TT, Foster C. Potential for strength and endurance training to amplify endurance performance. *J Appl Physiol* 1988;65(5):2285-90.
- Holloway J, Baechle T. Strength training for female athletes. A review of selected aspects. *Sports Med* 1990;9(4):216-28.
- Hoshi A, Arai T, Kita N, Sugawara I. Relationships between plasma testosterone and body composition, muscle strength or aerobic capacity in female athletes and nonathletes. *Bull Phys Fitness Res Inst* 1992;(81):38-42.
- Ivey FJ, Calhoun J, Rusche K, Bierschenk J. Isokinetic testing of shoulder strength: normal values. *Arch Phys Med Rehabil* 1985;66(6):384-6.
- Kumar S, Garand D. Static and dynamic lifting strength at different reach distances in symmetrical and asymmetrical planes. *Ergonomics* 1992;35(7-8):861-80.
- Linssen W, Stegeman D, Joosten E, van't Hof M, Binkhorst R, Notermans S. Variability and interrelationships of surface EMG parameters during local muscle fatigue. *Muscle Nerve* 1993;16(8):849-56.
- Mannion A, Dolan P. Electromyographic median frequency changes during isometric contraction of the back extensors to fatigue. *Spine* 1994;19(11):1223-9.
- Maughan RJ, Harmon M, Leiper JB, Sale D, Delman A. Endurance capacity of untrained males and females in isometric and dynamic muscular contractions. *Eur J Appl Physiol* 1986;55(4):395-400.

- Miller A, MacDougall J, Tarnopolsky M, Sale D. Gender differences in strength and muscle fiber characteristics. *Eur J Appl Physiol* 1993;66(3):254-62.
- Moore WE, Robertson RJ, Palaggo-Toy T. Strength and revolver marksmanship. *J Appl Sport Science Res* 1992;6(4):239-248.
- Morgan D, Craib M. Physiological aspects of running economy. *Med Sci Sports Exerc* 1992;24(4):456-61.
- Murphy MM, Patton JF, Frederick FA. Comparative anaerobic power of men and women. *Aviat Space Environ Med* 1986;57(7):636-41.
- Nicklin J, Karni Y, Wiles C. Shoulder abduction fatiguability. *J Neurol Neurosurg Psychiatry* 1987;50(4):423-7.
- Pedersen D, Clark J, Johns RJ, White G, Hoffman S. Quantitative muscle strength testing: a comparison of job strength requirements and actual worker strength among military technicians. *Mil Med* 1989;154(1):14-8.
- Reddon J, Stefanyk W, Gill D, Renney C. Hand dynamometer: effects of trials and sessions. *Percept Mot Skills* 1985;61(3 Pt 2):1195-8.
- Ricci B, Figura F, Felici F, Marchetti M. Comparison of male and female functional capacity in pull-ups. *J Sports Med Phys Fitness* 1988;28(2):168-75.
- Sato H, Ohashi J. Sex differences in static muscular endurance. *J Hum Ergol (Tokyo)* 1989;18(1):53-60.
- Shaunak S, Ang L, Colston K, Patel S, Blarid M, Maxwell J. Muscle strength in healthy white and Asian subjects: the relationship of quadriceps maximum voluntary contraction to age, sex, body build and vitamin D. *Clin Sci* 1987;73(5):541-6.
- Smith S, Mayer T, Gatchel R, Becker T. Quantification of lumbar function. Part 1: Isometric and multispeed isokinetic trunk strength measures in sagittal and axial planes in normal subjects. *Spine* 1985;10(8):757-64.
- Staron R, Karapondo D, Kraemer W, Fry A, Gordon S, Falkel J, et al. Skeletal muscle adaptations during early phase of heavy-resistance training in men and women. *J Appl Physiol* 1994;76(3):1247-55.
- Viljanen T, Viitasalo J, Kujala U. Strength characteristics of a healthy urban adult population. *Eur J Appl Physiol* 1991;63(1):43-7.

PROTECTIVE CLOTHING AND EQUIPMENT

- Allnutt M, Haslam D, Rejman M, Green S. Sustained performance and some effects on the design and operation of complex systems. *Philos Trans R Soc Lond B Biol Sci* 1990;327(1241):529-41.
- Anderson D, Fitzgerald B. *Technical Objectives for Combat Clothing, Uniforms, and Integrated Protective Systems*. Natick, MA: Army Research and Development Center; 1991. Series No. AD A242624.
- Arad M, Heruti R, Shaham E, Atsmon J, Epstein Y. The effects of powered air supply to the respiratory protective device on respiration parameters during rest and exercise. *Chest* 1992;102(6):1800-4.
- Arad M, Varssano D, Moran D, Arnon R, Vazina A, Epstein Y. Effects of heat-exercise stress, NBC clothing, and pyridostigmine treatment on psychomotor and subjective measures of performance. *Mil Med* 1992;157(4):210-4.
- Armstrong Aerospace Medical Research Lab. *Anthropometry and Mass Distribution for Human Analogues. Volume 1. Military Male Aviators*. Wright-Patterson Air Force Base, OH: Harry G. Armstrong Aerospace Medical Research Lab; 1988. AAMRL-TR-88-010-VOL-1.
- Armstrong Aerospace Medical Research Lab. *United States Air Force Physiological Studies of Personal Microclimate Cooling—A Review*. Brooks Air Force Base, TX: Armstrong Lab; 1993. Series No. AD-A267203.
- Armstrong L, Szlyk P, De Luca J, Sils I, Hubbard R. Fluid-electrolyte losses in uniforms during prolonged exercise at 30 degrees C. *Aviat Space Environ Med* 1992;63(5):351-5.
- Armstrong L, Szlyk P, Sils I, De Luca J, O'Brien C, Hubbard R. Prediction of the exercise-heat tolerance of soldiers wearing protective overgarments. *Aviat Space Environ Med* 1991;62(7):673-7.
- Banderet LE, Blewett W, Gonzalez RR, Johnson RF, Redmond D, Thornton R, et al. *Consequences of Wearing the Chemical Protective Ensemble: Illustrative Assessment Approaches*. Natick, MA: Army Research Institute of Environmental Medicine; 1992. Series No. AD-A 251255.
- Banta G, Braun D. Heat strain during at-sea helicopter operations and the effect of passive microclimate cooling. *Aviat Space Environ Med* 1992;63(10):881-5.
- Bensel C. The effects of various thicknesses of chemical protective gloves on manual dexterity. *Ergonomics* 1993;36(6):687-96.
- Bishop P, Pieroni R, Smith J, Constable S. Limitations to heavy work at 21 degrees C of personnel wearing the U.S. military chemical defense ensemble. *Aviat Space Environ Med* 1991;62(3):216-20.
- Bishu RR, Klute G. *Investigation of the Effects of Extravehicular Activity (EVA) Gloves on Performance*. Lincoln, NE: University of Nebraska; 1993. Series No. N94-15717.
- Bomalaski SH, Hengst R, Constable SH. *Thermal Stress in Seven Types of Chemical Defense Ensembles During Moderate Exercise in Hot Environments*. Brooks Air Force Base, TX: Armstrong Laboratory; 1993. Series No. AD-A270776.

- Bruckart JE, Mason KT, Shannon SG, McLean WE, Pacquette SP, Moody HG. *Correlation of HGU-56/P Aircrew Helmet Fitting with Head Anthropometric Measurements*. Fort Detrick, MD: U.S. Army Aeromedical Research Lab; 1993. Series No. AD-A264 988.
- Burns JW, Hill RC. *Comparative Centrifuge Evaluation of the Air Force Advanced Technology Anti-G Antigravity Suit (ATAGS) and the Navy Enhanced Anti-G Lower Ensemble (EAGLE)*. Brooks Air Force Base, TX: Armstrong Laboratory. 1993. Series No. AD-A275348.
- Cadarette BS, Latzka WA, Levine L, Sawka MN. *Physiological Evaluation of a Prototype Air Vest Microclimate Cooling System*. Natick, MA: Army Research Institute of Environmental Medicine; 1991. Series No. AD-A262 083.
- Cadarette BS, Quigley MD, McKay JM, Kolka MA, Sawka MN. *Physiological Evaluation of the Soldier Integrated Protective Ensemble Clothing System*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. Series No. AD-A261 443.
- Caldwell JJ. A brief survey of chemical defense, crew rest, and heat stress/physical training issues related to Operation Desert Storm. *Mil Med* 1992;157(6):275-81.
- Cardello A, Darsch G, Fitzgerald C, Gleason S, Teixeira R. Nutrient, waste management, and hygiene systems for chemical protective suits. *Mil Med* 1991;156(5):211-5.
- Carter B, Cammermeyer M. Human responses to simulated chemical warfare training in U.S. Army Reserve personnel. *Mil Med* 1989;154(6):281-8.
- Carter N. Effectiveness of foam earplug hearing protection for artillerymen firing L118/119 105 mm howitzers. *Mil Med* 1989;154(9):473-6.
- Chen CH, Garrett WR, DiCillo JJ, Phillips RC, Payne MG. *Eye and Sensor Protection from Tunable Laser Beams*. Washington, DC: Presented at the 4th Annual TOCOM Combat Vehicle Survivability Symposium; 1993.
- Chen TK, Lam WK, Raymond RJ. *Novel Diesel-Fueled Engine for Microclimate Cooling for the Individual Soldier*. Tecogen; 1992. Series No. AD-A254 510.
- Conkle JP, Tucker DM, Moore G. *Chemical Defense Collective Protection Technology. Part 12. A Procedure for Recharging Self Contained Breathing Apparatus Air Bottles in the Presence of Simulated Chemical Warfare Agents*. Brooks Air Force Base, TX: Armstrong Laboratory; 1993. Series No. AD-A266259.
- Constable R, Webster R, Nunneley SA. Thermal comparison of aircrew clothing aboard OV-10 aircraft. *Aviat Space Environ Med* 1988;59(12):1190-2.
- Cotter F, La PF. Eye casualty reduction by eye armor. *Mil Med* 1991;156(3):126-8.
- Crowley J. Should helicopter frequent flyers wear head protection? A study of helmet effectiveness. *J Occup Med* 1991;33(7):766-9.
- Danilichev S, Kurzakov E, Nevin V, Preobrazhenskii P. The effect of PCL-6 photochromic lenses on the visual functions and work capacity of sailors under bright sunlight. *Voen Med Zh* 1992;9:55-6. [In Russian]
- Derion T, Pozos RS. *Review of Microclimate Cooling Systems in the Chemical, Biological, Radiological CBR Environment*. San Diego, CA: Naval Health Research Center; 1993. Series No. AD-A276446.
- Drew AC, Kaufman JW, Askew GK. *Effectiveness of NASA 1032 and 1035 and Air Force 1030 and 1034 Suits in Protection Against Cold Water Hypothermia*. Warminster, PA: Naval Air Warfare Center; 1991. Series No. AD-A255120.
- Duggan A. Energy cost of stepping in protective clothing ensembles. *Ergonomics* 1988;31(1):3-11.
- Evans S, Korch GJ, Lawson M. Comparative field evaluation of permethrin and DEET-treated military uniforms for personal protection against ticks (*Acari*). *J Med Entomol* 1990;27(5):829-34.
- Farr W. Compatibility of the aviation night vision imaging systems and the aging aviator. *Aviat Space Environ Med* 1989;60(10 Pt 2):B78-80.
- Farr W, Buescher T. U.S. Army anthropometric standards for rotary-wing aviators in the light observation helicopter. *Aviat Space Environ Med* 1989;60(7 Pt 2):A74-6.
- Ferguson D, Sturgeon W. *Thermal Assessment of Mustang Industries' Neoprene Quick-Don Anti-Exposure Immersion Suits and Storage Evaluation for the CP140 (Aurora) Aircraft*. Ontario: Defense and Civil Institute of Environmental Medicine; 1990. Series No. AD A228924.
- Ferguson DW. *Thermal assessment of Mustang Industries' Neoprene Quick-Don Anti-Exposure Immersion Suits*. Ontario: Defense and Civil Institute of Environmental Medicine; 1990. Series No. N92-32790.
- Fine B. *Effects of Mild-to-Moderate Ambient Cold and Chemical Protective Clothing (MOPP-IV) on Cognitive Performance of Male and Female Soldiers—An Addendum to Technical Reports T11-85 and T7-88*. Natick, MA: Army Research Institute of Environmental Medicine; 1990. Series No. AD-A226964.
- Fine B, Kobrick J. Effect of heat and chemical protective clothing on cognitive performance. *Aviat Space Environ Med* 1987;58(2):149-54.
- Fine BJ. Heat, chemical protective clothing and mental performance of female soldiers. In: *Proceedings of the Military Testing Association*. Ottawa, Ontario: Military Testing Association; 1987.

- Foehm HDV, Schreyer H. *Integrated Helmet System Testing for a Nightflying Helicopter*. Messerschmidt-Boelkow-Blohm; 1991. Series No. N93-17570.
- Fransson-Hall C, Kilbom A. Sensitivity of the hand to surface pressure. *Appl Ergon* 1993;24(3):181-9.
- Gardner LJ, Dziados J, Jones B, Brundage J, Harris J, Sullivan R, et al. Prevention of lower extremity stress fractures: a controlled trial of a shock absorbent insole. *Am J Public Health* 1988;78(12):1563-7.
- Gavriutin V, Zhiliaev E, Muromtsev A. Prophylactic sanitary inspection of radiotechnical equipment. *Voen Med Zh* 1989;(10):37-9. [In Russian]
- Goyden R, Powell JR. *Development of a Model to Predict Chemical Permeation of the United States Coast Guard Chemical Response Suit*. Cincinnati, OH: U.S. Environmental Protection Agency, Risk Reduction Engineering Laboratory; 1991. Series No. AD-A248 186.
- Guill F. Ascertaining the causal factors for "ejection-associated" injuries. *Aviat Space Environ Med* 1989;60(10 Pt 2):B44-71.
- Guill F. What the aircrew automated escape system and aircrew life support system equipment designers need from the investigating medical officer and pathologist. *Aviat Space Environ Med* 1989;60(10 Pt 2):B1-10.
- Guill F, Herd G. An evaluation of proposed causal mechanisms for "ejection associated" neck injuries. *Aviat Space Environ Med* 1989;60(7 Pt 2):A26-47.
- Hall R. *Durability Evaluation of Assault Snowshoes*. Natick, MA: Navy Clothing and Textile Research Facility; 1993. Series No. AD-A262 967.
- Headley D, Brecht-Clark J, Whittenburg J. Sustained operations of artillery crews in NBC and non-NBC environments. *Mil Med* 1989;154(10):511-5.
- Hearon B, Brinkley J. Effect of seat cushions on human response to +Gz impact. *Aviat Space Environ Med* 1986;57(2):113-21.
- Heath C. A. *Survey of Hazardous Chemical Protective Suit Materials for Shipboard Use*. Natick, MA: Navy Clothing and Textile Research Facility; 1993. Series No. AD-A262 907.
- Hickey CA Jr, Petersen LL. *Assessment to Determine the Thermal Protective Capability of USMC Modular Sleeping Bag Candidates at -30 Degrees F*. Aberdeen Proving Ground, MD: Army Research Lab; 1993. Series No. AD-A275603.
- Hickey CA Jr, Woodward AA Jr, Hanlon WE. *Pilot Study to Determine the Thermal Protective Capability of Electrically Heated Clothing and Boot Inserts*. Aberdeen, MD: Army Research Lab, Aberdeen Proving Ground; 1993. Series No. AD-A276511.
- Hoek van Dijke G, Snijders C, Roosch E, Burgers P. Analysis of biomechanical and ergonomic aspects of the cervical spine in F-16 flight situations. *J Biomech* 1993;26(9):1017-25.
- Holewijn M, Heus R, Wammes LJA. Physiological strain due to load carrying in heavy footwear. *Eur J Appl Physiol* 1992;65(2):129-34.
- Holewijn M, Lotens WA. The influence of backpack design on physical performance. *Ergonomics* 1992;35(2):149-57.
- Hudgens GA, Banderet LE, Cadarette BS. *Evaluation of Stress Experienced by Soldiers Wearing Chemical Protective Clothing During Varying Work Loads in Desert or Tropical Environments*. Aberdeen Proving Ground, MD: Army Research Lab; 1994. Series No. AD-A 280113.
- Hudgens GA, Torsani-Fatkin L. *Male and Female Performance on Military Related Tasks*. Aberdeen Proving Ground, MD: Human Engineering Lab; 1983. 17p.
- Johnson A, Grove C, Weiss R. Mask Performance Rating Table for specific military tasks. *Mil Med* 1993;158(10):665-70.
- Johnson DM, Silver JD. *Stinger Team Performance During Engagement Operations in a Chemical Environment—The Effect of Cuing*. Alexandria, VA: Army Research Institute for Behavioral and Social Science; 1992. Series No. AD-A254 524.
- Jones BH, Knapik JJ, Daniels WL, Toner MM. The energy cost of women walking and running in shoes and boots. *Ergonomics* 1986;29(3):439-43.
- Keeling JH, Kraus EW, Pathak M, Sober AJ. Hats: design and protection from ultraviolet radiation. *Mil Med* 1989;154(5):250-5.
- Kirk J, Schneider DA. Physiological and perceptual responses to load-carrying in female subjects using internal and external frame backpacks. *Ergonomics* 1992;35(4):445-55.
- Kirsteins A. *Chemical Resistance of Protective Handwear Available through the Navy's Supply System*. Natick, MA: Navy Clothing and Textile Res Facility; 1991. Series No. AD-A235874.
- Kirsteins A, Heath CA. *Survey of Hazardous Materials Chemical Protective Suit Materials*. Natick, MA: Navy Clothing and Textile Research Facility; 1991. Series No. AD-A237278.
- Kiukaanniemi H, Sorri M. Speech intelligibility in difficult signal/noise circumstances. *Scand Audiol Suppl* 1988;30:215-8.
- Kobrick J, Johnson R, McMenemy D. Effects of nerve agent antidote and heat exposure on soldier performance in the BDU and MOPP-IV ensembles. *Mil Med* 1990;155(4):159-62.
- Kobrick J, Sleeper L. Effect of wearing chemical protective clothing in the heat on signal detection over the visual field. *Aviat Space Environ Med* 1986;57(2):144-8.
- Kobrick J, Witt C, Miletti J. An automated portable night vision testing system. *Aviat Space Environ Med* 1987;58(11):1127-9.

- Kraning KK. *Computer Stimulation for Predicting the Time Course of Thermal and Cardiovascular Responses to Various Combinations of Heat Stress, Apparel, and Exercise*. Natick, MA: Army Institute of Environmental Medicine; 1991. Series No. AD A240023.
- Lattimore MJ, Cornum R. Subjective assessment of contact lens wear by Army aircrew. *Optom Vis Sci* 1993;70(7):561-7.
- Lejeune D, Amichaud JC, Turillon A, Clere JM, Marotte H. *Problems Posed by the Adaptation of Physiological Protective Equipment for Female Combat Pilots*. Bretigny-sur-Orge, France: Laboratoire de Medecine Aerospatiale; 1990. [In French]
- Levine L, Quigley MD, Latzka WA, Cadarette BS, Kolka MA. *Thermal Strain in Soldiers Wearing a Chemical Protective Undergarment—Results from a Laboratory Study and a Field Study*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. Series No. AD-A262 866.
- Livingstone SD. *Heat Stress Caused by Wearing Different Types of Canadian Forces Protective Garments*. Ottawa, Ontario: Defence Research Establishment; 1991. AD-A243043.
- Livingstone SD. *Investigation of the Effect of Cooling the Feet as a Means of Reducing Thermal Stress*. Ottawa, Ontario: Defence Research Establishment; 1991. Series No. AD-A244 264.
- Martin PE, Nelson RC, Shin I. *Effects of Gender, Frame Length, and Participation Time on Load Carrying Behavior*. Natick, MA: Army Research and Development Command; 1982. IPL-257; NATICK-IPL-259. 100p.
- Masadi R. *Evaluation of Five Commercial Microclimate Cooling Systems for Military Use*. Natick, MA: Army Research, Development and Engineering Center; 1991. Series No. AD-A238878.
- Masadi R, Laprise B. *Evaluation of Two Microclimate Cooling Air Vests on a Heated Manikin*. Natick, MA: Army Research, Development and Engineering Center; 1992. Series No. AD-A259 410.
- McAlister W, Buckingham R, Wingert T. A comparison of the visual field restrictions with the M17 series protective mask and the MCU-2/P chemical-biological mask. *Mil Med* 1993;158(4):266-9.
- McAlister W, Wingert T, Bachman W, Buckingham R. Visual field restrictions with the M17 series protective mask. *J Am Optom Assoc* 1991;62(11):849-52.
- McCarthy G. USAF take-off and landing ejections, 1973-85. *Aviat Space Environ Med* 1988;59(4):359-62.
- McCarthy G, Anton D, Bayley N, Martin T, Stallard N. The effect of a new ejection seat headbox and high G garments on head mobility during air combat. *Aviat Space Environ Med* 1994;65(3):187-92.
- McLellan T. Work performance at 40 degrees C with Canadian Forces biological and chemical protective clothing. *Aviat Space Environ Med* 1993;64(12):1094-100.
- McLellan T, Jacobs I, Bain J. Continuous vs. intermittent work with Canadian Forces NBC clothing. *Aviat Space Environ Med* 1993;64(7):595-8.
- McLellan T, Jacobs I, Bain J. Influence of temperature and metabolic rate on work performance with Canadian Forces NBC clothing. *Aviat Space Environ Med* 1993;64(7):587-94.
- McLellan T, Meunier P, Livingstone S. Influence of a new vapor protective clothing layer on physical work tolerance times at 40 degrees C. *Aviat Space Environ Med* 1992;63(2):107-13.
- McLellan TM, Frim J. Heat strain in the Canadian Forces chemical defence clothing: problems and solutions. *Can J Appl Physiol* 1994;19(4):379-99.
- Misconi NY, Caldarella GJ, Roach JF. *Studies of a Laser/Nuclear Thermal Hardened Body Armor*. Melbourne, FL: Florida Institute of Technology; 1992. Series No. AD-A255128.
- Mitchell G. Rapid onset of severe heat illness: a case report. *Aviat Space Environ Med* 1991;62(8):779-82.
- Morris A, Temme LA, Hamilton P. Visual acuity of the U.S. Navy jet pilot and the use of the helmet sun visor. *Aviat Space Environ Med* 1991;62(8):715-21.
- Muza S, Pimental N, Cosimini H, Sawka M. Portable, ambient air microclimate cooling in simulated desert and tropic conditions. *Aviat Space Environ Med* 1988;59(6):553-8.
- Nunneley A. *Thermal Stress in United States Air Force Operations*. Brooks Air Force Base, TX: Armstrong Lab; 1992. Series No. AD-A255 785.
- Nunneley SA. *Physiological Stress from Chemical Defense Apparel and Equipment*. Brooks Air Force Base, TX: Armstrong Lab; 1992. Series No. AD-A255786.
- Nunneley SA, Russell RL. *Aircrew Eye/Respiratory Protection: 16 Hour Extended Wear Evaluation of Chemical Protective Equipment*. Brooks Air Force Base, TX: Armstrong Lab; 1994. Series No. AD-A277288.
- Oakley E, Baker K, Mugridge T. Protection of personnel during prolonged exposure to cold, wet environments. *Ann Occup Hyg* 1988;32(4):549-51.
- Oostenstad R, Dillion H, Perkins L. Distribution of faceseal leak sites on a half-mask respirator and their association with facial dimensions. *Am Ind Hyg Assoc J* 1990;51(5):285-90.
- Oostenstad R, Perkins L. An assessment of critical anthropometric dimensions for predicting the fit of a half-mask respirator. *Am Ind Hyg Assoc J* 1992;53(10):639-44.

- Pascoe DD, Shanley LA, Smith EW. Clothing and exercise: I: Biophysics of heat transfer between the individual, clothing and environment. *Sports Med* 1994;18(1):38-54.
- Patterson H, Woolley T, Lednar W. Foot blister risk factors in an ROTC summer camp population. *Mil Med* 1994;159(2):130-5.
- Pfander F. Preliminary experience with the impulse noise simulator to identify individuals particularly sensitive to sound. *Scand Audiol Suppl* 1991;34:87-99.
- Pigman E, Grice G, Volcheck G. Military nordic skiing injury profiles with two different types of NATO ski bindings. *Mil Med* 1990;155(8):354-6.
- Rengstorff R. Combat spectacles: military testing of a new spectacle frame. *J Am Optom Assoc* 1985;56(9):702-5.
- Robb D. Cases from the aerospace medicine residents' teaching file. Case H57. Complete spontaneous pneumothorax in-flight in an F-16 pilot during a high-G maneuver [clinical conference]. *Aviat Space Environ Med* 1994;65(2):170-2.
- Russell KL. *Evaluation of the Seaforth Kinergetics (KIN) and the Diving Unlimited International (DUI) Passive Thermal Survival Systems*. Panama City, FL: Navy Experimental Diving Unit; 1993. Series No. AD-A266603.
- Salter MS. *Soldier Integrated Protective Ensemble—The Soldiers' Perspective*. Alexandria, VA: Army Research Institute for Behavioral and Social Sciences; 1993. Series No. AD-A268338.
- Santee W, Blanchard L, Chang S, Gonzalez R. *Biophysical Model for Handwear Insulation Testing*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. Series No. AD-A262 926.
- Santee WR, Endrusick TL, Pensotti LS. *Comparison of Light Duty Gloves with Natural and Synthetic Materials Under Wet and Dry Conditions*. Natick, MA: Army Research Institute of Environmental Medicine; 1990. Series No. AD-A218119.
- Schwellnus M, Jordaan G, Noakes TD. Prevention of common overuse injuries by the use of shock absorbing insoles. A prospective study. *Am J Sports Med* 1990;18(6):636-41.
- Shanley LA, Slaten BL, Shanley PS. Military protective clothing—Implication for clothing and textiles curriculum and research. *Clothing & Textiles Res J* 1993;11(3):55-9.
- Sheehy J, Wilkinson M. Depth perception after prolonged usage of night vision goggles. *Aviat Space Environ Med* 1989;60(6):573-9.
- Shender BS, Kaufman JW. *Validation and Sensitivity Analysis of Texas Human Thermal Model Predictions During Cold Water Immersion*. Warminster, PA: Naval Air Warfare Center; 1993. Series No. AD-A275240.
- Sholdt L, Rogers EJ, Gerberg E, Schreck C. Effectiveness of permethrin-treated military uniform fabric against human body lice. *Mil Med* 1989;154(2):90-3.
- Silberman W, Apsey D, Ivan DJ, Jackson W, Mitchell G. The effect of test chart design and human factors on visual performance with night vision goggles. *Aviat Space Environ Med* 1994;65(12):1077-81.
- Silver JD, Lockhart JM, Redmond DP, Brawner PA. *Stinger Team Performance During Engagement Operations in a Chemical Environment: The Effects of Heat and Exercise*. Fort Bliss, TX: Army Research Institute; 1993. Series No. AD-A275201.
- Smith W, Walter JJ, Bailey M. Effects of insoles in Coast Guard basic training footwear. *J Am Podiatr Med Assoc* 1985;75(12):644-7.
- Snodgrass H. Permethrin transfer from treated cloth to the skin surface: potential for exposure in humans. *J Toxicol Environ Health* 1992;35(2):91-105.
- Sokolovich G, Gavrilin E, Volnin A, Razuvaev S. Prevention of frostbite among the troops. *Voen Med Zh* 1988;(2):66-8. [In Russian]
- Stephenson L, Kolka M, Allan A, Santee W. Heat exchange during encapsulation in a chemical warfare agent protective patient wrap in four hot environments. *Aviat Space Environ Med* 1988;59(4):345-51.
- Sutphin ML. *Conductive Grids Versus Intimate Blends with Conductive Fibers as Alternatives to Antistatic Treatments*. Natick, MA: Army Research, Development and Engineering Center; 1992. Series No. AD-A249 744.
- Szlyk PC, Caretti DM, Sils IV, Zubal O, Faughn JA. *Effect of Protective Apparel Ensembles on Artillery Battery Crew Performance*. Natick, MA: Army Institute of Environmental Medicine; 1992. Series No. AD-A254327.
- Taylor H, Orlansky J. The effects of wearing protective chemical warfare combat clothing on human performance. *Aviat Space Environ Med* 1993;64(3 Pt 2):A1-41.
- Taylor HL, Orlansky J. *Effects of Wearing Protective Chemical Warfare Combat Apparel on Human Performance*. Alexandria, VA: Institute for Defense Analysis; 1991. Series No. AD-A 250716.
- Temme L, Ricks E, Morris A. Dark focus measured in Navy jet tactical fighter pilots. *Aviat Space Environ Med* 1988;59(2):138-41.
- Thomas S. Aircrew laser eye protection: visual consequences and mission performance. *Aviat Space Environ Med* 1994;65(5 Suppl):A108-15.
- Thompson KJ, Hamlet MP, Jones BH, Knapik JJ. *Impact of Sock Systems on Frequency and Severity of Blister Injury in a Marine Recruit Population*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. USARIEM-T6-93.

- Thornton R, Caldwell J. The physiological consequences of simulated helicopter flight in NBC protective equipment. *Aviat Space Environ Med* 1993;64(1):69-73.
- Thornton R, Caldwell JL, Clark W, Guardiani F, Rosario J. *Effects of Physiology and Performance of Wearing the Aviator NBC Ensemble*. Fort Rucker, AL: U.S. Army Aeromedical Research Lab; 1992. Series No. AD-A259 909.
- Tilley R, Standerwick J, Long G. Ability of the Wet Bulb Globe Temperature Index to predict heat stress in men wearing NBC protective clothing. *Mil Med* 1987;152(11):554-6.
- Tripp LD, McCloskey K, Repperger D, Popper SE, Johnston SL. *Evaluation of the Retrograde Inflation Anti-G Suit (RIAGS)*. Dayton, OH: Systems Research Lab; 1992. Series No. AD-A265884.
- van de Linde F. Loss of performance while wearing a respirator does not increase during a 22.5-hour wearing period. *Aviat Space Environ Med* 1988;59(3):273-7.
- van de Linde FJG. *Safe Working Time Limits in Impermeable Protective Clothing: Recommendations Based Upon Experimental Measurements*. Soesterberg, Netherlands: Institute for Perception; 1987. IZF-1987-28; TDCK-87-4844. 35p.
- Vo-Dinh T, Pal T. *Development of a Spectrochemical Modification (SM) Technique to Detect Permeation of Chemical Warfare Agent Simulants Through Protective Clothing Materials*. Oak Ridge, TN: Oak Ridge National Lab; 1991. Series No. DE92-002334.
- Walsh DJ. *Visual Survey of Infantry Troops. Part 1. Visual Acuity, Refractive Status, Interpupillary Distance and Visual Skills*. Fort Rucker, AL: Army Aeromedical Research Lab; 1989. USAARL-89-10-PT-1. 99p.
- Wingert TA, McAlister WH, Bachman WG. Compromises in the visual field with the M43 aviation mask. *Aviat Space Environ Med* 1994;65(2):157-60.
- Wolbarsht M, Welch A. Evaluation of ocular protection filters in field situations. *Health Phys* 1989;56(5):729-39.
- Wood E. Inbuilt obsolescence in conventionally piloted advanced fighter aircraft. *Aviat Space Environ Med* 1993;64(7):666-7.
- Wyant K, Walker J. Urine specific gravity and other correlates of chemical warfare protective clothing. *Mil Med* 1987;152(12):649-52.
- Ylikoski J, Pekkarinen J, Starck J. The efficiency of earmuffs against impulse noise from firearms. *Scand Audiol* 1987;16(2):85-8.
- Zwick H, Garcia TA, Beatrice ES, Bloom K. *Effects of Broadbanded Eye Protection on Dark Adaptation*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1986. LAIR-86-58. 17p.

PSYCHOLOGICAL CONDITIONS

- Davies F, Norman R, Cortese L, Malla A. The relationship between types of anxiety and depression. *J Nerv Ment Dis* 1995;183(1):31-5.
- DeWolf TR. *The Effects of Levels of Exercise and Gender on Depression and Anxiety*. Stillwater, OK: Oklahoma State University; 1992. Dissertation.
- Earle K, Forquer S, Volo A, McDonnell P. Characteristics of outpatient suicides. *Hosp Community Psychiatry* 1994;45(2):123-6.
- Engelbreton TO, Matthews KA. Dimensions of hostility in men, women, and boys: Relationships to personality and cardiovascular responses to stress. *Psychosom Med* 1992;54(3):311-23.
- Federici JR. *The Effect of Regular Exercise on Depressive Symptomatology*. Independence, MO: International University; 1986. Dissertation.
- Fishman G, Morris-Dycian A, Kotler M. Suicide in the Israeli Army. *Suicide Life Threat Behav* 1990;20(3):225-39.
- Girdler SS, Hinderliter AL, Light KC. Peripheral adrenergic receptor contributions to cardiovascular reactivity: influence of race and gender. *J Psychosom Res* 1993;37(2):177-93.
- Guez L, Bourgeois M. Suicides and attempts by firearms. *Ann Med Psychol* 1992;150(7):485-92. [In French]
- Hafner R, Miller R. Essential hypertension: hostility, psychiatric symptoms and marital stress in patients and spouses. *Psychother Psychosom* 1991;56(4):204-11.
- Joiner TE, Schmidt NB, Singh D. Waist-to-hip ratio and body dissatisfaction among college women and men: moderating role of depressed symptoms and gender. *Int J Eat Disord* 1994;16(2):199-203.
- Kane FJ, Harper R, Wittels E. Angina as a symptom of psychiatric illness. *South Med J* 1988;81(11):1412-6.
- Kawahara Y, Palinkas LA. Suicides in active-duty enlisted Navy personnel. *Suicide Life Threat Behav* 1991;21(3):279-90.
- Kelley ML. Military-induced separation in relation to maternal adjustment and children's behaviors. *Mil Psychol* 1994;6(3):163-76.
- Kemper KJ, Babonis TR. Screening for maternal depression in pediatric clinics. *Am J Dis Child* 1992;146(7):876-8.
- Kemper KJ, Osborn LM, Hansen DF, Pascoe JM. Family psychosocial screening: should we focus on high-risk settings? *J Dev Behav Pediatr* 1994;15(5):336-41.

- Lande RG. Suicide and the military justice system. *Suicide Life Threat Behav* 1992;22(3):341-9.
- Marshall RP. *Suicide and Self-Inflicted Injury in the Australian Army: Some Preliminary Findings*. Australian Army Psychology Corps; 1992. RR 14/92 AR-007-034. 40p.
- McCarroll JE, Orman DT, Lundy AC. Clients, problems, and diagnoses in a military community mental health clinic: a 20 month study. *Mil Med* 1993;158(11):701-5.
- McDowell CP, Rothberg JM, Koshes RJ. Witnessed suicides. *Suicide Life Threat Behav* 1994;24(3):213-23.
- Michalowsky A, Wicht C, Moller A. The psychosocial effects of living in an isolated community. A community health study. *S Afr Med J* 1989;75(11):532-34.
- Nolan J. Developmental concerns and the health of midlife women. *Nurs Clin North Am* 1986;21(1):151-9.
- Rawson H, Bloomer K, Kendall A. Stress, anxiety, depression, and physical illness in college students. *J Genet Psychol* 1994;155(3):321-30.
- Rich C, Ricketts J, Fowler R, Young D. Some differences between men and women who commit suicide. *Am J Psychiatry* 1988;145(6):718-22.
- Roff JD, Knight RA. Birth complications and subsequent negative symptoms in schizophrenia. *Psychol Rep* 1994;74(2):635-41.
- Rothberg JM, Jones FD. Suicide in the U.S. Army: epidemiological and periodic aspects. *Suicide Life Threat Behav* 1987;17(2):119-32.
- Santy PA, Endicott J, Jones DR, Rose RM, Patterson J, Holland AW, et al. Results of a structured psychiatric interview to evaluate NASA astronaut candidates. *Mil Med* 1993;158(1):5-9.
- Spivak B, Livnat E, Weizman A, Rabinowitz S, Mark M. True conversive hallucinations. *Psychopathology* 1991;24(1):19-24.
- Takla NK, Koffman R, Bailey DA. Combat stress, combat fatigue, and psychiatric disability in aircrew. *Aviat Space Environ Med* 1994;65(9):858-65.
- Ulmer AS, Range LM, Gale TR. Loneliness and depression related to reasons for living in military personnel. *Death Studies* 1992;2(Mar-Apr):183-9.
- Ward N, Doerr H. Skin conductance. A potentially sensitive and specific marker for depression. *J Nerv Ment Dis* 1986;174(9):553-9.

RADIATION

- Baumann S, Rogers R, Guinto F, Saydjari C, Papanicolaou A, Eisenberg H. Gender differences in source location for the N100 auditory evoked magnetic field. *Electroencephalogr Clin Neurophysiol* 1991;80(1):53-9.
- Bell M, Beyl C, Schopf R, Schramm P. Light exposure of the lower leg as a pathogenetic factor in the occurrence of malignant melanoma. *Dermatology* 1992;185(4):257-61.
- Bergqvist U. Video display terminals and health. A technical and medical appraisal of the state of the art. *Scand J Work Environ Health* 1984;10(Suppl 2):1-87.
- Chatterjee I, Wu D, Gandhi OP. Human body impedance and threshold currents for perception and pain for contact hazard analysis in the VLF-MF band. *IEEE Trans Biomed Eng* 1986;33(5):486-94.
- Cody R, Lee C. Behaviors, beliefs, and intentions in skin cancer prevention. *J Behav Med* 1990;13(4):373-89.
- Cohen BL. Tests of the linear, no-threshold dose-response relationship for high-LET radiation. *Health Phys* 1987;52(5):692-736.
- Collman G, Loomis D, Sandler D. Radon-222 concentration in groundwater and cancer mortality in North Carolina. *Int Arch Occup Environ Health* 1988;61(1-2):13-8.
- Curtis S, Nealy J, Wilson J. Risk cross sections and their application to risk estimation in the galactic cosmic-ray environment. *Radiat Res* 1995;141(1):57-65.
- Das B, Sharma T. Differential chromosomal radiosensitivity between male and female following X-irradiation at G2. *Indian J Exp Biol* 1986;24(10):638-9.
- Davis F, Boice JJ, Kelsey J, Monson R. Cancer mortality after multiple fluoroscopic examinations of the chest. *J Natl Cancer Inst* 1987;78(4):645-52.
- Evans J. Women, men, VDU work and health: a questionnaire survey of British VDU operators. *Work & Stress* 1987;1(3):271-83.
- Fry R, Nachtwey D. Radiation protection guidelines for space missions. *Health Phys* 1988;55(2):159-64.
- Gallegos A, Wenzel W. HUMTRN and EFFECTS: age and sex specific dosimetric and physiological human population dynamics models for dose assessment. *Health Phys* 1989;57(Suppl 1):443-53.
- Hallquist A, Hardell L, Lofroth P. External radiotherapy prior to thyroid cancer: a case-control study. *Int J Radiat Oncol Biol Phys* 1993;27(5):1085-9.
- Kustov V, Sagaidak S, Ponomarenko S. Epidemiology of malignant melanoma. *Vopr Onkol* 1987;33(6):35-9. [In Russian]

- Lubin J, Steindorf K. Cigarette use and the estimation of lung cancer attributable to radon in the United States. *Radiat Res* 1995;141(1):79-85.
- Maille H, Simon W, Watts R, Quinn B. Determining person-years of life lost using the BEIR V method. *Health Phys* 1993;64(5):461-6.
- Martell EA. Critique of current lung dosimetry models for radon progeny exposure. In: Hopke PK, ed. *Radon and Its Decay Products*. Washington, DC: American Chemical Society; 1987:444-61.
- Obaturov G, Bogatykh B. The comparative radiosensitivity of the lymphocytes of men and women under gamma irradiation at the G0 stage of the mitotic cycle. *Radiobiologiya* 1993;33(3):373-6. [In Russian]
- Pepe M, Di Perna P, Re M, Sorcini G, Falcone M, Russo G, et al. Environmental contamination by iodine-131 and cancer of the thyroid gland. *Minerva Med* 1988;79(3):215-7. [In Italian]
- Persinger MA, Koren SA, Makarec K, Richards P, Youton S. Differential effects of wave form and the subject's possible temporal lobe signs upon experiences during cerebral exposure to weak intensity magnetic fields. *J Bioelect* 1991;10(1/2):141-84.
- Pierce D, Preston D. Joint analysis of site-specific cancer risks for the atomic bomb survivors. *Radiat Res* 1993;134(2):134-42.
- Rigel D. The gender-related issues in malignant melanoma. *Hawaii Med J* 1993;52(5):124.
- Schneider A, Ron E, Lubin J, Stovall M, Gierlowski T. Dose-response relationships for radiation-induced thyroid cancer and thyroid nodules: evidence for the prolonged effects of radiation on the thyroid. *J Clin Endocrinol Metab* 1993;77(2):362-9.
- Scotto J, Fears TR. The association of solar ultraviolet and skin melanoma incidence among Caucasians in the United States. *Cancer Invest* 1987;5(4):275-83.
- Shimizu Y, Kato H, Schull WJ. Studies of the mortality of A-bomb survivors. 9. Mortality, 1950-1985: Part 2. Cancer mortality based on the recently revised doses (DS86). *Radiat Res* 1990;121(2):120-41.
- Ushakov I, Soldatov S. An analysis of the health status of helicopter pilots who participated in the cleanup of the consequences of the accident at the Chernobyl Atomic Electric Power Station. *Voen Med Zh* 1993;(4):77-9. [In Russian]
- van Vloten WA, Hermans J, van Daal WA. Radiation-induced skin cancer and radiodermatitis of the head and neck. *Cancer* 1987;59(3):411-4.
- Vincoli J. Higher radiation exposure levels dictate limiting work-place hazard. *Occup Health Saf* 1989;58(8):8.

RESPIRATORY CONDITIONS

- Berdal BP, Scheel O, Ogaard AR, Hoel T, Gutteberg TJ, Anestad G. Spread of subclinical *Chlamydia pneumoniae* infection in a closed community. *Scand J Infect Dis* 1992;24(4):431-6.
- Berliner D, Haupt A. Implications of emerging isoniazid resistance in *Mycobacterium tuberculosis* in Korea. *Aviat Space Environ Med* 1987;58(1):83-5.
- Brundage J, Scott R, Lednar W, Smith D, Miller R. Building-associated risk of febrile acute respiratory diseases in Army trainees. *JAMA* 1988;259(14):2108-12.
- Centers for Disease Control. Group A beta-hemolytic streptococcal pharyngitis among U.S. Air Force trainees—Texas, 1988-89. *Morb Mortal Wkly Rep* 1990;39(1):11-3.
- Driggers LI. Study to Determine if a Difference Exists Among the Cumulative Incidence of Acute Respiratory Disease Hospital Admissions of Three Groups of Army Basic Trainees as Defined by the Design of Barracks in Which They Are Housed. Fort Sam Houston, TX: Academy of Health Sciences (Army); 1989. HCA-114-89. Thesis. 79p.
- Gillis D, Cohen D, Beck A, Rouach T, Katzenelson E, Green M. A new *Streptococcus* group A M-29 variant isolated during a suspected common-source epidemic. *Mil Med* 1992;157(6):282-3.
- Gouge SF, Daniels DJ, Smith CE. Exacerbation of asthma after pyridostigmine during Operation Desert Storm. *Mil Med* 1994;159(2):108-11.
- Gunzenhauser J, Brundage J, McNeil J, Miller R. Broad and persistent effects of benzathine penicillin G in the prevention of febrile, acute respiratory disease. *J Infect Dis* 1992;166(2):365-73.
- Heath GW, Ford ES, Craven TE, Macera CA, Jackson KL, Pate RR. Exercise and the incidence of upper respiratory tract infections. *Med Sci Sports Exerc* 1991;23(2):152-7.
- Hines JF. Ambulatory health care needs of women deployed with a heavy armor division during the Persian Gulf War. *Mil Med* 1992;157(5):219-21.
- Margileth A, Longfield J, Golden S, Lazoritz S, Bohan J. Tuberculin skin tests: atypical mycobacterial PPD-Batley skin test conversion following airborne training. *Mil Med* 1986;151(12):636-8.
- Parkinson M. The epidemiology of tuberculosis in the U.S. Air Force, 1987. *Mil Med* 1991;156(7):339-43.
- Seal E Jr., McDonnell WF, House DE, Salaam SA, Dewitt PJ, Butler SO, et al. The pulmonary response of white and black adults to six concentrations of ozone. *Am Rev Respir Dis* 1993;147:804-10.

- Trump DH, Hyams KC, Cross ER, Struewing JP. Tuberculosis infection among young adults entering the US Navy in 1990. *Arch Intern Med* 1993;153(2):211-6.
- Ward D. An international comparison of asthma morbidity and mortality in US soldiers. 1984 to 1988. *Chest* 1992;101(3):613-20.

RESPONSES TO STRESSORS, OTHER

- Bhambhani Y, Burnham R, Snyder Miller G, MacLean I, Martin T. Comparative physiological responses of exercising men and women to 5 ppm hydrogen sulfide exposure. *Am Ind Hyg Assoc J* 1994;55(11):1030-5.
- Girdler S, Light K. Hemodynamic stress responses in men and women examined as a function of female menstrual cycle phase. *Int J Psychophysiol* 1994;17(3):233-48.
- Lyons TJ. *Women in the Military Cockpit*. Brooks Air Force Base, TX: Armstrong Lab; 1991.
- McAdoo W, Weinberger M, Miller J, Fineberg N, Grim C. Race and gender influence hemodynamic responses to psychological and physical stimuli. *J Hypertens* 1990;8(10):961-7.
- Messineo T, Adams W. Ozone inhalation effects in females varying widely in lung size: comparison with males. *J Appl Physiol* 1990;69(1):96-103.
- Naitoh P, Kelly T. *Sleep Management User's Guide for Special Operations Personnel*. San Diego, CA: Naval Health Research Center; 1992. NHRC-92-28.
- Radomski M, Hart L, Goodman J, Plyley M. Aerobic fitness and hormonal responses to prolonged sleep deprivation and sustained mental work. *Aviat Space Environ Med* 1992;63(2):101-6.
- Reinberg A, Bicakova-Rocher A, Gorceix A, Ashkenazi I, Smolensky M. Placebo effect on the circadian rhythm period tau of temperature and hand-grip strength rhythms: interindividual and gender-related difference. *Chronobiol Int* 1994;11(1):45-53.
- Rognum TO, Vartdal F, Rodahl K, Opstad PK, Knudsen-Baas O, Kindt E, et al. Physical and mental performance of soldiers on high- and low-energy diets during prolonged heavy exercise combined with sleep deprivation. *Ergonomics* 1986;29(7):859-67.
- Stoney C, Davis M, Matthews K. Sex differences in physiological responses to stress and in coronary heart disease: a causal link? *Psychophysiology* 1987;24(2):127-31.
- Szyk PC, Rose MS, Francesconi RP, Matthew W, Schilling D, Whang R. Carbohydrate-electrolyte solutions during field training: an overview. *Mil Med* 1991;156(6):305-8.

RESPONSES TO STRESSORS, PHYSICAL ACTIVITY

- American College of Obstetricians and Gynecologists. Women and exercise. ACOG Technical Bulletin Number 173. *Int J Gynecol Obstet* 1993;42(2):179-88.
- Arad M, Heruti R, Shaham E, Atsmon J, Epstein Y. The effects of powered air supply to the respiratory protective device on respiration parameters during rest and exercise. *Chest* 1992;102(6):1800-4.
- Balady G, Weiner D, Rose L, Ryan T. Physiologic responses to arm ergometry exercise relative to age and gender. *J Am Coll Cardiol* 1990;16(1):130-5.
- Barriga C, Pedrera M, Maynar M, Maynar J, Ortega E. Effect of submaximal physical exercise performed by sedentary men and women on some parameters of the immune system. *Rev Esp Fisiol* 1993;49(2):79-85.
- Bhambhani Y, Burnham R, Snyder Miller G, MacLean I, Martin T. Comparative physiological responses of exercising men and women to 5 ppm hydrogen sulfide exposure. *Am Ind Hyg Assoc J* 1994;55(11):1030-5.
- Bonen A. Exercise-induced menstrual cycle changes. A functional, temporary adaptation to metabolic stress. *Sports Med* 1994;17(6):373-92.
- Bordin D, Sartorelli L, Bonanni G, Mastrogiacomo I, Scalco E. High intensity physical exercise induced effects on plasma levels of copper and zinc. *Biol Trace Elem Res* 1993;36(2):129-34.
- Broocks A, Pirke KM, Schweiger U, Tuschl RJ, Laessle RG, Strowitzki T, et al. Cyclic ovarian function in recreational athletes. *J Appl Physiol* 1990;68(5):2083-6.
- Brooks S, Nevill M, Meleagros L, Lakomy H, Hall G, Bloom S, et al. The hormonal responses to repetitive brief maximal exercise in humans. *Eur J Appl Physiol* 1990;60(2):144-8.
- Bunt J, Bahr J, Bemben D. Comparison of estradiol and testosterone levels during and immediately following prolonged exercise in moderately active and trained males and females. *Endocr Res* 1987;13(2):157-72.

- Bunt J, Boileau R, Bahr J, Nelson R. Sex and training differences in human growth hormone levels during prolonged exercise. *J Appl Physiol* 1986;61(5):1796-801.
- Butts NK, Tucker M, Greening C. Physiologic responses to maximal treadmill and deep water running in men and women. *Am J Sports Med* 1991;19(6):612-4.
- Buvat J, Buvat-Herbaut M. Ovulation disturbances in athletes and their mechanisms. *J Gynecol Obstet Biol Reprod (Paris)* 1991;20(7):899-907. [In French]
- Cassady S, Nielsen D. Cardiorespiratory responses of healthy subjects to calisthenics performed on land versus in water. *Phys Ther* 1992;72(7):532-8.
- Cavanaugh DJ, Kanonchhoff AD, Bartels RL. Menstrual irregularities in athletic women may be predictable based on pre-training menses. *J Sports Med Phys Fitness* 1989;29(2):163-9.
- Chance B, Dait M, Zhang C, Hamaoka T, Hagerman F. Recovery from exercise-induced desaturation in the quadriceps muscles of elite competitive rowers. *Am J Physiol* 1992;262(3 Pt 1):C766-75.
- Chin NW, Chang FE, Dodds WG, Kim MH, Malarkey WB. Acute effects of exercise on plasma catecholamines in sedentary and athletic women with normal and abnormal menses. *Am J Obstet Gynecol* 1987;157(4):938-44.
- Choi PYL, Salmon P. Physical exercise and menstrual cycle symptoms: a study of competitive sportswomen, keep-fitters and sedentary women. *J Sports Sci* 1991;9(4):437-8.
- Cockerill IM, Nevill AM, Byrne NC. Mood, mileage and the menstrual cycle. *Br J Sports Med* 1992;26(3):145-50.
- Constantini NW. Clinical consequences of athletic amenorrhoea. *Sports Med* 1994;17(4):213-23.
- Convertino VA, Goldwater DJ, Sandler H. Bedrest-induced peak VO_2 reduction associated with age, gender, and aerobic capacity. *Aviat Space Environ Med* 1986;57(1):17-22.
- Cook SD, Harding AF, Thomas KA, Morgan EL, Schnurpfeil KM, Haddad RJ Jr. Trabecular bone density and menstrual function in women runners. *Am J Sports Med* 1987;15(5):503-7.
- Crampes F, Riviere D, Beauville M, Marceron M, Garrigues M. Lipolytic response of adipocytes to epinephrine in sedentary and exercise-trained subjects: sex-related differences. *Eur J Appl Physiol* 1989;59(4):249-55.
- Cumming DC. Physical activity and control of the hypothalamic-pituitary-gonadal axis. *Semin Reprod Endocrinol* 1990;8(1):15-24.
- Cumming DC, Vickovic MM, Wall SR, Fluker MR, Belcastro AN. The effect of acute exercise on pulsatile release of luteinizing hormone in women runners. *Am J Obstet Gynecol* 1985;153(5):482-5.
- Cureton K, Bishop P, Hutchinson P, Newland H, Vickery S, Zwiren L. Sex difference in maximal oxygen uptake. Effect of equating haemoglobin concentration. *Eur J Appl Physiol* 1986;54(6):656-60.
- Daniels J, Daniels N. Running economy of elite male and elite female runners. *Med Sci Sports Exerc* 1992;24(4):483-9.
- Davis JA, Brewer J. Applied physiology of female soccer players. *Sports Med* 1993;16(3):180-9.
- De Cree C, Lewin R, Ostyn M. The monitoring of the menstrual status of female athletes by salivary steroid determination and ultrasonography. *Eur J Appl Physiol* 1990;60(6):472-7.
- De Souza MJ, Sequenzia LC. Menstrual phase and exercise: intermediary effects on glucose metabolism. *Semin Reprod Endocrinol* 1994;12(2):97-109.
- Deuster PA, Kyle SB, Singh A, Moser PB, Bernier LL, Yu-Yahiro JA, et al. Exercise-induced changes in blood minerals, associated proteins and hormones in women athletes. *J Sports Med Phys Fitness* 1991;31(4):552-60.
- Diehl DM, Lohman TG, Smith SC, Kertzer R. Effects of physical training and competition on the iron status of female field hockey players. *Int J Sports Med* 1986;7(5):264-70.
- Ding JH, Shekter CB, Drinkwater BL, Soules MR, Bremner WJ. High serum cortisol levels in exercise-associated amenorrhea. *Ann Intern Med* 1988;108(4):530-4.
- Dombovy ML, Bonekat HW, Williams TJ, Staats BA. Exercise performance and ventilatory response in the menstrual cycle. *Med Sci Sports Exerc* 1987;19(2):111-7.
- Drinkwater BL. Exercise in the prevention of osteoporosis. *Osteoporosis Int* 1993;3(Suppl 1):169-71.
- Drinkwater BL, Bruemner B, Chesnut CH. Menstrual history as a determinant of current bone density in young athletes. *JAMA* 1990;263(4):545-8.
- Erkkola RU, Pirhonen JP, Kivijarvi AK. Flow velocity waveforms in uterine and umbilical arteries during submaximal bicycle exercise in normal pregnancy. *Obstet Gynecol* 1992;79(4):611-615.
- Esterre P, Genin C, Dedet J, Ridet P. Changes in immunologic and biochemical functions after a mission to a tropical forest. *Med Trop (Mars)* 1987;47(4):345-9. [In French]
- Francesconi RP. *Endocrinological Responses to Exercise in Stressful Environments*. Natick, MA: Army Research Institute of Environmental Medicine; 1987.
- Fraundorf H, Gelbrich W, Kobryn U. Reactions of the cardiopulmonary and the motor system in work with medium-sized muscles. *Z Gesamte Hyg* 1990;36(7):357-60. [In German]

- Friedmann B, Kindermann W. Energy metabolism and regulatory hormones in women and men during endurance exercise. *Eur J Appl Physiol* 1989;59(1-2):1-9.
- Frisch RE, Snow RC, Johnson LA, Gerard B, Barbieri R, Rosen B. Magnetic resonance imaging of overall and regional body fat, estrogen metabolism, and ovulation of athletes compared to controls. *J Clin Endocrinol Metab* 1993;77(2):471-7.
- Gleim G, Stachenfeld N, Coplan N, Nicholas J. Gender differences in the systolic blood pressure response to exercise. *Am Heart J* 1991;121(2 Pt 1):524-30.
- Goldberg L, Elliot D. The effect of physical activity on lipid and lipoprotein levels. *Med Clin North Am* 1985;69(1):41-55.
- Goldstein S, Weissman C, Askanazi J, Rothkopf M, Milic-Emili J, Kinney J. Metabolic and ventilatory responses during very low level exercise. *Clin Sci* 1987;73(4):417-24.
- Hanley P, Zinsmeister A, Clements I, Bove A, Brown M, Gibbons R. Gender-related differences in cardiac response to supine exercise assessed by radionuclide angiography. *J Am Coll Cardiol* 1989;13(3):624-9.
- Henley K, Vaitukaitis JL. Exercise-induced menstrual dysfunction. *Annu Rev Med* 1988;39:443-51.
- Herring JL, Mole PA, Meredith CN, Stern JS. Effect of suspending exercise training on resting metabolic rate in women. *Med Sci Sports Exerc* 1992;24(1):59-65.
- Hill D, Borden D, Darnaby K, Hendricks D. Aerobic and anaerobic contributions to exhaustive high-intensity exercise after sleep deprivation. *J Sports Sci* 1994;12(5):455-61.
- Hill D, Borden D, Darnaby K, Hendricks D, Hill C. Effect of time of day on aerobic and anaerobic responses to high-intensity exercise. *Can J Sport Sci* 1992;17(4):316-9.
- Hill JM, Meuli LE, Crist DM. Aberrant melatonin secretion: a possible factor in the etiology of exercise-induced secondary amenorrhea. *Ann Sports Med* 1990;5(1):12-7.
- Hirschberg AL, Lindholm C, Carlstrom K, Von Schoultz B. Reduced serum cholecystokinin response to food intake in female athletes. *Metabolism* 1994;43(2):217-22.
- Hortobagyi T, Houmard JA, Israel RG, Carpenter JW, Heath J, Barakat HA. Effects of exercise cessation on lipids and lipoproteins in distance runners and power athletes. *Eur J Appl Physiol* 1993;67(3):226-30.
- Hutchinson P, Cureton K, Outz H, Wilson G. Relationship of cardiac size to maximal oxygen uptake and body size in men and women. *Int J Sports Med* 1991;12(4):369-73.
- Itoh H, Ohkuwa T. Blood ammonia concentration after supramaximal treadmill running in males and females. *J Sports Med Phys Fitness* 1993;33(3):239-45.
- Jaffe R. The female athlete. *Del Med J* 1987;59(9):583-6, 589-90.
- Janssen G, Degenaar C, Menheere P, Habets H, Geurten P. Plasma urea, creatinine, uric acid, albumin, and total protein concentrations before and after 15-, 25-, and 42-km contests. *Int J Sports Med* 1989;10(Suppl 3):S132-8.
- Jenkins PJ, Grossman A. The control of the gonadotrophin releasing hormone pulse generator in relation to opioid and nutritional cues. *Hum Reprod* 1993;8(Suppl 2):154-61.
- Jenkins PJ, Ibanez-Santos X, Holly J, Cotterill A, Perry L, Wolman R, et al. IGFBP-1: a metabolic signal associated with exercise-induced amenorrhoea. *Neuroendocrinology* 1993;57(4):600-4.
- Jorgensen LG, Perko G, Secher NH. Regional cerebral artery mean flow velocity and blood flow during dynamic exercise in humans. *J Appl Physiol* 1992;73(5):1825-30.
- Kaiserauer S, Snyder AC, Sleeper M, Zierath J. Nutritional, physiological, and menstrual status of distance runners. *Med Sci Sports Exerc* 1989;21(2):120-5.
- Kanaley JA, Boileau RA, Bahr JM, Misner JE, Nelson RA. Cortisol levels during prolonged exercise: the influence of menstrual phase and menstrual status. *Int J Sports Med* 1992;13(4):332-6.
- Kanaley JA, Boileau RA, Bahr JA, Misner JE, Nelson RA. Substrate oxidation and GH responses to exercise are independent of menstrual phase and status. *Med Sci Sports Exerc* 1992;24(8):873-80.
- Kanaley JA, Ji LL. Antioxidant enzyme activity during prolonged exercise in amenorrheic and eumenorrheic athletes. *Metabolism* 1991;40(1):88-92.
- Kashihara H, Haruna Y, Suzuki Y, Kawakubo K, Takenaka K, Bonde-Petersen F, et al. Effects of mild supine exercise during 20 days bed rest on maximal oxygen uptake rate in young humans. *Acta Physiol Scand Suppl* 1994;616:19-26.
- Keizer HA. Exercise- and training-induced menstrual cycle irregularities (AMI). *Int J Sports Med* 1986;7(Suppl 1):38-44.
- Keizer HA, Beckers E, De Haan J, Janssen GME, Kuipers H, VanKranenburg G, et al. Exercise-induced changes in the percentage of free testosterone and estradiol in trained and untrained women. *Int J Sports Med* 1987;8(Suppl 3):151-3.
- Keizer HA, Kuipers H, De Haan J, Beckers E, Habets L. Multiple hormonal responses to physical exercise in eumenorrheic trained and untrained women. *Int J Sports Med* 1987;8(Suppl 3):139-50.
- Keizer HA, Kuipers H, De Haan J, Janssen GME, Beckers E, Habets L, et al. Effect of a 3-month endurance training program on metabolic and multiple hormonal responses to exercise. *Int J Sports Med* 1987;8(Suppl 3):154-60.
- Kendrick A, Laszlo G. CO transfer factor on exercise: age and sex differences. *Eur Respir J* 1990;3(3):323-8.

- Keul J, Stockhausen W, Pokan R, Huonker M, Berg A. Metabolic and cardiovascular adaptation and the performance of professional tennis players. *Dtsch Med Wochenschr* 1991;116(20):761-7. [In German]
- Knapik J, Daniels W, Murphy M, Fitzgerald P, Drews F, Vogel J. Physiological factors in infantry operations. *Eur J Appl Physiol* 1990;60(3):233-8.
- Kocharov A, Britov A, Ivanov V, Grishenkov E, Sviderskii V, Spizhovyi V, et al. Arterial pressure, physical activity and physical work capacity. *Ter Arkh* 1993;65(12):12-6. [In Russian]
- Kocharov A, Britov A, Kobal' A. The effect of different physical training regimens on the dynamics of arterial pressure and physical work capacity in persons with "mild" arterial hypertension. *Ter Arkh* 1991;63(12):57-60. [In Russian]
- Kohrt W, Spina R, Ehsani A, Cryer P, Holloszy J. Effects of age, adiposity, and fitness level on plasma catecholamine responses to standing and exercise. *J Appl Physiol* 1993;75(4):1828-35.
- Kraemer R, Blair S, Kraemer G, Castracane V. Effects of treadmill running on plasma beta-endorphin, corticotropin, and cortisol levels in male and female 10K runners. *Eur J Appl Physiol* 1989;58(8):845-51.
- Kraemer W, Gordon S, Fleck S, Marchitelli L, Mello R, Dziados J, et al. Endogenous anabolic hormonal and growth factor responses to heavy resistance exercise in males and females. *Int J Sports Med* 1991;12(2):228-35.
- Kuipers H, Saris W, Brouns F, Keizer HA, ten Bosch C. Glycogen synthesis during exercise and rest with carbohydrate feeding in males and females. *Int J Sports Med* 1989;10(Suppl 1):S63-7.
- la Ham-Saeger J, Lesmes GR, Iltis P, Fried L, Nequin ND. Cardiovascular responses of males and females to prolonged steady-state exercises. *Ann Sports Med* 1986;2(4):178-81.
- Laughlin GA, Loucks AB, Yen SS. Marked augmentation of nocturnal melatonin secretion in amenorrheic athletes, but not in cycling athletes: unaltered by opioidergic or dopaminergic blockade. *J Clin Endocrinol Metab* 1991;73(6):1321-6.
- Lauritzen S, Adams W. Ozone inhalation effects consequent to continuous exercise in females: comparison to males. *J Appl Physiol* 1985;59(5):1601-6.
- Legg SJ, Patton JF. Effects of sustained manual work and partial sleep deprivation on muscular strength and endurance. *Eur J Appl Physiol* 1987;56(1):64-8.
- Legrand E, Le Dantec P, Meadeb J, Perdriger A, Chales G, Pawlotsky Y. Real effects of sport on the bone mass in women. *Rev Rhum Mal Osteoartic* 1992;59(5):335-9. [In French]
- Lindholm C, Hirschberg AL, Carlstrom K, von Schoultz B. Hormone anabolic/catabolic balance in female endurance athletes. *Gynecol Obstet Invest* 1993;36(3):176-80.
- Lloyd T, Buchanan JR, Bitzer S, Waldman CJ, Myers C, Ford BG. Interrelationships of diet, athletic activity, menstrual status, and bone density in collegiate women. *Am J Clin Nutr* 1987;46(4):681-4.
- Loucks AB, Laughlin GA, Mortola JF, Girton L, Nelson JC, Yen SS. Hypothalamic-pituitary-thyroidal function in eumenorrheic and amenorrheic athletes. *J Clin Endocrinol Metab* 1992;75(2):514-8.
- Loucks AB, Mortola JF, Girton L, Yen SS. Alterations in the hypothalamic-pituitary-ovarian and the hypothalamic-pituitary-adrenal axes in athletic women. *J Clin Endocrinol Metab* 1989;68(2):402-11.
- Marshall LA. Clinical evaluation of amenorrhea in active and athletic women. *Clin Sports Med* 1994;13(2):371-87.
- Mayhew J, Salm P. Gender differences in anaerobic power tests. *Eur J Appl Physiol* 1990;60(2):133-8.
- McArthur JW. Endorphins and exercise in females: possible connection with reproductive dysfunction. *Med Sci Sports Exerc* 1985;17(1):82-8.
- McLellan T, Jacobs I. Muscle glycogen utilization and the expression of relative exercise intensity. *Int J Sports Med* 1991;12(1):21-6.
- Medbo J, Burgers S. Effect of training on the anaerobic capacity. *Med Sci Sports Exerc* 1990;22(4):501-7.
- Meijer G, Janssen G, Westertep K, Verhoeven F, Saris W, ten Hoor F. The effect of a 5-month endurance-training programme on physical activity: evidence for a sex-difference in the metabolic response to exercise. *Eur J Appl Physiol* 1991;62(1):11-7.
- Mesaki N, Sasaki J, Shoji M, Iwasaki H, Asano K, Eda M. Effect of menstrual cycle on cardiorespiratory system during incremental exercise. *Nippon Sanka Fujinka Gakkai Zasshi* 1986;38(1):1-9. [In Japanese]
- Mesaki N, Sasaki J, Shoji M, Iwasaki H, Asano K, Eda M. Hormonal changes during continuous exercise in athletic women. *Nippon Sanka Fujinka Gakkai Zasshi* 1987;39(1):63-9. [In Japanese]
- Mesaki N, Sasaki J, Sohda S, Nabeshima Y, Iwasaki H. Suppression by L-dopa of prolactin secretion during exercise in female athletes. *Jpn J Fertil Steril* 1991;36(4):739-44.
- Montgomery I, Trinder J, Paxton S, Harris D, Fraser G, Colrain I. Physical exercise and sleep: the effect of the age and sex of the subjects and type of exercise. *Acta Physiol Scand Suppl* 1988;574:36-40.
- Morales M, Gleim G, Marino N, Glace B, Coplan N. The role of gender in echocardiographically determined left ventricular mass in equally trained populations of runners. *Am Heart J* 1992;124(4):1104-6.
- Myerson M, Gutin B, Warren MP, May MT, Contento I, Lee M, et al. Resting metabolic rate and energy balance in amenorrheic and eumenorrheic runners. *Med Sci Sports Exerc* 1991;23(1):15-22.
- Nutrition Review. Bone loss in amenorrheic athletes. *Nutr Rev* 1986;44(11):361-3.

- Nygaard C, Suurnakki T, Ilmarinen J. Effects of musculoskeletal work load and muscle strength on strain at work in women and men aged 44 to 58 years. *Eur J Appl Physiol* 1988;58(1-2):13-9.
- O'Donnell AE, Fling J. Exercise-induced airflow obstruction in a healthy military population. *Chest* 1993;103(3):742-4.
- Ogawa T, Spina R, Martin W, Kohrt W, Schechtman K, Holloszy J, et al. Effects of aging, sex, and physical training on cardiovascular responses to exercise. *Circulation* 1992;86(2):494-503.
- Okada F, Tokumitsu Y, Hoshi Y, Tamura M. Gender- and handedness-related differences of forebrain oxygenation and hemodynamics. *Brain Res* 1993;601(1-2):337-42.
- Otis CL. Exercise-associated amenorrhea. *Clin Sports Med* 1992;11(2):351-62.
- O'Toole M, Hiller D, Crosby L, Douglas P. The ultraendurance triathlete: a physiological profile. *Med Sci Sports Exerc* 1987;19(1):45-50.
- Padilla S, Bourdin M, Barthelemy JC, Lacour JR. Physiological correlates of middle-distance running performance. A comparative study between men and women. *Eur J Appl Physiol* 1992;65(6):561-6.
- Pate RR, Barnes C, Miller W. A physiological comparison of performance-matched female and male distance runners. *Res Q Exerc Sport* 1985;56(2):245-50.
- Paterson D, Pinnington H, Pearce A, Morton A. Maximal exercise cardiorespiratory responses of men and women during acute exposure to hypoxia. *Aviat Space Environ Med* 1987;58(3):243-7.
- Paula F, Pimenta W, Saad M, Paccola G, Piccinato C, Foss M. Sex-related differences in peripheral glucose metabolism in normal subjects. *Diabete Metab* 1990;16(3):234-9.
- Pirke KM, Schweiger U, Broocks A, Tuschl RJ, Laessle RG. Luteinizing hormone and follicle stimulating hormone secretion patterns in female athletes with and without menstrual disturbances. *Clin Endocrinol (Oxf)* 1990;33(3):345-53.
- Pivarnik JM, Sherman N.W. Responses of aerobically fit men and women to uphill/downhill walking and slow jogging. *Med Sci Sports Exerc* 1990;22(1):127-30.
- Plet J, Pedersen PK, Jensen FB, Hansen JK. Increased working capacity with hyperoxia in humans. *Eur J Appl Physiol* 1992;65(2):171-7.
- Popper SE, Tripp LD Jr. Unequal narrowing of the visual field in a +Gz environment. *Aviat Space Environ Med* 1991;62(10):986-8.
- Pronk NP. Short term effects of exercise on plasma lipids and lipoproteins in humans. *Sports Med* 1993;16(6):431-48.
- Puffer JC. Athletic amenorrhea and its influence on skeletal integrity. *Bull Rheum Dis* 1994;43(5):5-6.
- Rahkila P, Hakala E, Salminen K, Laatikainen T. Response of plasma endorphins to running exercises in male and female endurance athletes. *Med Sci Sports Exerc* 1987;19(5):451-5.
- Raptopoulou-Gigi M, Papaiakevou G, Orphanou-Koumerkeridou H, Printzis S, Gigis P. Physical exercise and immunologic parameters in athletes in a basic training program. *Ann Sports Med* 1990;5(2):78-80.
- Regensteiner J, Pickett C, McCullough R, Weil J, Moore L. Possible gender differences in the effect of exercise on hypoxic ventilatory response. *Respiration* 1988;53(3):158-65.
- Remes K, Kuoppasalmi K, Adlercreutz H. Effect of physical exercise and sleep deprivation on plasma androgen levels: modifying effect of physical fitness. *Int J Sports Med* 1985;6(3):131-5.
- Resina A, Brettoni M, Gatteschi L, Galvan P, Orsi F, Rubenni M. Changes in the concentrations of plasma and erythrocyte magnesium and of 2,3-diphosphoglycerate during a period of aerobic training. *Eur J Appl Physiol* 1994;68(5):390-4.
- Rivera BA. Female physiology during exercise. *P R Health Sci J* 1990;9(1):79-84. [In Spanish]
- Rogers MA, Stull GA, Apple FS. Creatine kinase isoenzyme activities in men and women following a marathon race. *Med Sci Sports Exerc* 1985;17(6):679-82.
- Ronkainen H, Vakkuri O, Kauppila A. Effects of physical exercise on the serum concentration of melatonin in female runners. *Acta Obstet Gynecol Scand* 1986;65(8):827-9.
- Rotta L, Brest'ak M, Reich I. A survey of gynecologic problems in leading female athletes. *Cesk Gynekol* 1985;50(8):558-60. [In Czech]
- Rubal BJ, Al-Muhailani AR, Rosentswieg J. Effects of physical conditioning on the heart size and wall thickness of college women. *Med Sci Sports Exerc* 1987;19(5):423-9.
- Ruby B, Robergs R. Gender differences in substrate utilisation during exercise. *Sports Med* 1994;17(6):393-410.
- Ryan JB, McBride JT. Sports medicine. *JAMA* 1992;268(3):411-2.
- Sasaki J, Motobu M, Nabeshima Y, Shoji M, Mesaki N, Iwasaki H, et al. Pulsatile release of gonadotropins in athletic women. *Acta Obstet Gynaecol Jpn* 1991;43(4):437-42.
- Savard R, Despres J, Marcotte M, Bouchard C. Endurance training and glucose conversion into triglycerides in human fat cells. *J Appl Physiol* 1985;58(1):230-5.
- Schouten W, Verschuur R, Kemper H. Habitual physical activity, strenuous exercise, and salivary immunoglobulin A levels in young adults: the Amsterdam Growth and Health Study. *Int J Sports Med* 1988;9(4):289-93.

- Schweiger U, Laessle R, Schweiger M, Herrmann F, Riedel W, Pirke KM. Caloric intake, stress, and menstrual function in athletes. *Fertil Steril* 1988;49(3):447-50.
- Smith TJ. *Gender Differences in Plasma Volume and Central Circulatory Responses to Prolonged Exercise*. Athens, GA: University of Georgia; 1986. Dissertation.
- Snow-Harter CM. Bone health and prevention of osteoporosis in active and athletic women. *Clin Sports Med* 1994;13(2):389-404.
- Stephenson LA, Kolka MA. Effect of gender, circadian period and sleep loss on thermal responses during exercise. In: Pandolf K, ed. *Human Performance Physiology and Environmental Medicine in Terrestrial Extremes*. Indianapolis, IN: Benchmark Press; 1988.
- Stephenson LA, Kolka MA. Plasma volume during heat stress and exercise in women. *Eur J Appl Physiol* 1988;57(4):373-81.
- Stephenson LA, Kolka MA, Francesconi R, Gonzalez RR. Circadian variations in plasma renin activity, catecholamines and aldosterone during exercise in women. *Eur J Appl Physiol* 1989;58(7):756-64.
- Surkina ID, Gotovtseva EP. The immune state of female athletes and its correlation with menstrual function and conditions of sports activities. *Sports Train Med Rehabil* 1988;1(2):85-8.
- Tarnopolsky L, MacDougall J, Atkinson S, Tarnopolsky M, Sutton J. Gender differences in substrate for endurance exercise. *J Appl Physiol* 1990;68(1):302-8.
- Thomas SG, Weller IMR, Cox MH. Sources of variation in oxygen consumption during a stepping task. *Med Sci Sports Exerc* 1993;25(1):139-44.
- Town GP, Bradley SS. Maximal metabolic responses of deep and shallow water running in trained runners. *Med Sci Sports Exerc* 1991;23(2):238-41.
- Treese N, MacCarter D, Akbulut O, Coutinho M, Baez M, Liebrich A, et al. Ventilation and heart rate response during exercise in normals: relevance for rate variable pacing. *PACE Pacing Clin Electrophysiol* 1993;16(8):1693-1700.
- Tsai L, Johansson C, Pousette A, Tegelman R, Carlstrom K, Hemmingsson P. Cortisol and androgen concentrations in female and male elite endurance athletes in relation to physical activity. *Eur J Appl Physiol* 1991;63(3-4):308-11.
- Tsai L, Pousette A, Johansson C, Carlstrom K. Effect of cortisol on the secretion of testosterone and estradiol-17beta by human granulosa-luteal cell cultures. A model system for analyzing hormonal alterations in female athletes. *Acta Obstet Gynecol Scand* 1992;71(7):502-5.
- Turcotte R, Perrault H, Marcotte J, Beland M. A test for the measurement of pulmonary diffusion capacity during high-intensity exercise. *J Sports Sci* 1992;10(3):229-35.
- Urata H, Tanabe Y, Kiyonaga A, Ikeda M, Tanaka H, Shindo M, et al. Antihypertensive and volume-depleting effects of mild exercise on essential hypertension. *Hypertension* 1987;9(3):245-52.
- Urhausen A, Kullmer T, Kindermann W. A 7-week follow-up study of the behaviour of testosterone and cortisol during the competition period in rowers. *Eur J Appl Physiol* 1987;56(5):528-33.
- Veldhuis JD, Evans WS, Demers LM, Thoner MO, Wakat D, Rogol AD. Altered neuroendocrine regulation of gonadotropin secretion in women distance runners. *J Clin Endocrinol Metab* 1985;61(3):557-63.
- Voigt K, Ziegler M, Grunert-Fuchs M, Bickel U, Fehm-Wolfsdorf G. Hormonal responses to exhausting physical exercise: the role of predictability and controllability of the situation. *Psychoneuroendocrinology* 1990;15(3):173-84.
- Vuolteenaho O, Koistinen P, Martikkala V, Takala T, Leppaluoto J. Effect of physical exercise in hypobaric conditions on atrial natriuretic peptide secretion. *Am J Physiol Regul Integr Comp Physiol* 1992;263(3 Part 2):R647-52.
- Wahrenberg H, Bolinder J, Amer P. Adrenergic regulation of lipolysis in human fat cells during exercise. *Eur J Clin Invest* 1991;21(5):534-41.
- Wanke T, Formanek D, Schenz G, Popp W, Gatol H, Zwick H. Mechanical load on the ventilatory muscles during an incremental cycle ergometer test. *Eur Respir J* 1991;4(4):385-92.
- Weyand P, Cureton K, Conley D, Higbie E. Peak oxygen deficit during one- and two-legged cycling in men and women. *Med Sci Sports Exerc* 1993;25(5):584-91.
- Wolfe L, Laprade A, Burggraf G, Norman R. Cardiac responses of young women to conditioning for a 10 kilometer race. *Int J Sports Med* 1992;13(5):384-9.
- Wong R, Davies N, Marshall D, Allen P, Zhu G, Lopaschuk G, et al. Metabolism of normal skeletal muscle during dynamic exercise to clinical fatigue: in vivo assessment by nuclear magnetic resonance spectroscopy. *Can J Cardiol* 1990;6(9):391-5.
- Yahiro J, Glass AR, Fears WB, Ferguson EW, Jigersky RA. Exaggerated gonadotropin response to luteinizing hormone-releasing hormone in amenorrheic runners. *Am J Obstet Gynecol* 1987;156(3):586-91.
- Zamparo P, Perini R, Orizio C, Sacher M, Ferretti G. The energy cost of walking or running on sand. *Eur J Appl Physiol* 1992;65(2):183-7.

RESPONSES TO STRESSORS, PRESSURE

- Dixon G, Krutz RJ, Fischer J. Decompression sickness and bubble formation in females exposed to a simulated 7.8 psia suit environment. *Aviat Space Environ Med* 1988;59(12):1146-9.
- Gillingham K, Schade C, Jackson W, Gilstrap L. Women's G tolerance. *Aviat Space Environ Med* 1986;57(8):745-53.
- Goodman L, Fraser W, Eastman D, Ackles K. Cardiovascular responses to positive pressure breathing using the tactical life support system. *Aviat Space Environ Med* 1992;63(8):662-9.
- Hackney A, Kelleher D, Coyne J, Hodgdon J. Military operations at moderate altitude: effects on physical performance. *Mil Med* 1992;157(12):625-9.
- Hamalainen O, Vanharanta H, Bloigu R. +Gz-related neck pain: a follow-up study. *Aviat Space Environ Med* 1994;65(1):16-8.
- Hamalainen O, Vanharanta H, Kuusela T. Degeneration of cervical intervertebral disks in fighter pilots frequently exposed to high +Gz forces. *Aviat Space Environ Med* 1993;64(8):692-6.
- Hudson D, Smith M, Raven P. Physical fitness and hemodynamic response of women to lower body negative pressure. *Med Sci Sports Exerc* 1987;19(4):375-81.
- Kolka MA, Stephenson LA, Rock PA, Gonzalez RR. *Peripheral Changes in Regional Sweating Responses to Exercise in Hypobaric Environments*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. USARIEM-M-14/85. 27p.
- Kolka MA, Stephenson LA, Rock PB, Gonzalez RR. Local sweating and cutaneous blood flow during exercise in hypobaric environments. *J Appl Physiol* 1987;62(6):2224-9. 27p.
- la Ham-Saeger J, Lesmes GR, Iltis P, Fried L, Nequin ND. Cardiovascular responses of males and females to prolonged steady-state exercises. *Ann Sports Med* 1986;2(4):178-81.
- Olziikhutag A, Danilov I. Age- and sex-related aspects of changes in external respiratory functions in the population of high-altitude Mongolia. *Ter Arkh* 1985;57(2):123-6. [In Russian]
- Richalet J, Souberbielle J, Antezana A, Dechaux M, Le Trong J, Bienvenu A, et al. Control of erythropoiesis in humans during prolonged exposure to the altitude of 6,542 m. *Am J Physiol* 1994;266(3 Pt 2):R756-64.
- Robertson AG. Decompression sickness risk in women. *Undersea Biomedical Research* 1992;19(3):216-7.
- Rudge FW, Shafer MR. The effect of delay on treatment outcome in altitude-induced decompression sickness. *Aviat Space Environ Med* 1991;62(7):687-90.
- Weien R, Baumgartner N. Altitude decompression sickness: hyperbaric therapy results in 528 cases. *Aviat Space Environ Med* 1990;61(9):833-6.
- Whinnery A, Whinnery J. The electrocardiographic response of females to centrifuge +Gz stress. *Aviat Space Environ Med* 1990;61(11):1046-51.

RESPONSES TO STRESSORS, TEMPERATURE

- Armstrong L, De Luca J, Christensen E, Hubbard R. Mass-to-surface area index in a large cohort. *Am J Phys Anthropol* 1990;83(3):321-9.
- Bittel J. The different types of general cold adaptation in man. *Int J Sports Med* 1992;13(Suppl 1):S172-6.
- Bolstad G, Myrseth E, Holand B, Pasche A. Effects of water temperature on performance: a practical evaluation of a neutral buoyancy facility. *Aviat Space Environ Med* 1991;62(3):241-5.
- Caldwell JJ. A brief survey of chemical defense, crew rest, and heat stress/physical training issues related to Operation Desert Storm. *Mil Med* 1992;157(6):275-81.
- Cornwall M. Effect of temperature on muscle force and rate of muscle force production in men and women. *J Orthop Sports Phys Ther* 1994;20(2):74-80.
- Danzl D, Pozos R, Auerbach P, Glazer S, Goetz W, Johnson E, et al. Multicenter hypothermia survey. *Ann Emerg Med* 1987;16(9):1042-55.
- Dulac S, Quirion A, DeCarufel D, LeBlanc J, Jobin M, Cote J, et al. Metabolic and hormonal responses to long-distance swimming in cold water. *Int J Sports Med* 1987;8(5):352-6.
- Edwards J, Roberts D. The influence of a calorie supplement on the consumption of the meal, ready-to-eat in a cold environment. *Mil Med* 1991;156(9):466-71.
- Giesbrecht GG, Bristow GK. Decrement in manual arm performance during whole body cooling. *Aviat Space Environ Med* 1992;63(12):1077-81.
- Graham T, Viswanathan M, van Dijk J, Bonen A, George J. Thermal and metabolic responses to cold by men and by eumenorrheic and amenorrheic women. *J Appl Physiol* 1989;67(1):282-90.

- Graham TE. Thermal, metabolic, and cardiovascular changes in men and women during cold stress. *Med Sci Sports Exerc* 1988;20(5):S185-92.
- Graham TE, Loughheed MD. Thermal responses to exercise in the cold: influence of sex differences and alcohol. *Hum Biol* 1985;57(4):687-98.
- Gruca R. Efficiency of thermoregulatory system in man under endogenous and exogenous heat loads. *Acta Physiol Pol* 1990;41(4-6):123-45.
- Havenith G, van Middendorp H. The relative influence of physical fitness, acclimatization state, anthropometric measures and gender on individual reactions to heat stress. *Eur J Appl Physiol* 1990;61(5/6):419-27.
- Hopkins PM, Ellis F, Halsall PJ. Evidence for related myopathies in exertional heat stroke and malignant hyperthermia. *Lancet* 1991;338(8781):1491-2.
- Kolka MA, Stephenson LA. Exercise thermoregulation after prolonged wakefulness. *J Appl Physiol* 1988;64(4):1575-9.
- Kolka MA, Stephenson LA. Control of sweating during the human menstrual cycle. *Eur J Appl Physiol* 1989;58(8):890-5.
- Lopez M, Sessler D, Walter K, Emerick T, Ozaki M. Rate and gender dependence of the sweating, vasoconstriction, and shivering thresholds in humans. *Anesthesiology* 1994;80(4):780-8.
- Mannino JA, Kaufman WC. Comparative cold responses of men and women to external and internal cold stimuli. *Aviat Space Environ Med* 1986;57(1):27-30.
- Marriott BM. *Nutritional Needs in Hot Environments: Applications for Military Personnel in Field Operations*. Washington, DC: National Academy Press; 1993.
- McArdle WD, Toner MM, Magel JR, Spina RJ, Pandolf KB. Thermal responses of men and women during cold-water immersion: influence of exercise intensity. *Eur J Appl Physiol* 1992;65(3):265-70.
- McLean J, Sathasivam P, MacNaughton K, Graham T. Cardiovascular and norepinephrine responses of men and women to two cold pressor tests. *Can J Physiol Pharmacol* 1992;70(1):36-42.
- Milroy W. Medical operational problems in cold environment, the role of dehydration, caloric intake, and clothing. *Mil Med* 1987;152(8):397-8.
- Moser CD. *Metabolic Response to Acute Cold Air Exposure and Two Levels of Beta Blockade in Males and Females*. Philadelphia, PA: Temple University; 1991. Dissertation.
- Planchon B, Pistorius M, Beurrier P, De Faucal P. Primary Raynaud's phenomenon. Age of onset and pathogenesis in a prospective study of 424 patients. *Angiology* 1994;45(8):677-86.
- Santee WR, Matthew WT, Tharion WJ. *Simulated Approach Marches during Thermal Stress*. Natick, MA: Army Research Institute of Environmental Medicine; 1992. Series No. AD-A259 544.
- Scherb MK. *Modifications to an Interactive Model of the Human Body during Exercise: With Special Emphasis on Thermoregulation*. Ames, IA: Iowa State University; 1993. Thesis. 64p.
- Shender BS, Kaufman JW. *Validation and Sensitivity Analysis of Texas Human Thermal Model Predictions during Cold Water Immersion*. Warminster, PA: Naval Air Warfare Center; 1993. Series No. AD-A275240.
- Shephard R. Fat metabolism, exercise, and the cold. *Can J Sport Sci* 1992;17(2):83-90.
- Shephard RJ. Metabolic adaptations to exercise in the cold. *Sports Med* 1993;16(4):266-89.
- Stephenson L, Kolka M. Thermoregulation in women. *Exerc Sport Sci Rev* 1993;21:231-62.
- Stephenson L, Kolka M, Allan A, Santee W. Heat exchange during encapsulation in a chemical warfare agent protective patient wrap in four hot environments. *Aviat Space Environ Med* 1988;59(4):345-51.
- Stevens GH, Graham T, Wilson B. Gender differences in cardiovascular and metabolic responses to cold and exercise. *Can J Physiol Pharmacol* 1987;65(2):165-71.
- Torre-Cisneros J, Fernandez de la Puebla GR, Jimenez PJ, Lopez MJ, Villanueva MJ, Blanco MA, et al. The early prognostic assessment of heat stroke. *Rev Clin Esp* 1992;190(9):439-42. [In Spanish]
- van de Linde FJG. *Safe Working Time Limits in Impermeable Protective Clothing: Recommendations Based Upon Experimental Measurements*. Soesterberg, Netherlands: Institute for Perception; 1987. IZF-1987-28; TDCK-87-4844. 35p.
- Viswanathan M, van Dijk JP, Graham TE, Bonen A, George JC. Exercise- and cold-induced changes in plasma beta-endorphin and beta-lipotropin in men and women. *J Appl Physiol* 1987;62(2):622-7.
- Wagner JA, Horvath SM. Influences of age and gender on human thermoregulatory responses to cold exposures. *J Appl Physiol* 1985;58(1):180-6.
- White M, Ross W, Mekjavic I. Relationship between physique and rectal temperature cooling rate. *Undersea Biomed Res* 1992;19(2):121-30.
- Young A, Roberts D, Scott D, Cook J, Mays M, Askew E. *Sustaining Health and Performance in the Cold—Environmental Medicine Guidance for Cold-Weather Operations*. Natick, MA: Army Research Institute of Environmental Medicine; 1992. Series No. AD-A254 328.
- Young AJ. Effects of aging on human cold tolerance. *Exp Aging Res* 1991;17(3):205-13.

SEXUAL ASSAULT/HARASSMENT

- Brown DW, Wood DY. *The Military Effect and Spouse Abuse: A Comparison of Active Military, Veteran, and Civilian Batterers*. Arlington, TX: University of Texas; 1985.
- Brown GR, Anderson B. Psychiatric morbidity in adult inpatients with childhood histories of sexual and physical abuse. *Am J Psychiatry* 1991;148(1):55-61.
- Cantos AL, Neidig PH, Oleary KD. Men's and women's attributions of blame for domestic violence. *J Fam Violence* 1993;8(4):289-302.
- Crawford SL, Fiedler ER. Childhood physical and sexual abuse and failure to complete military basic training. *Mil Med* 1992;157(12):645-8.
- Culbertson AL, Rosenfeld P. Assessment of sexual harassment in the active-duty Navy. *Mil Psychol* 1994;6(2):69-93.
- Egeland B, Erickson MF, Butcher JN, Ben-Porath YS. MMPI-2 profiles of women at risk for child abuse. *J Pers Assess* 1991;57(2):254-63.
- Engel C Jr, Engel A, Campbell SJ, McFall M, Russo J, Katon W. Posttraumatic stress disorder symptoms and precombat sexual and physical abuse in Desert Storm veterans. *J Nerv Ment Dis* 1993;181(11):683-8.
- Firestone JA, Harris RJ. Sexual harassment in the US military: individualized and environmental contexts. *Armed Forces & Society* 1994;1(Fall):25-43.
- General Accounting Office. *Equal Opportunity: DoD Studies on Discrimination in the Military*. Washington, DC: General Accounting Office; 1995. GAO/NSIAD-95-103.
- Hamlin ER 2d, Donnewerth D, Georgoulakis JM. A survey of Army Medical Department personnel beliefs about domestic violence. *Mil Med* 1991;156(9):474-9.
- McNelis PJ, Awalt SJ. Project SAFE: an Armed Forces cooperative initiative for the prevention and treatment of family violence. *Eval Program Plann* 1986;9(3):233-41.
- McNew JA. *Post-traumatic Stress Symptomatology: Similarities and Differences Between Vietnam Veterans and Adult Survivors of Childhood Sexual Abuse*. Cleveland, OH: Case Western Reserve University; 1993. Dissertation.
- Merrill LL. *Determining History of Victimization and Potential for Abusive Behavior in U.S. Navy Recruits*. San Diego, CA: Naval Health Research Center; 1993. NHRC Tech Rpt 93-28.
- Miller TW, Veltkamp LJ. Family violence: clinical indicators among military and post-military personnel. *Mil Med* 1993;158(12):766-71.
- National Technical Information Service. *Women in the Military. (Latest Citations from the NTIS Bibliographic Database)*. Springfield, VA: National Technical Information Service; 1994.
- Neidig PH, Russell HE, Seng AF. Interspousal aggression in law enforcement families: a preliminary investigation. *Police Studies* 1992;1(Spring):30-8.
- Niebuhr RE, Boyles WR. Sexual harassment of military personnel: An examination of power differentials. *Int J Intercultural Relations* 1991;15(4):445-57.
- Swiss S, Giller JE. Rape as a crime of war. A medical perspective. *JAMA* 1993;270(5):612-5.
- Waldo M. Group counseling for military personnel who battered their wives. *J Spec Group Work* 1986;11(3):132-8.

SOCIAL SUPPORT

- Cohen S, Wills T. Stress, social support, and the buffering hypothesis. *Psychol Bull* 1985;98(2):310-57.
- Correnti EE, Jensen PS. Support of the pregnant soldier in the workplace: a comparison of her assessment with that of her supervisor. *Mil Med* 1989;154(11):571-3.
- Devilbiss MC. Gender integration and unit deployment: a study of GI Jo. *Armed Forces & Society* 1985;4 (Summer):523-52.
- Eshkol E, Lieblach A, Bar-Yosef R, Wiseman H. Some correlates of adjustment of Israeli women-soldiers to their military roles. *Israel Social Science Research* 1987;5(1-2):17-28.
- Etzion D. Moderating effect of social support on the stress-burnout relationship. *J Appl Psychol* 1984;69(4):615-22.
- George KM. *Work Stress and Social Support: Toward a Better Understanding of Sex Differences*. Oxford, OH: Miami University; 1990. Dissertation.
- Greenglass ER. Type A behavior and coping strategies in female and male supervisors. *Appl Psychol* 1988;37(3):271-88.
- Hancock CR. *Women Officers at the United States Military Academy: A Study of Acceptance Patterns and Coping Mechanism*. Chapel Hill, NC: University of North Carolina; 1991. Dissertation.
- Hurrell RM, Lukens JH. Attitudes toward women in the military during the Persian Gulf War. *Percept Mot Skills* 1994;78(1):99-104.

- Ivie RL, Gimbel G, Elder GH. Military experience and attitudes in later life: contextual influences across 40 years. *J Political & Military Soc* 1991;19(1):101-17.
- Jennings BM. Stress, locus of control, social support, and psychological symptoms among head nurses. *Res Nurs Health* 1990;13(6):393-401.
- Johnson T. Mental health, social relations, and social selection: a longitudinal analysis. *J Health Soc Behav* 1991;32(4):408-23.
- Karasek R, Gardell B, Lindell J. Work and non-work correlates of illness and behaviour in male and female Swedish white collar workers. *J Occup Behav* 1987;8(3):187-207.
- Rospenda K, Halpert J, Richman J. Effects of social support on medical students' performances. *Acad Med* 1994;69(6):496-500.
- Rudestam JR. *Sex Differences in Personality and Social Support Resources for Resisting the Impact of Work-Related Stress*. Downsview, Ontario: York University; 1986. Dissertation.
- Saimons VJ. *Women in Combat: Are the Risks to Combat Effectiveness Too Great?* Fort Leavenworth, KS: Army Command and General Staff College; 1991.
- Seginer R. Analysis of a double-layered support system. *Adolescence* 1990;25(99):739-52.
- Snapp M. Occupational stress, social support, and depression among black and white professional-managerial women. *Women Health* 1992;18(1):41-79.
- West L, Mercer SO, Altheimer E. Operation Desert Storm: the response of a social work outreach team. *Soc Work Health Care* 1993;19(2):81-98.
- Woods GT III. *Women in the Infantry—The Effect on the Moral Domain*. Fort Leavenworth, KS: Army Command and General Staff College; 1992.

STDs

- Adams E, Strike P, Green A, Masterton R. Sexually transmitted diseases in transient British forces in the tropics. *Genitourin Med* 1994;70(2):94-6.
- Berliner D, No P. Prevalence of penicillinase-producing *Neisseria gonorrhoeae* in Korea. *Aviat Space Environ Med* 1986;57(12 Pt 1):1170-5.
- Boslego J, Tramont E, Chung R, McChesney D, Ciak J, Sadoff J, et al. Efficacy trial of a parenteral gonococcal pilus vaccine in men. *Vaccine* 1991;9(3):154-62.
- Catterson M, Zadoo V. Prevalence of asymptomatic chlamydial cervical infection in active duty Army females. *Mil Med* 1993;158(9):618-9.
- Dembert M, Finney L, Berg S. Epidemiology of reported syphilis among U.S. Navy and Marine Corps personnel, 1985-1987. *Sex Transm Dis* 1990;17(2):95-8.
- Gerrard M, Gibbons FX, Warner TD. Effects of reviewing risk-relevant behavior on perceived vulnerability among women marines. *Health Psychol* 1991;10(3):173-9.
- Lieberman R, Wheelock J. The diagnosis of gonorrhea in a low-prevalence female population: enzyme immunoassay versus culture. *Obstet Gynecol* 1987;69(5):743-6.
- Masterton R, Strike P. Sexually transmitted diseases in a British military force in peacetime Europe, 1970-83. *Genitourin Med* 1988;64(1):54-8.
- Rothenberg R, Potterat J. Temporal and social aspects of gonorrhea transmission: the force of infectivity. *Sex Transm Dis* 1988;15(2):88-92.
- Stone K, Grimes D, Magder L. Personal protection against sexually transmitted diseases. *Am J Obstet Gynecol* 1986;155(1):180-8.

SUBSTANCE ABUSE

- Alexander D, Mangelsdorff AD. Screening alcohol abuse potential among Army reservists with the Short Michigan Alcoholism Screening Test. *Mil Med* 1994;159(9):595-600.
- Allen J, Mazzuchi J. Alcohol and drug abuse among American military personnel: prevalence and policy implications. *Mil Med* 1985;150(5):250-5.
- Ballweg JA. Trends in substance use by U.S. military personnel. *Armed Forces & Society* 1991;4(Summer):601-18.
- Ballweg JA, Bray RM. Smoking and tobacco use by U.S. military personnel. *Mil Med* 1989;154(4):165-8.
- Bray RM, Marsden ME, Guess LL, Herbold JR. Prevalence, trends, and correlates of alcohol use, nonmedical drug use, and tobacco use among U.S. military personnel. *Mil Med* 1989;154(1):1-11.

- Bray RM, Marsden ME, Peterson MR. Standardized comparisons of the use of alcohol, drugs, and cigarettes among military personnel and civilians. *Am J Public Health* 1991;81(7):865-9.
- Bray RM, Marsden ME, Rachal JV, Peterson MR. Drug and alcohol use in the military workplace: findings from the 1988 worldwide survey. *NIDA Res Monogr* 1990;100:25-43.
- Brunader R, Brunader J, Kugler J. Prevalence of cocaine and marijuana use among pregnant women in a military health care setting. *J Am Board Fam Pract* 1991;4(6):395-8.
- Centers for Disease Control. Prevalence of drug use among applicants for military service—United States, June-December 1988. *Morb Mortal Wkly Rep* 1989;38(33):580-3.
- Chisick MC, Lee S, Raker T, Williams TR. A profile of tobacco use among teenage dependents. *Mil Med* 1992;157(7):354-7.
- Clark M. Alcoholism first. *Women Ther* 1986;5(1):71-6.
- Clark MA, Campagnari KD, Jones LM. The major causative role of ethanol and the minor role of other drugs in the deaths of military personnel in San Diego County, California. *Mil Med* 1985;150(9):487-91.
- Clawson LD, James JJ. Substance abuse and sexual activity in an overseas population of adolescent military dependents. *Mil Med* 1994;159(3):192-5.
- du Bois BC, Goodman JD, Cappello C, Malbrough J. *Evaluation of a Smoking Cessation Program in the U.S. Navy: Implications for Long Term Success and Failure*. San Diego, CA: US Naval Health Research Center; 1989. Report No. 89-19. 26p.
- Edwards RJ, Sanders MG, Price DR. *Comparison of Army Flight School Performance in Smokers and Nonsmokers*. Fort Rucker, AL: Aeromedical Research Lab; 1988. USAARL-88-6.
- Feigelman W. Cigarette smoking among former military service personnel: a neglected social issue. *Prev Med* 1994;23(2):235-41.
- Fertig JB, Allen JP, Cross GM. CAGE as a predictor of hazardous alcohol consumption in U.S. Army personnel. *Alcohol Clin Exp Res* 1993;17(6):1184-7.
- Fischer K. Hypothesis: Tobacco use is a risk factor in rheumatoid arthritis. *Med Hypotheses* 1991;34(2):116-7.
- Fitzpatrick DT, Shannon S. Health-risk behaviors of Army aircrew. *J Occup Med* 1992;34(8):810-4.
- Jensen RG. The effect of cigarette smoking on Army Physical Readiness Test performance of enlisted Army medical department personnel. *Mil Med* 1986;151(2):83-5.
- Jones RM, Ross CN, Hartmann BR. An investigation of cognitive style and alcohol/work-related problems among Naval personnel. *J Drug Educ* 1992;22(3):241-51.
- Kershaw CR. Passive smoking, potential atopy and asthma in the first five years. *J R Soc Med* 1987;80(11):683-8.
- Kruzich DJ, MacDonough T, Hawkins M, Silsby HD. Alcoholism treatment outcomes among career soldiers. *Int J Addict* 1986;21(1):139-45.
- Kruzich DJ, Silsby HD, Gold JD, Hawkins MR. An evaluation and education program for driving while intoxicated offenders. *J Subst Abuse Treat* 1986;3(4):263-70.
- Lancaster F. Gender differences in the brain: implications for the study of human alcoholism. *Alcohol Clin Exp Res* 1994;18(3):740-6.
- Lanphier CM, McCauley GF. Prevalence and consequences of nonmedical use of drugs among Canadian Forces personnel: 1982. *Am J Drug Alcohol Abuse* 1985;11(3-4):231-47.
- Lodge L. Tri-service Health Questionnaire—1989. *J R Army Med Corps* 1991;137(2):80-3.
- Marsden ME, Bray RM, Herbold JR. Substance use and health among U.S. military personnel: findings from the 1985 Worldwide Survey. *Prev Med* 1988;17(3):366-76.
- Mather DB. The role of antisocial personality in alcohol rehabilitation treatment effectiveness. *Mil Med* 1987;152(10):516-8.
- Melikian A, Prahalad A, Secker-Walker R. Comparison of the levels of the urinary benzene metabolite trans,trans-muconic acid in smokers and nonsmokers, and the effects of pregnancy. *Cancer Epidemiol Biomarkers Prev* 1994;3(3):239-44.
- Mendelson JH, Cristofaro P, Mello NK, Skupny AS, Ellingboe J, Benedikt R. Endogenous opioid modulation of luteinizing hormone, prolactin, and estradiol in women: interactions with ethanol. *NIDA Res Monogr* 1986;67:112-8.
- Newsome RD, Ditzler T. Assessing alcoholic denial. Further examination of the Denial Rating Scale. *J Nerv Ment Dis* 1993;181(11):689-94.
- Niaura RS, Nathan PE, Frankenstein W, Shapiro AP, Brick J. Gender differences in acute psychomotor, cognitive, and pharmacokinetic response to alcohol. *Addict Behav* 1987;12(4):345-56.
- Norton R, Batey R, Dwyer T, MacMahon S. Alcohol consumption and the risk of alcohol related cirrhosis in women. *Br Med J (Clin Res Ed)* 1987;295(6590):80-2.
- Polzin WJ, Kopelman JN, Brady K, Read JA. Screening for illicit drug use in a military obstetric population. *Obstet Gynecol* 1991;78(4):600-1.
- Powell DJ, Thompson A. Military alcoholism and drug abuse counselor's training needs. *J Alcohol Drug Educ* 1985;30(2):40-3.

- Rabinovitz M, Van Thiel DH, Dindzans V, Gavalier JS. Endoscopic findings in alcoholic liver disease: does gender make a difference? *Alcohol* 1989;6(6):465-8.
- Romberg RW, Needleman SB, Porvaznik M, Past M, Beasley W. Effect of pre-enlistment testing on the confirmed drug-positive rate for Navy recruits. *Mil Med* 1993;158(1):14-9.
- Sinha R, Parsons O, Glenn S. Drinking variables, affective measures and neuropsychological performance: familial alcoholism and gender correlates. *Alcohol* 1989;6(1):77-85.
- Stout RW, Parkinson MD, Wolfe WH. Alcohol-related mortality in the U.S. Air Force, 1990. *Am J Prev Med* 1993;9(4):220-3.
- Tunstall C, Ginsberg D, Hall S. Quitting smoking. *Int J Addict* 1985;20(6-7):1089-112.
- Walker R, Howard M, Suchinsky R, Kaple J, Anderson B. Drug dependence treatment within the Department of Veterans Affairs: emerging issues. *Int J Addict* 1994;29(1):53-69.
- Whorley LW. Job satisfaction among substance abuse prevention personnel. *J Addict Dis* 1992;11(3):81-90.
- Wise MG, Pierson W, Johnson JM, Newsom GR. Predictors of successful alcohol rehabilitation in an Air Force population. *J Occup Med* 1987;29(1):63-5.
- York J, Welte J. Gender comparisons of alcohol consumption in alcoholic and nonalcoholic populations. *J Stud Alcohol* 1994;55(6):743-50.
- Young E. Relationship of residents' emotional problems, coping behaviors, and gender. *J Med Educ* 1987;62(8):642-50.
- Zavela KJ, Barnett JE, Smedi KJ, Istvan JA, et al. Concurrent use of cigarettes, alcohol, coffee. *J Appl Soc Psychol* 1990;20(10 Pt 1):835-45.

TOXINS

- Albanese RA. *United States Air Force Personnel and Exposure to Herbicide Orange*. Brooks Air Force Base, TX: U.S. Air Force, School of Aerospace Medicine; 1988. USAFSAM-TR-88-3. 38p.
- Anger W. Variables affecting performance on human behavioral neurotoxicology test batteries: education, culture, gender, age, presentation mode. *J Toxicol Environ Health* 1993;40(2-3):387.
- Apostoli P, Maranelli G, Micciolo R. Is hypertension a confounding factor in the assessment of blood lead reference values? *Sci Total Environ* 1992;120(1-2):127-34.
- Aschengrau A, Monson R. Paternal military service in Vietnam and risk of spontaneous abortion. *J Occup Med* 1989;31(7):618-23.
- Auperin A, Benhamou S, Ory-Paoletti C, Flamant R. Occupational risk factors for renal cell carcinoma: a case-control study. *Occup Environ Med* 1994;51(6):426-8.
- Blount B. Two types of metal fume fever: mild vs. serious. *Mil Med* 1990;155(8):372-7.
- Brown D. Mortality of workers exposed to polychlorinated biphenyls—an update. *Arch Environ Health* 1987;42(6):333-9.
- Brown K. Alcohol hepatotoxicity: a genotypic predisposition? *Am J Gastroenterol* 1992;87(5):677-8.
- Bullman T, Kang H. The effects of mustard gas, ionizing radiation, herbicides, trauma, and oil smoke on US military personnel: the results of veteran studies. *Annu Rev Public Health* 1994;15:69-90.
- Chapman R, Calafiore D, Hasselblad V. Prevalence of persistent cough and phlegm in young adults in relation to long-term ambient sulfur oxide exposure. *Am Rev Respir Dis* 1985;132(2):261-7.
- Charpentier P, Ostfeld A, Hadjimichael O, Hester R. The mortality of US nuclear submariners, 1969-1982. *J Occup Med* 1993;35(5):501-9. [Published erratum appears in *J Occup Med* 1993;35(9):949].
- Coggon D, Wield G. Mortality of army cooks. *Scand J Work Environ Health* 1993;19(2):85-8.
- Coombe M, Drysdale S. Assessment of the effects of atmospheric oil pollution in post war Kuwait. *J R Army Med Corps* 1993;139(3):95-7.
- Drechsler-Parks DM. *Effect of Nitrogen Dioxide, Ozone, and Peroxyacetyl Nitrate on Metabolic and Pulmonary Function Research*. Cambridge, MA: Health Effects Institute; 1987. HEI/RR-87/06. 43p.
- Goldstein GM, Raggio L, House D. *Factors Influencing Carboxyhemoglobin Stability*. Research Triangle Park, NC: Health Effects Research Lab; 1985. TR-1811. 39p.
- Greenberg G, Dement J. Exposure assessment and gender differences. *J Occup Med* 1994;36(8):907-12.
- Groshong TD. Scorpion envenomation in eastern Saudi Arabia. *Ann Emerg Med* 1993;22(9):1431-7.
- Hayes J, Lamboum L, Hopkirk JA, Durham S, Taylor A. Occupational asthma due to styrene. *Thorax* 1991;46(5):396-7.
- Jiun YS, Hsien LT. Lipid peroxidation in workers exposed to lead. *Arch Environ Health* 1994;49(4):256-9.
- Kabat G. Recent developments in the epidemiology of lung cancer. *Semin Surg Oncol* 1993;9(2):73-9.
- Kido T, Nogawa K, Yamada Y, Honda R, Tsuritani I, Ishizaki M, et al. Osteopenia in inhabitants with renal dysfunction induced by exposure to environmental cadmium. *Int Arch Occup Environ Health* 1989;61(4):271-6.

- Kimmel EC, Leahy HF, Kinhead ER, Wall HG. *Acute Inhalation Toxicity of Triethylborane Spontaneous Oxidation Products: Immediate and Delayed Exposure*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1990. AAMRL-TR-90-061. 37p.
- Kinhead ER, Bunker SR, Wolfe RE, Wall HG. *Acute, Delayed Neurotoxicity Evaluation of Two Jet Engine Oil Formulations*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1990. AAMRL-TR-90-018; NMRI-90-16. 25p.
- Kinhead ER, Wolfe RE, Salins SA, Godin CS, Flemming CD. *Acute Delayed Neurotoxicity Evaluation of Two Jet Engine Oils using a Modified Navy and EPA Protocol*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1992. 38p.
- Kollmeier H, Seemann JW, Rothe G, Muller K, Wittig P. Age, sex, and region adjusted concentrations of chromium and nickel in lung tissue. *Br J Ind Med* 1990;47(10):682-7.
- Kovaleva N, Chissov V, Merabishvili V. Analysis of correlations of the incidence of stomach cancer and anthropogenic factors of environmental pollution. *Sov Med* 1989;(10):58-62. [In Russian]
- Lange A, Garmcarek D, Tomeczko J, Ciechanowski G, Bisikiewicz R. Outcome of asbestos exposure (lung fibrosis and antinuclear antibodies) with respect to skin reactivity: an 8-year longitudinal study. *Environ Res* 1986;41(1):1-13.
- Lee B, Lee S, Lee K, Cho K, Ahn K, Kim S, et al. Dose-dependent increase in subjective symptom prevalence among toluene-exposed workers. *Ind Health* 1988;26(1):11-23.
- Legters L, Nightingale TE, Normandy MJ, Morton JD. *Biological Effects of Short, High-Level Exposure to Gases: Ammonia, Carbon Monoxide, Sulfur Dioxide, and Nitrogen Oxides*. Rockville, MD: Enviro Control, Inc.; 1980. 31p.
- Luloff A, Miller M, Farmer F. Industrialization, ambient air pollution, and death from respiratory disease and respiratory cancer in the northeastern United States. *Cah Sociol Demogr Med* 1992;32(2-3):207-23.
- Marsden RA. *The Effect of Breathing 100 Percent Oxygen on Short Term Memory of Military Officers*. Monterey, CA: Naval Postgraduate School; 1975. Thesis. 52p.
- Masi MA, Hanley JA, Ernst P, Becklake MR. Environmental exposure to tobacco smoke and lung function in young adults. *Am Rev Respir Dis* 1988;138(2):296-9.
- Mayorga M. Overview of nitrogen dioxide effects on the lung with emphasis on military relevance. *Toxicology* 1994;89(3):175-92.
- Office of Technology Assessment. *Department of Defense Kuwait Oil Fire Health Risk Assessment. (The "Persian Gulf Veterans' Registry")*. Background paper. Washington, DC: Office of Technology Assessment; 1994. OTA-BP-H-138. 18p.
- Peterson K, Portouw S. The hazards of operational diving in heavily oil-polluted water. *J R Nav Med Serv* 1991;77(3):159-64.
- Pope CA 3d, Kanner RE. Acute effects of PM10 pollution on pulmonary function of smokers with mild to moderate chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1993;147(6 Pt 1):1336-40.
- Reif J, Tsongas T, Anger W, Mitchell J, Metzger L, Keefe T, et al. Two-stage evaluation of exposure to mercury and biomarkers of neurotoxicity at a hazardous waste site. *J Toxicol Environ Health* 1993;40(2-3):413-22.
- Sato A. Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health* 1993;65(1 Suppl):S61-7.
- Selevan SG, Lemasters GK. The dose-response fallacy in human reproductive studies of toxic exposures. *J Occup Med* 1987;29(5):451-4.
- Silvaggio T, Mattison DR. Setting occupational health standards: toxicokinetic differences among and between men and women. *J Occup Med* 1994;36(8):849-54.
- Sinczuk-Walczak H. Status of the nervous system of workers engaged in the production of organophosphate pesticides. *Med Pr* 1990;41(4):238-45. [In Polish]
- Steenland K, Stayner L, Greife A, Halperin W, Hayes R, Hornung R, et al. Mortality among workers exposed to ethylene oxide. *N Engl J Med* 1991;324(20):1402-7.
- Tashev T, Bakurdzhiev T. Characteristics of acute respiratory poisoning by toxic gases. *Vutr Boles* 1989;28(4):136-9. [In Bulgarian]
- Thomas WF, Grubbs WD, Karrison TG, Lustik MB, Roegner RH. *Epidemiologic Investigation of Health Effects in Air Force Personnel Following Exposures to Herbicides*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1990. 101p.
- Tsuritani I, Honda R, Ishizaki M, Yamada Y, Kido T, Nogawa K. Impairment of vitamin D metabolism due to environmental cadmium exposure, and possible relevance to sex-related differences in vulnerability to the bone damage. *J Toxicol Environ Health* 1992;37(4):519-33.
- Viegi G, Prediletto R, Paoletti P, Carrozzi L, Di Pede F, Vellutini M, et al. Respiratory effects of occupational exposure in a general population sample in north Italy. *Am Rev Respir Dis* 1991;143(3):510-5.
- Viktorova T, Khustnutdinova E, Lobanov V, Rafikov K. An analysis of the chromosome aberrations in the peripheral blood lymphocytes of workers in the manufacture of pyromellitic dianhydride. *Med Tr Prom Ekol* 1994;(9):24-6. [In Russian]

- Voge V, Tolan G. Physiological problems caused by transportation of hazardous cargo in military aircraft. *Aviat Space Environ Med* 1993;64(7):662-5.
- White M, McNally M. Morbidity and mortality in U.S. Navy personnel from exposures to hazardous materials, 1974-85. *Mil Med* 1991;156(2):70-3.
- Whittemore AS, DiCiccio Y, Provenzano G. Urinary cadmium and blood pressure: results from the NHANES II survey. *Environ Health Perspect* 1991;91.
- Willis WO, de Peyster A, Molgaard CA, Walker C, MacKendrick T. Pregnancy outcome among women exposed to pesticides through work or residence in an agricultural area. *J Occup Med* 1993;35(9):943-9.
- Winchester J. Regional anomalies in chronic obstructive pulmonary disease; comparison with acid air pollution particulate characteristics. *Arch Environ Contam Toxicol* 1989 Jan;18(1-2):291-306.
- Yaqoob M, Bell G. Occupational factors and renal disease. *Ren Fail* 1994;16(4):425-34.
- Zahm SH, Weisenburger DD, Saal RC, Vaught JB, Babbitt PA, Blair A. The role of agricultural pesticide use in the development of non-Hodgkin's lymphoma in women. *Arch Environ Health* 1993;48(5):353-8.
- Zaridze D, Zemlianaia G. Atmospheric air pollution and the incidence of lung cancer among urban population. *Gig Sanit* 1990;(12):4-7. [In Russian]

TRAUMATIC STRESS, COMBAT

- Adamson B. Perspectives of a pastoral counselor. *Women Ther* 1986;5(1):101-6.
- Baker RR, Menard SW, Johns LA. The military nurse experiment in Vietnam: stress and impact. *J Clin Psychol* 1989;45(5):736-44.
- Bronstein P. Re-evaluation counseling: a self-help model for recovery from emotional distress. *Women Ther* 1986;5(1):41-54.
- Carmeli A, Liberman N, Mevorach L. Anxiety-related somatic reactions during missile attacks. *Isr J Med Sci* 1991;27(11-12):677-80.
- Cook AA. Illness and injury among U.S. prisoners of war from Operation Desert Storm. *Mil Med* 1994;159(6):437-42.
- Dahl J, O'Neal J. Stress and coping behavior of nurses in Desert Storm. *J Psychosoc Nurs Ment Health Serv* 1993;31(10):17-21.
- Davidson P, Jackson C. The nurse as a survivor: delayed post-traumatic stress reaction and cumulative trauma in nursing. *Int J Nurs Stud* 1985;22(1):1-13.
- Dienstfrey SJ. Women veterans' exposure to combat. *Armed Forces & Society* 1988;4(Summer):549-88.
- Engel C Jr, Engel A, Campbell SJ, McFall M, Russo J, Katon W. Posttraumatic stress disorder symptoms and precombat sexual and physical abuse in Desert Storm veterans. *J Nerv Ment Dis* 1993;181(11):683-8.
- Fox JE. Stress for female Vietnam nurses: views from one evacuation hospital. *Free Inq Creative Soc* 1986;1(May):39-42.
- Friedman M, Schnurr P, McDonagh-Coyle A. Post-traumatic stress disorder in the military veteran. *Psychiatr Clin North Am* 1994;17(2):265-77.
- Furey J. Women Vietnam veterans. A comparison of studies. *J Psychosoc Nurs Ment Health Serv* 1991;29(3):11-3.
- Gerlock A. Vietnam: returning to the scene of the trauma. *J Psychosoc Nurs Ment Health Serv* 1991;29(2):4-8.
- Harris MJ, Fisher BS. Group therapy in the treatment of female partners of Vietnam veterans. *J Spec Group Work* 1985;10(1):44-50.
- Hendrix C, Anelli L, Gibbs J, Fournier D. Validation of the Purdue Post-Traumatic Stress Scale on a sample of Vietnam veterans. *J Trauma Stress* 1994;7(2):311-8.
- John K. The diagnostic approach: the usefulness of the DSM-III and systematic interviews in treatment planning. *Women Ther* 1986;5(1):91-9.
- Johnson LB, Cline DW, Marcum JM, Intress JL. Effectiveness of a stress recovery unit during the Persian Gulf War. *Hosp Community Psychiatry* 1992;43(8):829-31.
- Kaplan Z. Military mental health in the Gulf War: the experience at the Central Clinic of the IDF. *Isr J Psychiatry Relat Sci* 1992;29(1):7-13.
- Kaplan Z, Singer Y, Lichtenberg P, Solomon Z, Bleich A. Post-traumatic stress disorder in Israel during the Gulf War. *Isr J Psychiatry Relat Sci* 1992;29(1):14-21.
- King DW, King LA, Gudanowski DM, Vreven DL. Alternative representations of war zone stressors: relationships to posttraumatic stress disorder in male and female Vietnam veterans. *J Abnorm Psychol* 1995;104(1):184-96.
- Klein BC. A piece of the world: some thoughts about Ruth. *Women Ther* 1986;5(1):33-40.
- Klingman A, Kupermintz H. Response style and self-control under SCUD missile attacks: the case of the sealed room situation during the 1991 Gulf War. *J Trauma Stress* 1994;7(3):415-26.

- Livingston JA, Rankin JM. Propping up the patriarchy: the silenced soldiering of military nurses. *Women Ther* 1986;5(1):107-19.
- Maloney LJ. Post traumatic stresses on women partners of Vietnam veterans. *Smith Coll Stud Soc Work* 1988;2(Mar):122-43.
- Marcum J, Cline D. Combat stress reactions in Iraqi enemy prisoners of war. *Bull Menninger Clin* 1993;57(4):479-91.
- Marmar C, Weiss D, Schlenger W, Fairbank J, Jordan B, Kulka R, et al. Peritraumatic dissociation and posttraumatic stress in male Vietnam theater veterans. *Am J Psychiatry* 1994;151(6):902-7.
- McCarroll JE, Ursano RJ, Fullerton CS, Lundy AC. Traumatic stress of a wartime mortuary: anticipation of exposure to mass death. *J Nerv Ment Dis* 1993;181(9):545-51.
- McCarroll JE, Ursano RJ, Ventis WL, Fullerton CS, Oates GL. Anticipation of handling the dead: effects of gender and experience. *Br J Clin Psychol* 1993;32:466-8.
- McDuff DR, Johnson JL. Classification and characteristics of Army stress casualties during Operation Desert Storm. *Hosp Community Psychiatry* 1992;43(8):812-5.
- McNew JA. *Post-traumatic Stress Symptomatology: Similarities and Differences between Vietnam Veterans and Adult Survivors of Childhood Sexual Abuse*. Cleveland, OH: Case Western Reserve University; 1993. Dissertation.
- Mikulincer M, Florian V, Weller A. Attachment styles, coping strategies, and posttraumatic psychological distress: the impact of the Gulf War in Israel. *J Pers Soc Psychol* 1993;64(5):817-26.
- Muller U, Yahav A, Katz G. Moving places: a glance at the Gulf War from the sealed room. *Br J Med Psychol* 1993;66(Pt 4):331-9.
- Norman E. Post-traumatic stress disorder in military nurses who served in Vietnam during the war years 1965-1973. *Mil Med* 1988;153(5):238-42.
- O'Brien LS, Payne RG. Prevention and management of panic in personnel facing a chemical threat—lessons from the Gulf War. *J R Army Med Corps* 1993;139(2):41-5.
- Pallmeyer T, Blanchard E, Kolb L. The psychophysiology of combat-induced post-traumatic stress disorder in Vietnam veterans. *Behav Res Ther* 1986;24(6):645-52.
- Paul E. Wounded healers: a summary of the Vietnam Nurse Veteran Project. *Mil Med* 1985;150(11):571-6.
- Peebles-Kleiger M, Kleiger J. Re-integration stress for Desert Storm families: wartime deployments and family trauma. *J Trauma Stress* 1994;7(2):173-94.
- Perconte ST, Wilson AT, Pontius EB, Dietrick AL, Spiro KJ. Psychological and war stress symptoms among deployed and non-deployed reservists following the Persian Gulf War. *Mil Med* 1993;158(8):516-21.
- Powell G, Doan R. Combat and social support as variables in perceived symptomatology of combat-related posttraumatic stress disorder. *Psychol Rep* 1992;70(3 Pt 2):1187-94.
- Quinault W. A study of the incidence of stress and anxiety related health problems among the dependents of RAF personnel during the Gulf War. *Nurs Pract* 1992;5(2):12-23.
- Resick PA. Post-traumatic stress disorder in a Vietnam nurse: behavioral analysis of a case study. *Women Ther* 1986;5(1):55-65.
- Rogers B, Nickolaus J. Vietnam nurses. *J Psychosoc Nurs Ment Health Serv* 1987;25(4):11-5.
- Ross MC, Wonders J. An exploration of the characteristics of post-traumatic stress disorder in reserve forces deployed during Desert Storm. *Arch Psychiatr Nurs* 1993;7(5):265-9.
- Rotenberg Z, Noy S, Gabbay U. Israeli ED experience during the Gulf War. *Am J Emerg Med* 1994;12(1):118-9.
- Rothberg J, Koshes R, Shanahan J, Christman K. Desert Shield deployment and social problems on a U.S. Army combat support post. *Mil Med* 1994;159(3):246-8.
- Ryberg AB. The interplay of individual psychodynamics and the female experience: a case study. *Women Ther* 1986;5(1):77-89.
- Sandrick K. Expanded delivery system needed for post-traumatic stress. *Hospitals* 1990;64(11):44-5.
- Sarrel LJ. Perspective of a sex therapist. *Women Ther* 1986;5(1):67-9.
- Schlenger WE, Kulka RA, Fairbank JA, Hough RL, Jordan BK, Marmar CR, et al. The prevalence of posttraumatic-stress disorder in the Vietnam generation—a multimethod, multisource assessment of psychiatric disorder. *J Trauma Stress* 1992;5(3):333-63.
- Smith-Schubert SC. *The Relationship of Sex Role Orientation to Anxiety, Depression and Marital Adjustment among Women Who Are Wives or Partners of Vietnam Veterans Identified as Suffering Delayed Stress*. Denver, CO: University of Colorado; 1985. Dissertation.
- Solomon Z, Margalit C, Waysman M, Bleich A. In the shadow of the Gulf War: psychological distress, social support and coping among Israeli soldiers in a high risk area. *Isr J Med Sci* 1991;27(11-12):687-95.
- Southwick SM, Morgan A, Nagy LM, Bremner D, Nicolaou AL, Johnson DR, et al. Trauma-related symptoms in veterans of Operation Desert Storm: a preliminary report. *Am J Psychiatry* 1993;150(10):1524-8.

- Stretch R, Vail J, Maloney J. Posttraumatic stress disorder among Army Nurse Corps Vietnam veterans. *J Consult Clin Psychol* 1985;53(5):704-8.
- Sutker PB, Uddo M, Brailey K, Vasterling JJ, Errera P. Psychopathology in war-zone deployed and nondeployed Operation Desert Storm troops assigned graves registration duties. *J Abnorm Psychol* 1994;103(2):383-90.
- Talbert F, Braswell L, Albrecht J, Hyer L, Boudewyns P. NEO-PI profiles in PTSD as a function of trauma level. *J Clin Psychol* 1993;49(5):663-9.
- Torki M. Associations between personality and stress reactions during and after invasion of Kuwait. *Psychol Rep* 1994;74(2):667-73.
- Verbosky SJ, Ryan DA. Female partners of Vietnam veterans: stress by proximity. *Iss Ment Health Nurs* 1988;95-104.
- Weizman R, Laor N, Barber Y, Selman A, Schujovizky A, Wolmer L, et al. Impact of the Gulf War on the anxiety, cortisol, and growth hormone levels of Israeli civilians. *Am J Psychiatry* 1994;151(1):71-5.
- Weizman R, Laor N, Karp L, Dagan E, Reiss A, Dar D, et al. Alteration of platelet benzodiazepine receptors by stress of war. *Am J Psychiatry* 1994;151(5):766-7.
- Williams CL. In the combat zone: vivid personal reflections of the Vietnam war from the women who served there. *Contemp Sociol* 1989;6(Nov):913-5.
- Wolfe J, Brown PJ, Furey J, Levin KB. Development of a wartime stressor scale for women. *Psychological Assessment* 1993;5(3):330-5.
- Wolfe J, Brown PJ, Kelley JM. Reassessing war stress: exposure and the Persian Gulf War. *J Soc Issues* 1993;49(4):15-31.
- Wolfe J, Brown PJ, Bucsela ML. Symptom responses of female Vietnam veterans to Operation Desert Storm. *Am J Psychiatry* 1992;149(5):676-9. [Published erratum appears in *Am J Psychiatry* 1992;149(8):1129].

TRAUMATIC STRESS, OTHER

- Abenhaim L, Dab W, Salmi L. Study of civilian victims of terrorist attacks (France 1982-1987). *J Clin Epidemiol* 1992;45(2):103-9.
- Anderson KM, Manuel G. Gender differences in reported stress response to the Loma Prieta earthquake. *Sex Roles* 1994;30(9-10):725-33.
- Becker D, Lamb S. Sex bias in the diagnosis of borderline personality disorder and posttraumatic stress disorder. *Prof Psychol Res Pr* 1994;25(1):55-61.
- Breslau N, Davis G. Posttraumatic stress disorder in an urban population of young adults: risk factors for chronicity. *Am J Psychiatry* 1992;149(5):671-5.
- Breslau N, Davis G, Andreski P, Peterson E. Traumatic events and posttraumatic stress disorder in an urban population of young adults. *Arch Gen Psychiatry* 1991;48(3):216-22.
- Brom D, Witztum E. Recent trauma in psychiatric outpatients. *Am J Orthopsychiatry* 1992;62(4):545-51.
- Burstein A. Treatment noncompliance in patients with post-traumatic stress disorder. *Psychosomatics* 1986;27(1):37-40.
- Cameron C. Veterans of a secret war: survivors of childhood sexual trauma compared to Vietnam war veterans with PTSD. *J Interpersonal Violence* 1994;9(1):117-32.
- Coughlan K, Parkin C. Women partners of Vietnam vets. *J Psychosoc Nurs Ment Health Serv* 1987;25(10):25-7.
- Davidson J, Glover V, Clow A, Kudler HEA. Tribulin in post-traumatic stress disorder. *Psychol Med* 1988;18(4):833-6.
- Durham T, McCammon S, Allison EJ. The psychological impact of disaster on rescue personnel. *Ann Emerg Med* 1985;14(7):664-8.
- Easton J, Turner S. Detention of British citizens as hostages in the Gulf—health, psychological, and family consequences. *Br Med J* 1991;303(6812):1231-4.
- Forbes D, Creamer M, Rycroft P. Eye movement desensitization and reprocessing in posttraumatic stress disorder: a pilot study using assessment measures. *J Behav Ther Exp Psychiatry* 1994;25(2):113-20.
- Hellhammer D, Wade S. Endocrine correlates of stress vulnerability. *Psychother Psychosom* 1993;60(1):8-17.
- Hobfoll SE, Spielberger CD, Breznitz S, Figley C, Folkman S, Lepper-Green B, et al. War-related stress: addressing the stress of war and other traumatic events. *Am Psychol* 1991;46(8):848-55.
- Kinzie J, Boehnlein J. Psychotherapy of the victims of massive violence: countertransference and ethical issues. *Am J Psychother* 1993;47(1):90-102.
- Kogan I. Curative factors in the psychoanalyses of Holocaust survivors' offspring before and during the Gulf War. *Int J Psychoanal* 1993;74(Pt 4):803-14.
- Koopman C, Classen C, Spiegel D. Predictors of posttraumatic stress symptoms among survivors of the Oakland/Berkeley, California, firestorm. *Am J Psychiatry* 1994;151(6):888-94.

- Koretzky M, Peck A. Validation and cross-validation of the PTSD subscale of the MMPI with civilian trauma victims. *J Clin Psychol* 1990;46(3):296-300.
- Lee I. Second International Conference on Wartime Medical Services. *Med War* 1991;7:120-28.
- Lester D, Hudson RB, Costic J. Arousing patriotic feelings in men and women. *Percept Mot Skills* 1992;75(3 Pt 1):914.
- Loughrey G, Bell P, Kee M, Roddy R, Curran P. Post-traumatic stress disorder and civil violence in Northern Ireland. *Br J Psychiatry* 1988;153:554-60.
- Lundin T, Otto U. Stress reactions among Swedish health care personnel in Unifil, South Lebanon 1982-1984. *Stress Med* 1989;5(4):237-46.
- Lundin T, Otto U. Swedish UN soldiers in Cyprus, UNFICYP: their psychological and social situation. *Psychother Psychosom* 1992;57(4):187-93.
- McCaffrey R, Hickling E, Marrazo M. Civilian-related post-traumatic stress disorder: assessment-related issues. *J Clin Psychol* 1989;45(1):72-6.
- McCarroll J, Ursano R, Wright K, Fullerton C. Handling bodies after violent death: strategies for coping. *Am J Orthopsychiatry* 1993;63(2):209-14.
- Miller G. Does war stress contribute to hypertension? *Aust Fam Physician* 1993;22(5):707-10.
- Milroy R. 1990 Mary J. Nielubowicz Award winner. Observations on stress reactions as seen in Naval Reserve Fleet Hospital training evolutions. *Mil Med* 1991;156(4):166-8.
- Moran C, Britton N. Emergency work experience and reactions to traumatic incidents. *J Trauma Stress* 1994;7(4):575-85.
- Neal LA, Busuttill W, Herapath R, Strike PW. Development and validation of the computerized clinician administered Post-Traumatic Stress Disorder Scale-1-Revised. *Psychol Med* 1994;24(3):701-6.
- North C, Smith E, Spitznagel E. Posttraumatic stress disorder in survivors of a mass shooting. *Am J Psychiatry* 1994;151(1):82-8.
- Ormer RJ. Post-traumatic stress disorders and European war veterans. *Br J Clin Psychol* 1992;31(Pt 4):387-403.
- Orr S, Pitman R. Psychophysiologic assessment of attempts to simulate posttraumatic stress disorder. *Biol Psychiatry* 1993;33(2):127-9.
- Pibernik-Okanovic M, Roglic G, Prasek M, Metelko Z. War-induced prolonged stress and metabolic control in type 2 diabetic patients. *Psychol Med* 1993;23(3):645-51.
- Punamaki R. Stress among Palestinian women under military occupation: women's appraisal of stressors, their coping modes, and their mental health. *Int J Psychol* 1986;21(4-5):445-62.
- Punamaki R. Psychological stress responses of Palestinian mothers and their children in conditions of military occupation and political violence. *Q News Lab Comp Hum Cogn* 1987;2(Apr):76-84.
- Rabin C, Nardi C. Treating post traumatic stress disorder couples: a psychoeducational program. *Community Ment Health J* 1991;27(3):209-24.
- Resnick HS, Kilpatrick DG, Dansky BS, Saunders BE, Best CL. Prevalence of civilian trauma and posttraumatic stress disorder in a representative national sample of women. *J Consult Clin Psychol* 1993;61(6):984-91.
- Roglic G, Pibernik-Okanovic M, Prasek M, Metelko Z. Effect of war-induced prolonged stress on cortisol of persons with type II diabetes mellitus. *Behav Med* 1993;19(2):53-9.
- Samter J, Fitzgerald M, Braudaway C, Leeks D, Padgett M, Swartz A, et al. Debriefing: from military origin to therapeutic application. *J Psychosoc Nurs Ment Health Serv* 1993;31(2):23-7.
- Shalev A, Orr S, Pitman R. Psychophysiologic assessment of traumatic imagery in Israeli civilian patients with posttraumatic stress disorder. *Am J Psychiatry* 1993;150(4):620-4.
- Shore J, Vollmer W, Tatum E. Community patterns of posttraumatic stress disorders. *J Nerv Ment Dis* 1989;177(11):681-5.
- Smith C Jr, de Chesnay M. Critical incident stress debriefings for crisis management in post-traumatic stress disorders. *Med Law* 1994;13(1-2):185-91.
- Solomon Z, Levi G, Waysman M, Fried B, Mikulincer M, Florian V, et al. Secondary traumatization among wives of soldiers with combat stress reaction. *Harefuah* 1993;124(12):750-6. [In Hebrew]
- Solomon Z, Waysman M, Levy G, Fried B, Mikulincer M, Benbenishty R, et al. From front line to home front: a study of secondary traumatization. *Fam Process* 1992;31(3):289-302.
- Spiro SE, Shalev A, Solomon Z, Kotler M. Self-reported change versus changed self-report: contradictory findings of an evaluation of a treatment program for war veterans suffering from post traumatic stress disorder. *Eval Rev* 1989;13(5):533-49.
- Thompson J. Psychological impact of body recovery duties. *J R Soc Med* 1993;86(11):628-9.
- van Doornen L. Sex differences in physiological reactions to real life stress and their relationship to psychological variables. *Psychophysiology* 1986;23(6):657-62.
- Vorob'ev A. The posttraumatic stress syndrome in war veterans with a history of combat mental trauma. *Voen Med Zh* 1991;(8):71-4. [In Russian]

Part B

Reports from the Technical Reports Database—Defense Technical Information Center

ANTHROPOMETRY

- Anthropology Research Project. *Anthropometric survey of U.S. Army personnel*. Yellow Springs, OH: Anthropology Research Project; 1990.
- Bradtmiller B, Ratnaparkhi J, Tebbetts I. *Demographic and anthropometric assessment of U.S. Army anthropometric data base*. Yellow Springs, OH: Anthropology Research Project; 1985. A164637. 83p.
- Case H, Erving C, Robinette KM. *Anthropometry of a fit test sample used in evaluating the current and improved MCU-2/P masks*. Yellow Springs, OH: Anthropology Research Project; 1989. A215173. 38p.
- Cheng H, Obergefell L, Rizer A. *Generator of body data (GEBOD) manual*. Dayton, OH: Systems Research Labs, Inc; 1994. A289721. 71p.
- Cheverud J, Gordon CC, Walker RA, Jacquish C, Kohn L. *Anthropometric survey of U.S. Army personnel: bivariate frequency tables (1988)*. Evanston, IL: Northwestern University; 1990. A222782. 286p.
- Clauser C, Tebbetts I, Bradtmiller B, McConville J, Gordon C. *Measurer's handbook: U.S. Army anthropometric survey, 1987-1988*. Yellow Springs, OH: Anthropology Research Project; 1988. A202721. 330p.
- Clauser CE, McConville JT, Gordon CC, Tebbetts IO. *Selection of dimensions for an anthropometric data base. Volume 2. Dimension evaluation sheets*. Yellow Springs, OH: Anthropology Research Project; 1986. A179472. 420p.
- Debellis WB, Christ KA. *Anthropometric considerations for a four-axis side-arm flight controller*. Aberdeen Proving Ground, MD: Human Engineering Lab; 1986. A168135 HEL-TN-2-86. 22p.
- Deluca JP, Armstrong LE, Christensen EL, Hubbard RW, Vogel JA. *Mass-to-surface area ratio in military personnel*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. A201677 USARIEM-T21-88. 47p.
- Donelson SM, Gordon CC. *Anthropometric survey of U.S. Army personnel: pilot summary statistics, 1988*. Natick, MA: Army Research, Development, and Engineering Center; 1991. A241952 NATICK/TR-91/040. 614p.
- Gordon CC, Churchill T, Clauser CE, Bradtmiller B, McConville JT. *Anthropometric survey of U.S. Army personnel: methods and summary statistics 1988*. Yellow Springs, OH: Anthropology Research Project; 1989. A225094. 651p.
- Greiner TM, Gordon CC. *Assessing patterns of change in anthropometric dimensions: secular trends of U.S. Army females 1946-1988*. Natick, MA: Army Natick Research, Development, and Engineering Center; 1993. A260869 NATICK/TR-93/013. 75p.
- Kennedy KW. *A collation of United States Air Force anthropometry*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1986. A168485 AAMRL-TR-85-062. 92p.
- Parham KR, Gordon CC, Benseck CK. *Anthropometry of the foot and lower leg of U.S. Army soldiers: Fort Jackson, SC, 1985*. Natick, MA: Army Natick Research, Development, and Engineering Center; 1992. A261405 NATICK/TR-92/028. 358p.
- Schopper AW. *Proportions of overall U.S. Army male and female populations eligible for flying duty: impact of linear anthropometric screening requirements*. Fort Rucker, AL: Army Aeromedical Research Lab; 1986. B128602L USAARL-86-14. 34p.
- Williams B, Wascher L. *Anthropometric comparison—USA and USSR*. Lawrence, KS: Report Store; 1986. A173070. 29p.
- Young JW. *Head and face anthropometry of adult U.S. civilians*. Washington, DC: Federal Aviation Administration, Office of Aviation Medicine; 1993. A268661 DOT/FAA/AM-93/10. 44p.

BODY COMPOSITION

- Buddin R. *Weight problems and attrition of high-quality military recruits*. Santa Monica, CA: RAND; 1989. A212211 RAND-N-2847-FMP. 43p.
- Friedl KE, Vogel JA, Bovee MW, Jones BH. *Assessment of body weight standards in male and female Army recruits*. Natick, MA: Army Research Institute of Environmental Medicine; 1989. A224586 ARIEM-T15-90. 95p.
- Hodgdon JA, Fitzgerald PI. *Validity of impedance predictions at various levels of fatness*. San Diego, CA: Naval Health Research Center; 1986. A186096 NHRC-86-21. 29p.
- Hodgdon JA, Fitzgerald PI, Vogel JA. *Relationships between fat and appearance ratings of U.S. soldiers*. San Diego, CA: Naval Health Research Center; 1990. A245583 NHRC-90-1. 30p.

- Katch FI, Behnke AR. *Anthropometric-arm radiogrammetric assessment of body composition, muscularity and frame size*. Amherst, MA: University of Massachusetts, Amherst; 1983. A188662. 88p.
- Matheson ES. *A pilot study: comparing Army and Navy circumference measurement techniques with other methods for determining body composition*. Washington, DC: Industrial College of the Armed Forces; 1987. B117062L NDU/ICAF-87-S38. 84p.
- Roche AF, Chumlea WC, Guo S. *Identification and validation of new anthropometric techniques for quantifying body composition*. Yellow Springs, OH: Wright State University, Division of Human Biology; 1986. A178753. 231p.
- Shake CL, Schlichting C, Mooney LW. *Predicting percent body fat from circumference measurements*. Groton, CT: Naval Submarine Medical Research Lab; 1993. A268695. 7p.
- Vogel JA, Friedl KE. *Body fat assessment in women. Special considerations*. Natick, MA: Army Research Institute of Environmental Medicine; 1992. A249552. 25p.
- Vogel JA, Kirkpatrick JW, Fitzgerald PI, Hodgdon JA, Harman EA. *Derivation of anthropometry based body fat equations for the Army's weight control program*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. A197706 USARIEM-T-17/88. 54p.

CARDIOVASCULAR HEALTH

- Bruce SL. *The effect of a coronary artery risk evaluation program on the serum lipid values of a selected military population*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1991. A239270 AFIT/CI/CIA-91-037. 132p.
- Jobe JB, Beetham WP Jr, Roberts DE, Silver GR, Larsen RF. *Induced vasodilation as a home treatment for Raynaud's disease*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. A164946 USARIEM-M32/84. 5p.
- Johnston JM. *Cholesterol reduction in an at-risk population*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1989. A217463 AFIT/CI/CIA-89-116. 241p.
- Nice DS, Trent LK. *Prevalence of hypertension among active duty personnel*. San Diego, CA: Naval Health Research Center; 1990. A223892 NHRC-90-5. 20p.
- Rose RW, Morgan TE, Rose MS, Srinivasan SR, Berenson GS. *Population screening for blood lipid levels and related coronary heart disease risk factors among U.S. Army basic trainees*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. A206223 USARIEM-T2-89. 85p.
- Shively JM. *Factors influencing medication adherence in hypertensive women ages 35 to 50 years*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1991. AFIT/CI/CIA-91-033. 143p.
- Simon G. *Anatomical and functional changes of the heart as a result of physical stress as shown by the M-mode-echocardiogram*. Charlottesville, VA: Army Foreign Science and Technology Center; 1986. B104937 FSTC-HT-0386-86. 11p.

CHEMICAL DEFENSE

- Bucci TJ, Parker RM. *Toxicity studies on agents GB and GD (Phase 2): 90-day subchronic study of GB (sarin, type II) in CD-rats*. Jefferson, AR: National Center for Toxicological Research; 1992. A248618. 62p.
- Bucci TJ, Parker RM, Crowell JA, Thurman JD, Gosnell PA. *Toxicity studies on agents GA (Phase 2): 90 day subchronic study of GA (tabun) in CD rats*. Jefferson, AR: National Center for Toxicological Research; 1992. A257181. 55p.
- Bucci TJ, Parker RM, Crowell JA, Thurman JD, Gosnell PA. *Toxicity studies on agents GB and GD (Phase 2): 90-day subchronic study of GB (sarin, type I) in CD-rats*. Jefferson, AR: National Center for Toxicological Research; 1991. A248617. 58p.
- Bucci TJ, Parker RM, Crowell JA, Thurman JD, Gosnell PA. *Toxicity studies on agents GB and GD (Phase II): 90 day subchronic study of GD (soman) in CD-rats*. Jefferson, AR: National Center for Toxicological Research; 1992. A258180. 56p.
- Bucci TJ, Parker RM, Crowell JA, Thurman JD, Gosnell PA. *Toxicity studies on agents GB and GD (Phase 2): delayed neuropathy study of sarin, type I, in SPF white leghorn chickens. Appendices I-X*. Jefferson, AR: National Center for Toxicological Research; 1992. A257427. 355p.
- Bucci TJ, Parker RM, Dacre JC, Denny KH. *Developmental toxicity (dominant lethal mutation) study on agent Lewisite. Dominant lethal study of Lewisite in male rats*. Jefferson, AR: National Center for Toxicological Research; 1993. A290671. 58p.
- Bucci TJ, Parker RM, Gosnell PA. *Toxicity studies on agents GA. Phase 2. 90 day subchronic study of GA tabun in CD rats*. Jefferson, AR: National Center for Toxicological Research; 1992. A258042 NCTR-E517.01, NCTR-E517.02. 57p.

- Bucci TJ, Parker RM, Gosnell PA. *Toxicity studies on agents GB and GD (Phase 2): 90 day subchronic study of GD (soman) in CD-rats*. Jefferson, AR: National Center for Toxicological Research; 1992. A257182. 55p.
- Frost DF, Hall RD, Zaucha GM, Waring PP, Clifford CB. *Twenty-eight day subchronic toxicity study of physostigmine salicylate in beagle dogs*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A203695 LAIR-310, Toxicology Ser-224. 299p.
- Frost DF, Korte DW Jr. *Acute subcutaneous toxicity of physostigmine salicylate in ICR mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A203098 LAIR-309, Toxicology Ser-216. 58p.
- Frost DF, Korte DW Jr. *Acute subcutaneous toxicity of physostigmine salicylate in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A201957 LAIR-313, Toxicology Ser-214. 65p.
- Goldman M, Dacre JC. *Lewisite: its chemistry, toxicology, and biological effects*. Fort Detrick, MD: Army Biomedical Research and Development Lab; 1989. A219429. 41p.
- Laborde JB, Bates HK. *Developmental toxicity study of agent GB—DCSM types I & II in CD rats and NZW rabbits*. Jefferson, AR: National Center for Toxicological Research, Reproductive Developmental Toxicology; 1986. A168331. 99p.
- Manthei JH, Biskup RK, Wiles JS, Hamlin MH II, Ford DF. *Thirteen-week subchronic oral dosing of rats with cyclotetramethylene tetranitramine in solution with dimethyl sulfoxide*. Aberdeen Proving Ground, MD: Chemical Research Development and Engineering Center; 1988. B120111L CRDEC-TR-88024. 36p.
- Morgan EW, Zaucha GM, Waring PP, Letellier Y, Seewald JB. *Ninety-day subchronic oral toxicity study of pyridostigmine bromide in rats. Volume 2*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1990. A224449 LAIR-435-VOL-2, Toxicology Ser-185-VOL-2. 307p.
- Omer GA, Korte DW Jr. *Micronucleus assay of physostigmine salicylate in dogs*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A215149 LAIR-403, Toxicology Ser-250. 33p.
- Omer GA, Korte DW Jr. *Micronucleus assay of pyridostigmine bromide in rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1990. A227601 LAIR-442, Toxicology Ser-151. 26p.
- Sasser LB, Cushing JA, Dacre JC. *Dominant lethal study of sulfur mustard in male and female rats*. Fort Detrick, MD: Army Biomedical Research and Development Lab; 1993. A270789. 10p.
- Sasser LB, Cushing JA, Kalkwarf DR, Buschbom RL. *Toxicology studies on Lewisite and sulfur mustard agents: modified dominant lethal study of sulfur mustard in rats*. Richland, WA: Battelle Pacific Northwest; 1989. A214556 PNL-6945. 55p.
- Sasser LB, Cushing JA, Kalkwarf DR, Mellick PW, Buschbom RL. *Toxicology studies on Lewisite and sulfur mustard agents: subchronic toxicity study of Lewisite in rats*. Richland, WA: Battelle Pacific Northwest; 1989. A217886 PNL-6860. 46p.
- Sasser LB, Cushing JA, Kalkwarf DR, Mellick PW, Buschbom RL. *Toxicology studies on Lewisite and sulfur mustard agents: two-generation reproduction study of Lewisite in rats*. Richland, WA: Battelle Pacific Northwest; 1989. A214311 PNL-6978. 46p.
- Seewald JB, Korte DW Jr. *Acute oral toxicity of physostigmine salicylate in ICR mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A202784 LAIR-329, Toxicology Ser-215. 61p.
- Woodard CL, Calamaio CA, Kaminskis A, Anderson DR, Harris LW. *Differences between male and female Rhesus monkey erythrocyte acetylcholinesterase and plasma cholinesterase activity before and after exposure to sarin*. Aberdeen Proving Ground, MD: Army Medical Research Institute of Chemical Defense; 1993. P008829. 13p.

COMMUNICABLE DISEASES

- Hoiberg A. *Infectious disease trends in the U.S. Navy, 1966-1984*. San Diego, CA: Naval Health Research Center; 1987. A200571 NHRC-87-40. 25p.

EATING DISORDERS

- Butler BJ. *A proposal for a study of bulimia among women in the United States Air Force*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1988. A217399 AFIT/CI/CIA-88-241. Thesis. 110p.

FAMILY ISSUES

- Adedeji A. *An investigation of marriage and dependency rates for enlisted Marines*. Alexandria, VA: Center for Naval Analyses; 1991. A246493 CRM-91-53. 45p.
- Army War College. *Leaders' wives speak out*. Carlisle Barracks, PA: Army War College; 1986. A163368. 90p.
- Bell DB, Iadeluca RB. *The origins of volunteer support for Army family programs*. Alexandria, VA: Army Research Institute for the Behavioral and Social Sciences; 1987. A190587 ARI-RR-1456. 26p.
- Booth-Kewley S, Thomas MD. *The subjective quality of life of Navy personnel*. San Diego, CA: Navy Personnel Research and Development Center; 1993. A270373 NPRDC-TR-93-8. 49p.
- Bowen GL. *Effects of leader support in the work unit on the relationship between work spillover and family adaptation*. Chapel Hill, NC: University of North Carolina; 1994. A289857. 44p.
- Edwards LN. *Effects of marital/dependency status on reenlistment behavior of second-term enlisted females*. Monterey, CA: Naval Postgraduate School; 1989. A223824. Thesis. 84p.
- General Accounting Office. *Private pensions: spousal consent forms hard to read and lack important information*. Washington, DC: General Accounting Office, Human Resources Division; 1989. A282737 GAO/HRD-90-20. 40p.
- Giuliano SA. *The impact of permanent change of station moves on Air Force enlisted family income for avionics and non-avionics personnel*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology, School of Systems and Logistics; 1988. A201547 AFIT/GCA/LSY/88S-4. 118p.
- Griffith JD, Coolbaugh K, Perrine HS. *Spouse employment user summary*. Research Triangle Park, NC: Research Triangle Institute; 1990. A226877. 26p.
- Griffith JD, Lavange LM, Gabel TJ, Doering ZD, Mahoney BS. *Description of spouses of officers and enlisted personnel in the U.S. Armed Forces. 1985. Supplementary tabulations from the 1985 DoD surveys of officer and enlisted personnel and military spouses. Volume 2*. Research Triangle Park, NC: Research Triangle Institute; 1986. A177687. 355p.
- Henning NL. *Military wives: stress, strain and alcohol use*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1986. A170853 AFIT/CI/NR-86-71D. Thesis. 189p.
- Hery R, Jacobs RR. *Mobilization studies program report. U.S. Army single and inservice parents*. Washington, DC: Industrial College of the Armed Forces; 1984. B093834L NDU/ICAF-MPS-76-84. 58p.
- Janofsky BJ. *Dual-military enlisted couples*. Research Triangle Park, NC: Research Triangle Institute; 1990. B148733L. 56p.
- Johnson VO. *Stress and overload on the woman in the dual career Navy family*. San Diego, CA: San Diego State University, School of Education; 1987. A184051. 80p.
- Karoly LA. *The trend in inequality among families, individuals, and workers in the United States: a twenty-five-year perspective*. Santa Monica, CA: RAND; 1992. B170802 RAND/R-4206-RC. 88p.
- Kerce EW. *A profile of Navy family configurations*. San Diego, CA: Navy Personnel Research and Development Center; 1988. A193441 NPRDC-TN-88-40. 18p.
- Leibowitz A, Waite LJ. *The consequences for women of the availability and affordability of child care*. Santa Monica, CA: RAND; 1988. A228413 RAND/P-7525. 26p.
- Lyons LK. *The impact of permanent change of station moves on the family incomes of rated and nonrated Air Force officers*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology, School of Systems and Logistics; 1988. A201519 AFIT/GCA/LSY/88S-5. 95p.
- Morrison PA, Vernez G, Grissmer DW, McCarthy KF. *Families in the Army: looking ahead*. Santa Monica, CA: RAND; 1989. A221830 RAND/R-3691-A. 81p.
- Research Triangle Institute. *Army spouse employment literature review*. Research Triangle Park, NC: Research Triangle Institute; 1990. A226885. 57p.
- Rosenberg FR. *The wife of the first term enlisted soldier: a study of socialization and role*. Washington, DC: Walter Reed Army Institute of Research; 1989. A210803. 77p.
- Schwartz JB, Bell DB, Gade PA, Simutis ZM. *Labor force participation, employment, and earnings of married women: a comparison of military and civilian wives*. Research Triangle Park, NC: Research Triangle Institute; 1990. A226270. 43p.
- Schwartz JB, Griffith JD, Wood L. *The employment status of Army spouses*. Research Triangle Park, NC: Research Triangle Institute; 1990. A226880. 97p.
- Splonskowski JM. *Maternal coping adaptations, social support and transition difficulties to parenthood of first-time civilian and military mothers*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1992. A265347 AFIT/CI/CIA-92-90. Thesis. 100p.
- Teplitzky ML, Thomas SA, Nogami GY. *Dual Army career officers: job attitudes and career intentions of male and female officers*. Alexandria, VA: Army Research Institute for the Behavioral and Social Sciences; 1988. A199071 ARI-TR-805. 70p.

- Thomas MD, Thomas PJ. *Population statistics: Navy parents and children*. San Diego, CA: Navy Personnel Research and Development Center; 1991. A243680 NPRDC-TN-92-4. 39p.
- Troyanowski RM. *The effect on family income of varying the frequency of permanent change of station moves*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology, School of Systems and Logistics; 1988. A201541 AFIT/GCA/LSY/88S-10. 138p.
- Wattendorf JM, Wattendorf A. *Group dynamics, communications and leadership workshop for US Army War College student wives*. Carlisle Barracks, PA: Army War College; 1987. B112173L. 63p.

GASTROINTESTINAL CONDITIONS

- Smoak BL, Kelley P, Taylor D. *Seroprevalence of Helicobacter pylori infections in US Army recruits*. Washington, DC: Walter Reed Army Institute of Research, Division of Preventive Medicine; 1994. A278998 WR-026-94. 8p.

GYNECOLOGIC, GENITO-URINARY

- Kulpa M. *The relation of recent tampon use, douching, coitus, and vaginal medications for reported cervical cytology results*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1993. A267894 AFIT/CI/CIA-93-044. 73p.

GYNECOLOGIC/REPRODUCTIVE HEALTH, BIRTH CONTROL

- Gerrard M. *Antecedents of pregnancy and pregnancy attrition in first term women Marines*. Ames, IA: Iowa State University; 1989. A216868 89-1-ONR. 103p.
- Saulpaugh JM. *Contraceptive behavior in young women*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1993. A265413 AFIT/CI/CIA-92-112. 46p.
- Thomas MD, Lawson J. *The effectiveness of sex education in the United States*. San Diego, CA: Navy Personnel Research and Development Center; 1989. A210094 NPRDC-TN-89-23. 26p.

GYNECOLOGIC/REPRODUCTIVE HEALTH, LACTATION

- Shelley ML, Andersen ME, Fisher JW. *An inhalation distribution model for the lactating mother and nursing child*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1988. A204821 AAMRL-TR-88-070. 8p.

GYNECOLOGIC/REPRODUCTIVE HEALTH, PREGNANCY

- Aldous LL. *The influence of parity on the outcomes of pregnancy*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1990. A224479 AFIT/CI/CIA-90-048. Thesis. 141p.
- Cruz F. *Perinatal loss: the effect on attachment in subsequent pregnancies*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1989. A218166 AFIT/CI/CIA-89-094. 56p.
- Dezell NA. *A comparison of tympanic, oral, and axillary temperatures in women during labor*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1994. A281867 AFIT/CI/CIA-94-084. 145p.
- Erickson-Owens DA, Zdenek RM. *Removing cultural barriers to care during childbearing: a continuing education module*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1988. A196193 AFIT/CI/INR-88-94. 112p.
- Gerrard M. *Antecedents of pregnancy and pregnancy attrition in first term women Marines*. Ames, IA: Iowa State University; 1989. A216868 89-1-ONR. 103p.
- Mason KT. *Pregnancy and flying duties*. Fort Rucker, AL: Army Aeromedical Research Lab; 1994. A285653 USAARL-94-44. 20p.
- Meg G, Royle MH. *Predicting pregnancy and pregnancy attrition*. San Diego, CA: Navy Personnel Research and Development Center; 1985. A158523 NPRDC-TR-85-32. 27p.
- Thomas PJ, Edwards JE. *Incidence of pregnancy and single parenthood among enlisted personnel in the Navy*. San Diego, CA: Navy Personnel Research and Development Center; 1989. A214904 TR-90-1. 45p.

HEALTH, GENERAL

- Conway TL, Trent LK, Conway SW. *Physical readiness and lifestyle habits among U.S. Navy personnel during 1986, 1987, and 1988*. San Diego, CA: Naval Health Research Center; 1989. A219355 NHRC-89-24. 283p.
- Hoiberg A, White JF. *Health status of women in the Armed Forces*. San Diego, CA: Naval Health Research Center; 1991. A245586 NHRC-89-37. 27p.
- Misner TR, Bell MR, O'Brien DE. *Health status of women in the Army*. Fort Sam Houston, TX: Army Health Care Studies and Clinical Investigation Activity; 1987. A188301 HCSCIA-HR-87-009. 138p.
- Nice DS, Hilton SM. *Sex differences in health care requirements aboard U.S. Navy ships*. San Diego, CA: Naval Health Research Center; 1990. A223194 NHRC-90-2. 74p.
- Thomas PJ, Thomas MD, Robertson P. *Absences of Navy enlisted personnel: a search for gender differences*. San Diego, CA: Navy Personnel Research and Development Center; 1993. A264161 NPRDC-TR-93-3. 38p.
- Vogel JA, Gauger AK. *An annotated bibliography of research involving women, conducted at the U.S. Army Research Institute of Environmental Medicine*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A265497. 65p.

HEALTH SERVICES

- Armbruster DA. *Alpha-fetoprotein: biochemistry, clinical usefulness, and laboratory considerations*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1990. A228207 USAFSAM-JA-88-49. 7p.
- Chesney MA, Taylor JM, Chambers DB. *Evaluation of the U.S. Army's AIDS education program*. San Francisco, CA: University of California; 1992. A253848. 207p.
- Newell CE, Thomas PJ. *Comparison of permanent change of station costs for women and men transferred prematurely from ships*. San Diego, CA: Navy Personnel Research and Development Center; 1993. A273066 NPRDC-TN-94-7. 16p.
- Rubel EJ. *A study to identify those variables which contribute to the utilization of wellness clinic services by active duty Army family members*. Fort Sam Houston, TX: Academy of Health Sciences (Army); 1985. A209538 HCA-32-89. Thesis. 95p.
- Schwartz LA. *A comparison between two types of preventive educational programs for a population at high risk for cardiovascular disease*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1988. A217436 AFIT/CI/CIA-88-223. 102p.
- Trent LK, Stevens LT. *Evaluation of the Navy's obesity treatment program*. San Diego, CA: Naval Health Research Center; 1993. A276081 NHRC-93-25. 25p.

HIV/AIDS

- Garland FC, Gorham ED, Miller MR, Hickey TM, Balazs LL. *Cross-sectional demographic characteristics of human immunodeficiency virus seropositive Navy and Marine Corps active-duty personnel*. San Diego, CA: Naval Health Research Center; 1990. A224671 NHRC-90-3. 10p.
- Redfield RR, Markham PD, Salahuddin SZ, Wright DC, Sarngadharan MG. *Heterosexually acquired HTLV-III disease (AIDS-related complex and AIDS)*. Washington, DC: Walter Reed Army Institute of Research; 1985. A165479. 5p.

JOB SATISFACTION

- Adams J. *Early career preparation, experiences, and commitment of female and male West Point graduates. Volume 3*. West Point, NY: Military Academy; 1985. A157206 USMA-TR-85-1, USMA-TR-85-2. 200p.
- Amundsen E. *Job satisfaction for male and female U.S. Air Force officers*. Monterey, CA: Naval Postgraduate School; 1987. A188566. Thesis. 71p.
- Anderson BG. *A pilot report on women's assessment of their military careers*. Dallas, TX: Southern Methodist University; 1988. A207192. 23p.
- Beatty TJ. *A study of reasons for not reenlisting: first-term Marines in critical occupations*. Monterey, CA: Naval Postgraduate School; 1989. A225795. 154p.
- Booth-Kewley S, Thomas MD. *The subjective quality of life of Navy personnel*. San Diego, CA: Navy Personnel Research and Development Center; 1993. A270373 NPRDC-TR-93-8. 49p.
- Cooke TW, Pflaumer DM. *Delayed entry and attrition: a review*. Alexandria, VA: Center for Naval Analyses; 1991. B156721L CRM-90-229. 31p.

- Desai S, Waite LJ. *Women's employment during pregnancy and after the first birth: occupational characteristics and work commitment*. Santa Monica, CA: RAND; 1991. A257082 RAND/N-3353-NICHD. 20p.
- Dugan BA, Termer JL, Tagliarini FA, Bayless AJ, Felber HR. *The glass ceiling: potential causes and possible solutions*. Alexandria, VA: Human Resources Research Organization; 1993. A278051. 67p.
- Fletcher JW, McMahon JS, Quester AO. *Tradition, technology, and the changing roles of women in the Navy*. Alexandria, VA: Center for Naval Analyses; 1993. A286509 CRM-93-201. 35p.
- Fletcher JW, Shiells ME. *Trends in Navy enlisted women's continuation rates*. Alexandria, VA: Center for Naval Analyses; 1994. B196133L CRM-94-37. 65p.
- Hay MS. *Gender and ethnic effects in the 1990 Army career satisfaction survey*. Alexandria, VA: Army Research Institute for the Behavioral and Social Sciences; 1992. A257778 ARI-TR-963. 42p.
- Horn LJ. *Mobilization studies program. Effect of quality circles on productivity attitudes of Naval air rework facility production employees*. Washington, DC: Industrial College of the Armed Forces; 1982. B094031L NDU/ICAF-IR-7-82. 97p.
- Kelm KL. *Patients' effect on nurses' job satisfaction at Tripler Army Medical Center, Honolulu, Hawaii*. Fort Sam Houston, TX: Academy of Health Sciences (Army); 1991. A279026 HCA-8A-87. 170p.
- Kenyon CA. *Relationship of gender to promotion and retention rates in the United States Air Force*. Wright Patterson Air Force Base, OH: Air Force Institute of Technology; 1989. A218704 AFIT/CI/CIA-89-140. Thesis. 121p.
- Kocher K, Thomas G. *Gender differences in the retention of enlisted Army reservists*. Monterey, CA: Naval Postgraduate School; 1990. A233131 NPS-AS-91-002. 47p.
- Mason KT, Shannon SG. *U.S. Army aviation epidemiology data register: gender-specific attrition among the U.S. Army student aviator class of 1987*. Fort Rucker, AL: Army Aeromedical Research Lab; 1995. A291856 USAARL-95-12. 22p.
- McDonald DP, McMahon JS. *Survival patterns for first-term Navy women*. Alexandria, VA: Center for Naval Analyses, Acquisition and Support Division; 1992. B172655L CRM-92-120. 38p.
- Moore DA. *Maternal-newborn and surgical nurses' perceptions of professional autonomy during the development of shared governance*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1993. A275331 AFIT/CI/CIA-93-165. Thesis. 110p.
- Moskos CC. *The sociology of the Army Reserves: a preliminary assessment*. Evanston, IL: Northwestern University; 1987. A181831. 36p.
- Payne SE. *Socioeconomic determinants impacting Air Force officer retention*. Monterey, CA: Naval Postgraduate School; 1988. A205731. Thesis. 126p.
- Quester AO. *Factors associated with Navy first-term female attrition losses: female accessions in FY 1983 through FY 1985*. Alexandria, VA: Center for Naval Analyses; 1990. B150168L CRM-90-20. 25p.
- Quester AO, Steadman GW. *Enlisted women in the Marine Corps: first-term attrition and long-term retention*. Alexandria, VA: Center for Naval Analyses; 1990. A230764 CRM-90-71. 40p.
- Rachford DC. *Gender analysis of the professional development of officers study (PDOS) survey*. Alexandria, VA: Army Research Institute for the Behavioral and Social Sciences; 1985. A168878 ARI-RR-1409. 96p.
- Rakoff SH, Doherty JH. *Army family composition and retention*. Research Triangle Park, NC: Research Triangle Institute; 1989. A212880. 45p.
- Rosenfeld P, Culbertson AL, Booth-Kewley S, Magnusson P. *Assessment of equal opportunity climate: results of the 1989 Navy-wide survey*. San Diego, CA: Navy Personnel Research and Development Center; 1992. A251318 NPRDC-TR-92-14. 75p.
- Royle MH. *Factors affecting attrition among Marine Corps women*. San Diego, CA: Navy Personnel Research and Development Center; 1985. A162537 NPRDC-TR-86-7. 59p.
- Steinberg AG, Harris BC, Scarville J. *Why promotable female officers leave the Army*. Alexandria, VA: Army Research Institute for the Behavioral and Social Sciences; 1993. A268946 ARI-SR-93-04. 44p.
- Thomas MD. *Utilization of pregnant enlisted women transferred off ships*. San Diego, CA: Navy Personnel Research and Development Center; 1994. A275868 NPRDC-TN-94-14. 45p.
- Witt LA, Nye LG. *Gender, equity, and job satisfaction*. Washington, DC: Federal Aviation Administration; 1992. A246588 DOT/FAA/AM-92/9. 12p.

JOB STRESS

- Knouse SB, Smith A, Knouse P. *Equal opportunity climate and total quality management: a preliminary study*. Patrick Air Force Base, FL: Defense Equal Opportunity Management Institute; 1994. A291494 DEOMI-RSP-94-3. 30p.

Munley JL. *The perception of pregnancy among enlisted work group members*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology, School of Systems and Logistics; 1986. A174589 AFIT/GLM/LSB/86S-53. 115p.

LOAD-BEARING

Heglund NC. *The energetics and mechanics of load carrying*. Cambridge, MA: Harvard College, President and Fellows; 1992. A248441. 5p.

Holewijn M. [The military pack, optimal load and distribution]. Soesterberg, Netherlands: Institute for Perception; 1989. A218053 IZF-1989-21. 33p.

Holewijn M. [Load carriage. A review]. Soesterberg, Netherlands: Institute for Perception RVO-TNO; 1986. B113157 IZF-1986-28. 49p.

Kirk J, Schneider DA. *Physiological and perceptual responses to load carrying in female subjects using internal and external frame backpacks*. Natick, MA: Army Natick Research, Development, and Engineering Center; 1991. A234941 NATICK/TR-91/023. 82p.

Sharp MA, Rice VJ, Nindl BC, Williamson TL. *Maximum team lifting capacity as a function of team size*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A271642 USARIEM-T94-2. 70p.

Teves MA, Vogel JA, Wright JE. *Comparison of male and female maximum lifting capacity*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. A160687 USARIEM-M40/85. 15p.

MILITARY WOMEN, GENERAL

Brown NE. *Women in combat in tomorrow's Navy*. Carlisle Barracks, PA: Army War College; 1993. A264531. 34p.

Fraser Andrews LJ. *Women in combat: the operational impact of meeting a national security necessity*. Newport, RI: Naval War College; 1991. A236555. 31p.

Gould JW, I. *Education and training of women in the United States military: a study of primary leadership institutions*. Fort Belvoir, VA: Defense Systems Management College; 1992. A260667. 28p.

Madden C. *Women in the Civil Engineer Corps*. Seattle, WA: Washington University; 1986. A170194. 131p.

Turner RG. *Minority women officers in the Navy: past, present, and future prospects*. Monterey, CA: Naval Postgraduate School; 1991. A242636. Thesis. 87p.

MISCELLANEOUS

Collins DL, Cohen SJ, Gruber DF, D'Alesandro MM, Mickley GA. *Isolation suppresses both immune and neuroendocrine functioning and decreases the locomotor activity of normal and immunosuppressed C3H/HEN mice*. Bethesda, MD: Armed Forces Radiobiology Research Institute; 1992. A253183. 6p.

MUSCULOSKELETAL, INJURIES

Friedl KE, Nuovo JA, Patience TH, Dettori JR. *Risk factors for osteoporosis are associated with stress fracture in young women*. Natick, MA: Army Research Institute of Environmental Medicine; 1989. A212143 USARIEM-M67-89. 25p.

Friedl KE, Patience TH, Nuovo JA, Dettori JR. *Factors associated with stress fracture in young Army women: indications for further research*. Natick, MA: Army Research Institute of Environmental Medicine; 1992. A256424 USARIEM-M67-89. 5p.

Jones B, Manikowski R, Harris J, Dziados J, Norton S. *Incidence of and risk factors for injury and illness among male and female Army basic trainees*. Natick, MA: Army Research of Environmental Medicine; 1988. A200667 USARIEM-T19-88. 113p.

Jones BH, Bovee MW, Harris JM, I, Cowan DN. *Intrinsic risk factors for exercise-related injuries among male and female Army trainees*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A27331. 6p.

Swain JH. *A prospective evaluation of stress fractures/overuse injuries in a population of West Point cadets*. West Point, NY: Keller Army Community Hospital; 1992. A252427. 4p.

MUSCULOSKELETAL, TREATMENT

Zapata D, Stamper DA. *Physiological and medical considerations of the US Army physical readiness training program*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1985. A157545. 51p.

NOISE AND HEARING LOSS

Adera T, Gullickson GM, Helfer T, Wang L, Gardner JW. *Application of the proposed draft American national standard method for evaluating the effectiveness of hearing conservation programs*. Bethesda, MD: Uniformed Services University of the Health Sciences; 1993. A276209. 93p.

Borg G, Ljunggren G, Marks LE. *General and differential aspects of perceived exertion and loudness assessed by two new methods*. Stockholm, Sweden: Stockholm University; 1985. B099761 636. 14p.

Brubaker PA. *Can aircraft noise less than or equal to 115 DBA adversely affect reproductive outcome in USAF women?* Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1985. A158322 AFIT/NR-85-65T. Thesis. 42p.

NUTRITION

Bondarev GI, Vissarionova VY, Ponomareva AG. *The principle of determining man's requirement for basic foodstuffs depending on the climatic conditions*. Charlottesville, VA: Army Foreign Science and Technology Center; 1987. B120067 FSTC-HT-1284-86. 8p.

Du Bois BC, Goodman JD, Conway TL. *Dietary and behavioral prediction of obesity in the Navy*. San Diego, CA: Naval Health Research Center; 1989. A223919 NHRC-89-56. 37p.

Friedl KE, Marchitelli LJ, Sherman DE, Tulley R. *Nutritional assessment of cadets at the U.S. Military Academy. Part 1. Anthropometric and biochemical measures*. Natick, MA: Army Research Institute of Environmental Medicine; 1990. A231918 USARIEM-T-4-91. 55p.

Gambera PJ. *Use of the food guide pyramid to improve dietary intake and reduce cardiovascular risk in active duty Air Force members*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1994. A288612 AFIT/CI/CIA-94-13Z. 112p.

King N, Arsenault JE, Mutter SH, Champagne C, Murphy TC. *Nutritional intake of female soldiers during the U.S. Army basic combat training*. Natick, MA: Army Research Institute of Environmental Medicine; 1994. A283601 USARIEM-T94-17. 116p.

King N, Fridlund KE, Askew EW. *Nutrition issues of military women*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A270046. 5p.

Kretsch MJ, Conforti PM, Sauberlich HE. *Nutrient intake evaluation of male and female cadets at the United States Military Academy, West Point, New York*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1986. A168120 LAIR-218. 71p.

Kroskey DL. *Factors affecting the nutritional status of pregnant women*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1989. A217363 AFIT/CI/CIA-89-115. 126p.

Quigley BM, Engell DB, Hirsch E. *Soldier and food service personnel attitudes toward nutrition initiatives*. Natick, MA: Army Research Development and Engineering Center; 1987. A191154 NATICK/TR-88/022. 50p.

Rose MS, Szlyk PC, Francesconi RP, Lester LS, Armstrong L, Matthew W. *Effectiveness and acceptability of nutrient solutions in enhancing fluid intake in the heat*. Natick, MA: Army Research Institute of Environmental Medicine; 1988. A208428 USARIEM-T-10/89. 252p.

Trent LK. *Nutrition knowledge in the U.S. Navy*. San Diego, CA: Naval Health Research Center; 1990. A232085 NHRC-90-27. 34p.

NUTRITION AND EXERCISE

Despres JP, Bouchard C. *[Morphology and metabolism of human fatty tissue: relationships with sex, body fat and level of physical training]*. Orpington, England: Defence Research Information Centre; 1985. B092060 DRIC-T-7391, DRIC-BR-94321. 12p.

- Kretsch MJ, O'Connor MO, Sauberlich HE. *Energy expenditure and activity patterns of cadets at the United States Military Academy, West Point*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1985. A157857 LAIR-IR-200. 42p.

PERFORMANCE

- Allen GL. *Assessment of visuospatial abilities using complex cognitive tasks*. Norfolk, VA: Old Dominion University; 1984. A158919. 36p.
- Daly PK. *Mental rotation with and without a concurrent task: moderating effects of visuospatial ability*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1994. A281866 AFIT/CI/CIA-94-074. 119p.
- Mullins WR. *Female combat helicopter pilot selection criteria*. Fort Leavenworth, KS: Army Command and General Staff College; 1993. A273935. 112p.
- Nye LG, Collins WE. *Some personality characteristics of air traffic control specialist trainees: interactions of personality and aptitude test scores with FAA academy success and career expectations*. Washington, DC: Federal Aviation Administration, Office of Aviation Medicine; 1991. A238072 DOT/FAA/AM-91/8. 15p.
- Quester AO. *Non-prior-service male and female recruits: historical comparisons of continuation, promotion/demotion, and desertion rates*. Alexandria, VA: Center for Naval Analyses, Navy-Marine Corps Planning and Manpower Division; 1988. B144786L CRM-88-88. 29p.
- Saccuzzo DP, Larson GE, Brown J. *The effect of incentives on the reliability and validity of cognitive speed tests*. San Diego, CA: Navy Personnel Research and Development Center; 1989. A211346 NPRDC-TR-89-14. 50p.
- Stock MJ, Nixon CW, Fisher VG III, Goodyear CD. *Human real time perception in noise*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1986. A172374 AAMRL-TR-86-034. 41p.
- Tate MM. *Utility of demographic and psychological measures for the prediction of Army separation*. Fort Monroe, VA: Army Training and Doctrine Command; 1986. A179105. 103p.
- Teves MA, Wright JE, Vogel JA. *Performance on selected candidate screening test procedures before and after Army basic and advanced individual training*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. A162805 USARIEM-T-13/85. 73p.
- Vance KM. *Illusions of unique invulnerability: impact of beliefs on behavior*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1991. A250194 AFIT/CI/CIA-91-135. 110p.
- Wilcove GL, Bruni J Jr., Morrison RF. *Officer career development: reactions of two unrestricted line communities to detailers*. San Diego, CA: Navy Personnel Research and Development Center; 1987. A184422 NPRDC-TN-87-40. 43p.

PHARMACEUTICAL

- Bruce JJ. *Testing of compounds for efficacy against schistosomiasis*. Lowell, MA: University of Massachusetts, Lowell; 1987. A187950 04-4267/2. 106p.
- Frost DF, Hall RD, Zaucha GM, Waring PP, Clifford CB. *Twenty-eight day subchronic toxicity study of physostigmine salicylate in beagle dogs*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A203695 LAIR-310, Toxicology Ser-224. 299p.
- Frost DF, Korte DW Jr. *Acute subcutaneous toxicity of physostigmine salicylate in ICR mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A203098 LAIR-309, Toxicology Ser-216. 58p.
- Frost DF, Korte DW Jr. *Acute subcutaneous toxicity of physostigmine salicylate in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A201957 LAIR-313, Toxicology Ser-214. 65p.
- Girgis NI, Farid Z, Kilpatrick ME, Podgore JK, Sultan Y. *Aztreonam compared to chloramphenicol in the treatment of enteric fevers*. Cairo, Egypt: Naval Medical Research Unit No. 3, Department of Medical Zoology; 1992. A261958. 5p.
- Keithly JS. *Testing experimental compounds against leishmaniasis in laboratory animal model systems*. Ithaca, NY: Cornell University Medical College, Department of Medicine; 1983. A172465. 66p.
- Kende M. *Prophylactic and therapeutic efficacy of poly(I,C)-LC against Rift Valley Fever virus infection in mice*. Fort Detrick, MD: Army Medical Research Institute of Infectious Diseases; 1985. A164540. 9p.
- Mioduszewski RJ, Bergmann JD, Crouse CL, Muse WT, Heitkamp DH. *Inhalation toxicity screen of naloxone, naltrexone, and nalmefene in rats*. Aberdeen Proving Ground, MD: Edgewood Research, Development, and Engineering Center; 1993. B175144 ERDEC-TR-074. 10p.

- Morgan EW, Zaucha GM, Waring PP, Letellier Y, Seewald JB. *Ninety-day subchronic oral toxicity study of pyridostigmine bromide in rats. Volume 2*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1990. A224449 LAIR-435-VOL-2, Toxicology Ser-185-VOL-2. 307p.
- Orner GA, Korte DW Jr. *Micronucleus assay of pyridostigmine bromide in rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1990. A227601 LAIR-442, Toxicology Ser-151. 26p.
- Orner GA, Korte DW Jr. *Micronucleus assay of physostigmine salicylate in dogs*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A215149 LAIR-403, Toxicology Ser-250. 33p.
- Seewald JB, Korte DW Jr. *Acute oral toxicity of physostigmine salicylate in ICR mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A202784 LAIR-329, Toxicology Ser-215. 61p.
- Teague SM, Hordinsky JR. *Tolerance of beta blocked hypertensives during orthostatic and altitude stresses*. Cleveland, OH: Cleveland Metropolitan General Hospital, Division of Cardiology; 1992. A249904. 36p.

PHYSICAL FITNESS, GENERAL

- Beach AJ, Hart LE, Myles WS, Anderson SL. *Express (exercise prescription) fitness tests as predictors of stretcher carrying ability*. Downsview, Ontario: Defence and Civil Institute of Environmental Medicine; 1987. B115006 DCIEM-87-RR-09. 13p.
- Beckett MB, Hodgdon JA. *Lifting and carrying capacities relative to physical fitness measures*. San Diego, CA: Naval Health Research Center; 1987. A189305 NHRC-87-26. 49p.
- Bell DG, Jacobs I. *Electro-mechanical response times and rate of force development in males and females*. Downsview, Ontario: Defence and Civil Institute of Environmental Medicine; 1986. A167154. 6p.
- Bell DG, Jacobs I. *Blood lactate response to the CF Express step test*. Downsview, Ontario: Defence and Civil Institute of Environmental Medicine; 1991. A239494 DCIEM-91-44. 18p.
- Bell DG, Jacobs I, Sale DG, MacDougall JD. *The effect of concurrent strength and endurance training on electromechanical delay, maximum voluntary contraction, and rate of force development*. Downsview, Ontario: Defence and Civil Institute of Environmental Medicine; 1989. A213316 DCIEM-88-RR-33. 25p.
- Davis BJ, Gutierrez AR. *Gender induced differences in Naval fitness reports*. Monterey, CA: Naval Postgraduate School; 1991. A246782. 77p.
- Destadio FJ. *Peacetime physical fitness and its effect on combat readiness: an Air Force perspective*. Carlisle Barracks, PA: Army War College; 1991. A236048. 44p.
- Dytell RS, Trent LK, Conway TL. *A causal analysis of interrelationships among exercise, physical fitness, and well-being in U.S. Navy personnel*. San Diego, CA: Naval Health Research Center; 1991. A252719 NHRC-91-27. 27p.
- Gooch CK. *Effect of physical fitness on response to orthostasis in healthy young women*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1988. A196377 AFIT/CI/NR-88-3. 78p.
- Knapik J, Banderet L, Bahrke M, O'Connor J, Jones B. *Army physical fitness test (APFT): normative data on 6022 soldiers*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A274547 USARIEM-T97-7. 60p.
- Leboeuf MK. *Effectiveness of the physical education curriculum at the United States Military Academy in preparing its women graduates*. West Point, NY: West Point Military Academy; 1994. A280201. 254p.
- McDonald DG. *Psychological predictors of fitness and performance in active duty U.S. Navy personnel*. San Diego, CA: Navy Health Research Center; 1988. A200377 NHRC-88-35. 29p.
- Mello RP, Murphy MM, Vogel JA. *Relationship between a two mile run and maximal oxygen uptake*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A179343. 25p.
- Nice DS, Kilbourne BK. *Demographic and regional determinants of participation in specific exercise activities*. San Diego, CA: Naval Health Research Center; 1988. A198925 NHRC-88-19. 20p.
- Peterson KA, Cronan TA, Conway TL. *Prediction of physical fitness: estimated percent body fat using body circumferences versus weight-height measures*. San Diego, CA: Naval Health Research Center; 1987. A190233 NHRC-87-25. 17p.
- Pollock ML, Garzarella L, Dehoyos D, Brechue W, Beekley M. *The cross-validation of the United States Air Force submaximal cycle ergometer test to estimate aerobic capacity*. St. Cloud, FL: Southeastern Center for Electrical Engineering Education Inc.; 1994. A284055. 157p.
- Sharp MA. *Physical fitness, physical training and occupational performance of men and women in the U.S. Army: a review of literature*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A266297 USARIEM-TN-93-7. 24p.
- Sharp MA. *Physical fitness and occupational performance of women in the U.S. Army*. Natick, MA: Army Research Institute of Environmental Medicine; 1994. A285676. 13p.

- Stevenson JM, Andrew GM, Bryant JT, Thomson JM, Swan RD. *Development of minimum physical fitness standards for the Canadian Armed Forces. Phase 3*. Kingston, Ontario: Queen's University, Ergonomics Research Lab; 1988. A201757. 338p.
- Thomas PJ, Perry ZA, David KM. *Fitness reports of Naval Warfare Officers: a search for gender differences*. San Diego, CA: Navy Personnel Research and Development Center; 1994. A279954 NPRDC-TR-94-10. 30p.
- Vogel JA, Patton JF, Mello RP, Daniels WL. *An analysis of aerobic capacity in a large United States population*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. A156200 USARIEM-M28/85. 34p.

PHYSICAL FITNESS, STRENGTH/ENDURANCE

- Falkel JE, Sawka MN, Levine L, Pandolf KB. *Upper to lower body muscular strength and endurance ratios for women and men*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. A164814 USARIEM-M-33/84. 12p.
- Falkel JE, Sawka MN, Levine L, Pimental NA, Pandolf KB. *Upper-body exercise performance: comparison between women and men*. Natick, MA: Army Research Institute of Environmental Medicine; 1986. A165386 USARIEM-M-26/84. 12p.
- Marcinik EJ, Hodgdon JA, O'Brien JJ, Mittleman K. *A comparison of the effects of circuit weight training on men and women*. San Diego, CA: Naval Health Research Center; 1985. A159419 NAVHLTHRSCHC-85-13. 17p.
- Marcinik EJ, Hodgdon JA, O'Brien JJ, Mittleman K. *Fitness changes of naval women following aerobic based programs featuring calisthenic or circuit weight training exercises*. San Diego, CA: Naval Health Research Center; 1985. A162677 NAVHLTHRSCHC-84-19. 9p.
- Robertson DW, Trent T. *Documentation of muscularly demanding job tasks and validation of an occupational strength test battery (STB)*. San Diego, CA: Navy Personnel Research and Development Center, Manpower and Personnel Lab; 1985. A162781 MPL-TN-86-1. 101p.
- Schopper AW, Mastroianni GR. *Helicopter-referenced single control, center-position force exertion capabilities of males and females*. Fort Rucker, AL: Army Aeromedical Research Lab; 1985. A161234 USAARL-85-4. 60p.

PROTECTIVE CLOTHING AND EQUIPMENT

- Bailey M, Hall RW. *Non-gender safety footwear: fit and function evaluation*. Natick, MA: Navy Clothing and Textile Research Facility; 1989. A258414 NCTRF-175. 22p.
- Fine BJ. *The effect of heat and chemical protective clothing on the ability of a group of female soldiers to sustain performance of military cognitive tasks*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A192596 USARIEM-T-7/88. 37p.
- Fryauff DJ, Shoukry MA, Schreck CE. *Stimulation of attachment in a camel tick, Hyalomma dromedarii (Acari: ixodidae): the unintended result of sublethal exposure to permethrin-impregnated fabric*. New York, NY: Naval Medical Research Unit No. 3; 1994. A282480 NAMRU-3-20/94. 9p.
- Jaffe H. *Development of patterns and clothing prototypes for Navy women's dress uniforms*. New York, NY: Educational Foundation for the Fashion Industries; 1991. A238715. 147p.
- Jones BH, Knapik JJ, Daniels WL, Toner MM. *The energy cost of women walking and running in shoes and boots*. Natick, MA: Army Research Institute of Environmental Medicine; 1986. A168325 USARIEM-M-17/85. 8p.
- Kaufman J, Dejneka K. *Cold water evaluation of constant-wear anti-exposure suit systems*. Warminster, PA: Naval Air Development Center, Aircraft and Crew Systems Technology Directorate; 1985. B097057L NADC-85092-60. 32p.
- Kaufman JW, Dejneka KY, Askew GK. *Ventilation loss and pressurization in the NASA launch/entry suit: potential for heat stress*. Warminster, PA: Naval Air Development Center, Air Vehicle and Crew Systems Technology Department; 1989. A230318 NADC-90069-60. 21p.
- Kaufman JW, Dejneka KY, Morrissey SJ. *Cold water evaluation of NASA launch entry suit (LES)*. Warminster, PA: Naval Air Development Center; 1988. A213047 NADC-88017-60. 51p.
- Kelly TL, Ryman DH, Sucec AA, Yeager JE, Englund CE. *The effects of the M17A2 gas mask on reaction times and accuracy in males and females under non-exercise conditions*. San Diego, CA: Naval Health Research Center; 1987. A192528 NHRC-88-5. 17p.
- Kelly TL, Yeager JA, Sucec AA, Englund CE, Smith DA. *The effect of the M17A2 mask on spirometry values in healthy subjects*. San Diego, CA: Naval Health Research Center; 1987. A191941 NHRC-87-39. 20p.
- Komgruen J. *Research, women's skirt and slacks production*. Santa Barbara, CA: Physical Research, Inc.; 1992. A251710. 44p.

- McNeil S, Reichenau DE. *Wind tunnel tests of a full-scale ACES II ejection seat with a small female or large male manikin at mach numbers from 0.2 to 1.4*. Arnold Air Force Station, TN: Arnold Engineering Development Center; 1987. B108839L AEDC-TSR-86-P26. 33p.
- Mellian SA, Ervin C, Robinette KM. *Sizing evaluation of Navy women's uniforms*. Yellow Springs, OH: Anthropology Research Project Inc.; 1991. A249782. 47p.
- Robinette KM, Annis JF. *A nine-size system for chemical defense gloves*. Yellow Springs, OH: Anthropology Research Project; 1986. A173193. 44p.
- Rueschoff BJ, Higgins EA, Burr MJ, Branson DM. *Development and evaluation of a prototype life preserver*. Washington, DC: Federal Aviation Administration; 1985. A163224 DOT/FAA/AM-85-11. 66p.
- Ryman DH, Kelly TL, Englund CE, Naitoh P, Sinclair M. *Psychological and physiological effects of wearing a gas mask or protective suit under non exercising conditions*. San Diego, CA: Naval Health Research Center; 1988. A194193 NHRC-88-11. 32p.
- Zehner GF, Ervin C, Robinette KM, Dziens P. *Fit evaluation of female body armor*. Yellow Springs, OH: Anthropology Research Project; 1987. A188721. 63p.

PSYCHOLOGICAL CONDITIONS

- Lee S, Baker T, Chisick MC. *Psychosocial factors influencing smokeless tobacco use by teenage military dependents*. Washington, DC: Walter Reed Army Institute of Research; 1994. A278985. 7p.
- Lindsley DH. *Proceedings of the 12th Symposium on Psychology in the Department of Defense*. Colorado Springs, CO: Air Force Academy; 1990. A240113 USAFA-TR-90-1. 392p.
- McIntire FE. *Proceedings of the Symposium on Psychology in the Department of Defense*. Colorado Springs, CO: Air Force Academy; 1988. A198723 USAFA-TR-88-1. 525p.
- Ryman DH, Kelly TL, Englund CE, Naitoh P, Sinclair M. *Psychological and physiological effects of wearing a gas mask or protective suit under non exercising conditions*. San Diego, CA: Naval Health Research Center; 1988. A194193 NHRC-88-11. 32p.

RADIATION

- Banks DL, Shelton WW, Toler JC. *Bioeffects of radiofrequency radiation on cell growth and differentiation. Volume 1. Engineering considerations*. Atlanta, GA: Georgia Institute of Technology; 1993. A267754. 42p.
- Dennis JA, Muirhead CR, Ennis JR. *Human health and exposure to electromagnetic radiation*. Oxford, United Kingdom: National Radiological Protection Board; 1992. A273435 NRPB-R-241. 156p.
- Goldstein LS. *Radiation-induced germ cell mutations—their detection and modification*. San Francisco, CA: University of California, San Francisco; 1987. A190455. 80p.
- Landauer MR, Ledney GD, Davis HD. *Locomotor behavior in mice following exposure to fission-neutron irradiation and trauma*. Bethesda, MD: Armed Forces Radiobiology Research Institute; 1987. A192635 AFRRI-SR87-39. 7p.
- Lotz WG, Saxton JL, Griner TA, Grissett JD. *Growth and development of Rhesus monkeys exposed to ELF (extremely low frequency) electric and magnetic fields during the first 54 months of life*. Pensacola, FL: Naval Aerospace Medical Research Lab; 1986. A168733 NAMRL-1318. 62p.
- Peterson VM, Adamovicz JJ, Elliott TB, Moore MM, Madonna GS. *Gene expression of hemoregulatory cytokines is elevated endogenously after sublethal gamma irradiation and is differentially enhanced by therapeutic administration of biologic response modifiers*. Bethesda, MD: Armed Forces Radiobiology Research Institute; 1994. A285821 AFRRI-SR94-19. 11p.
- Wood DH. *Long term mortality and cancer risk in irradiated Rhesus monkeys*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1989. A224365. 36p.
- Wood DH, Yochmowitz MG, Hardy KA, Salmon YL. *Animal studies of life shortening and cancer risk from space radiation*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1986. A183162. 7p.

RESPIRATORY CONDITIONS

- Driggers LI. *A study to determine if a difference exists among the cumulative incidence of acute respiratory disease hospital admissions of three groups of Army basic trainees as defined by the design of barracks in which they are housed.* Houston, TX: Academy of Health Sciences (Army), Fort Houston Health Care Administration; 1989. A222145 HCA-114-89. 79p.

RESPONSES TO STRESSORS, OTHER

- Burns JW, Parnell MJ, Burton RR. *Hemodynamics of miniature swine during +G sub Z stress with and without anti-G support.* Brooks Air Force Base, TX: School of Aerospace Medicine; 1986. A173304 USAFSAM-TR-84-303. 12p.
- Claybaugh JR. *Effects of hypoxia on the vasopressin response to hemorrhage and its role in maintenance of blood pressure.* Honolulu, HI: Tripler Army Medical Center; 1992. A258992. 17p.
- Gillingham KK, Schade CM, Jackson WG, Gilstrap LC. *Women's G tolerance.* Brooks Air Force Base, TX: School of Aerospace Medicine; 1986. A177986 USAFSAM-TR-85-34. 11p.
- Hannon PR, Brainard G, Gibson W, French J, Hopson M. *Effects of early bright, late bright and dim illumination upon circadian neuroendocrine, electrophysiological and behavioral responses.* Flagstaff, AZ: Northern Arizona University, Flagstaff, College of Health Professions; 1992. A254129. 58p.
- Klinenberg EJ. *Crossshift vibrometry: biomarker for ergonomic stress.* Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1994. A284337 AFIT/CI/CIA-94-035D. 244p.
- Naitoh P, Angus RG. *Napping and human functioning during prolonged work.* San Diego, CA: Naval Health Research Center; 1987. A190228 NHRC-87-21. 41p.
- Randall CN, Brinkley JW. *Impact on women: a retrospective look at impact acceleration testing at the Harry G. Armstrong Aerospace Medical Research Laboratory.* Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1990. A262513 AAMRL-TR-90-089. 7p.
- Samoylova GS, Marinova G. *Effect of industrial vibration on specific functions on female physiology.* Wright-Patterson Air Force Base, OH: Foreign Technology Division; 1990. B153743 FTD-ID(RS)T-1120-90. 15p.
- Tikuisis P, Gonzalez RR, Pandolf KB. *Exercise thermoregulation after prolonged wakefulness.* Natick, MA: Army Research Institute of Environmental Medicine; 1987. A186224. 23p.
- Vernikos J, Dallman MF, Keil LC, O'Hara D, Convertino VA. *Gender differences in endocrine responses to posture and 7 days of -6 DEG head-down bed rest.* Brooks Air Force Base, TX: Armstrong Aerospace Medical Research Lab; 1993. A282699 AL/AO-JA-1994-0057. 11p.
- Vogen GS. *A topographical analysis of the human electroencephalogram for patterns in the development of motion sickness.* Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1991. A243656 AFIT/GSO/ENG/91D-17. 87p.

RESPONSES TO STRESSORS, PHYSICAL ACTIVITY

- Caretti DM. *Comparison of submaximal cycling and treadmill exercise at similar work rates.* Aberdeen Proving Ground, MD: Edgewood Research Development and Engineering Center; 1994. A283430 ERDEC-TR-175. 15p.
- Ceci R, Ljunggren G. *Perceptual and physiological comparisons between marathon runners and sprinters during cycle ergometer exercise.* Stockholm, Sweden: Stockholm University; 1988. B135255.686. 19p.
- Kolka MA, Stephenson LA, Gonzalez RR. *Temperature regulation at rest and exercise during the human menstrual cycle.* Natick, MA: Army Research Institute of Environmental Medicine; 1987. A186461. 30p.
- Kraemer WJ, Fleck SJ, Dziados JE, Harman EA, Marchitelli LJ. *Changes in hormonal concentrations after different heavy-resistance exercise protocols in women.* Natick, MA: Army Research Institute of Environmental Medicine; 1993. A272663. 11p.
- Martin DG, Ferguson EW, Wigutloff S, Gawne T, Schoemaker EB. *Blood viscosity responses to maximal exercise in endurance-trained and sedentary female subjects.* Bethesda, MD: Uniformed Services University of the Health Sciences; 1985. A159874. 6p.
- Pandolf KB, Sawka MN, Shapiro Y. *Factors which alter human physiological responses during exercise-heat acclimation.* Natick, MA: Army Research Institute of Environmental Medicine; 1985. A160580 USARIEM-M-41/85. 22p.
- Sawka MN, Wenger CB, Pandolf KB. *Human responses to exercise-heat stress.* Natick, MA: Army Research Institute of Environmental Medicine; 1993. A272581 USARIEM-TR-T94-3. 96p.

- Simon G. *Anatomical and functional changes of the heart as a result of physical stress as shown by the M-mode-echocardiogram*. Charlottesville, VA: Army Foreign Science and Technology Center; 1986. B104937 FSTC-HT-0386-86. 11p.
- Stephenson LA, Kolka MA. *Plasma volume during heat stress and exercise in women*. Natick, MA: Army Research Institute of Environmental Medicine; 1986. A174816 USARIEM-M-10-87. 27p.
- Stephenson LA, Kolka MA, Gonzalez RR. *Menstrual cycle effect on the control of skin blood flow during exercise at high core temperatures*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A185947. 26p.
- Stevens L, Conway TL. *Exercise and three psychosocial variables: a longitudinal study*. San Diego, CA: Naval Health Research Center; 1991. A250649 NHRC-91-31. 44p.

RESPONSES TO STRESSORS, PRESSURE

- Claybaugh JR. *Effects of hypoxia on the vasopressin response to hemorrhage and its role in maintenance of blood pressure*. Honolulu, HI: Tripler Army Medical Center; 1992. A258992. 17p.
- Dixon GA, Krutz RW Jr, Fischer JR. *Decompression sickness and bubble formation in females exposed to a simulated 7.8 psia suit environment*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1988. A203868 USAFSAM-JA-87-5. 5p.
- Edwards JS, Askew EW, King N, Fulco CS, Hoyt RW. *An assessment of the nutritional intake and energy expenditure of unacclimatized U.S. Army soldiers living and working at high altitude*. Natick, MA: Army Research Institute of Environmental Medicine; 1991. A237450 USARIEM-T10-91. 154p.
- Kolka MA, Stephenson LA, Rock PB, Gonzalez RR. *Local sweating and cutaneous blood flow during exercise in hypobaric environments*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A185708. 6p.
- Rudge FW. *Relationship of menstrual history to altitude chamber decompression sickness*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1990. A226841 USAFSAM-JA-88-69. 4p.
- Serova LV, Denisova LA. *Ontogenesis of mammals in weightlessness (scientific results of research on space flights)*. Wright-Patterson Air Force Base, OH: Foreign Technology Division; 1989. B137583 FTD-ID(RS)T-0291-89. 368p.
- Webb JT, Smead KW, Jauchem JR, Barnicott PT. *Blood factors and venous gas emboli: surface to 429 mmHg (8.3 psi)*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1988. A198551 USAFSAM-JA-87-13. 16p.
- Weien RW, Baumgartner N. *Altitude decompression sickness: hyperbaric therapy results in 528 cases*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1990. A227680 USAFSAM-JA-88-54. 5p.

RESPONSES TO STRESSORS, TEMPERATURE

- Canine MK, Derion T, Heaney JH, Pozos R. *An annotated bibliography of heat tolerance: regarding gender differences*. San Diego, CA: Naval Health Research Center; 1994. A280755 NHRC-TD-93-1A. 52p.
- Carpenter AJ, Nunneley SA. *Endogenous hormones subtly alter women's response to heat stress*. Brooks Air Force Base, TX: School of Aerospace Medicine; 1988. A203972 USAFSAM-JA-88-37. 5p.
- Gamberale F, Kjellberg A, Razmjou S. *Effects of moderate cold and heat on performance of sensory-motor and cognitive tasks*. Stockholm, Sweden: Stockholm University, Department of Psychology; 1989. B136698 692. 18p.
- Heaps CL, Constable SH. *Effect of rate of heat gain on selected serum enzymes in Rhesus monkeys*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab, Crew Systems Directorate; 1994. A280861 AL/CF-TR-1993-0121. 12p.
- Herron DM. *Proceedings, hydration and hyperhydration issues concerning Operation Desert Shield*. San Diego, CA: Naval Health Research Center; 1990. A242153 NHRC-91-5. 81p.
- Kolka MA. *Temperature regulation in women*. East Hartford, CT: United Technologies Research Center; 1992. A256428 USARIEM-3-92. 7p.
- Kolka MA, Stephenson LA, Gonzalez RR. *Temperature regulation at rest and exercise during the human menstrual cycle*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A186461. 30p.
- Kolka MA, Stephenson LA, Gonzalez RR. *Thermoregulation in women during uncompensable heat stress*. Natick, MA: Army Research Institute of Environmental Medicine; 1994. A290616. 6p.
- Pandolf KB, Sawka MN, Shapiro Y. *Factors which alter human physiological responses during exercise-heat acclimation*. Natick, MA: Army Research Institute of Environmental Medicine; 1985. A160580 USARIEM-M-41/85. 22p.
- Savage MV, Brengelmann GL, Roberts DE, Pozos RS. *Control of skin blood flow in the neutral zone of human body temperature regulation*. San Diego, CA: Naval Health Research Center; 1994. A291499 NHRC-94-27. 37p.

- Sawka MN, Wenger CB, Pandolf KB. *Human responses to exercise-heat stress*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A272581 USARIEM-TR-T94-3. 96p.
- Stephenson LA, Kolka MA. *Plasma volume during heat stress and exercise in women*. Natick, MA: Army Research Institute of Environmental Medicine; 1986. A174816 USARIEM-M-10-87. 27p.
- Stephenson LA, Kolka MA, Gonzalez RR. *Menstrual cycle effect on the control of skin blood flow during exercise at high core temperatures*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A185947. 26p.
- Stephenson LA, Kolka MA. *Thermoregulation in women*. Natick, MA: Army Research Institute of Environmental Medicine; 1993. A273393 USARIEM-MISC-14-92. 31p.
- Tikuisis P, Gonzalez RR, Pandolf KB. *Exercise thermoregulation after prolonged wakefulness*. Natick, MA: Army Research Institute of Environmental Medicine; 1987. A186224. 23p.
- Wagner JA, Horvath SM. *Influences of age and gender on human thermoregulatory responses to cold exposures*. Santa Barbara, CA: University of California, Santa Barbara, Institute of Environmental Stress; 1985. A158710. 9p.
- Young AJ. *Effects of aging on human cold tolerance*. Natick, MA: Army Research Institute of Environmental Medicine; 1991. A256477. 9p.

SEXUAL ASSAULT/HARASSMENT

- Canny W. *Sexual harassment within the USAF enlisted force*. Maxwell Air Force Base, AL: Air Command and Staff College; 1986. A168411 ACSC-86-0475. 44p.
- Cockerill MD. *Domestic violence: battered women who kill*. Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1988. A208543 AFIT/CI/CIA-88-213. 64p.
- Culbertson AL, Rosenfeld P, Kewley SB, Magnusson P. *Assessment of sexual harassment in the Navy: results of the 1989 Navy-wide survey*. San Diego, CA: Navy Personnel Research and Development; 1992. A248546 NPRDC-TR-92-11. 52p.
- Culbertson AL, Rosenfeld P, Newell CE. *Sexual harassment in the active-duty Navy: findings from the 1991 Navy-wide survey*. San Diego, CA: Navy Personnel Research and Development Center; 1993. A277088 NPRDC-TR-94-2. 47p.
- Ernst RW, Gilbeau RJ. *Gender bias in the Navy*. Monterey, CA: Naval Postgraduate School; 1993. A268524. Thesis. 128p.
- Inspector General DoD. *Tailhook 91. Part 2. Events at the 35th annual Tailhook Symposium*. Arlington, VA: Department of Defense; 1993. A269008. 219p.
- Margosian MA, Vondrzyk JM. *Policies, practices, and the effect of gender discrimination on the integration of women officers in the Department of the Navy*. Monterey, CA: Naval Postgraduate School; 1994. A279889. Thesis. 151p.
- McMillian W. *Women in the military: sexual harassment*. Carlisle Barracks, PA: Army War College; 1993. A264548. 42p.
- Rowe EA. *Enlisted women at sea: a quantitative analysis*. Newport, RI: Naval War College; 1994. A278684. 119p.
- Thomas MD. *Gender differences in conceptualizing sexual harassment*. San Diego, CA: Navy Personnel Research and Development Center; 1995. A290709 NPRDC-TR-94-5. 36p.
- Tyburski DA. *Department of the Navy sexual harassment survey—1991*. San Diego, CA: Navy Personnel Research and Development Center; 1992. A251465 NPRDC-TR-92-15. 82p.
- Washington CJ. *Women, rape, and war: gaining redress within a human rights framework*. Monterey, CA: Naval Postgraduate School; 1993. A278032. Thesis. 71p.

SOCIAL SUPPORT

- Alderman MI. *Women in direct combat: what is the price for equality?* Fort Leavenworth, KS: Army Command and General Staff College; 1992. A262626. 61p.
- Brandt GT, Norwood AE, McCarroll JE, Ursano RJ, Fullerton CS. *Responses to disasters, natural and man-made, and interventions with social supports*. Bethesda, MD: Uniformed Services University of the Health Sciences; 1994. A286039. 143p.
- Orthner DK, Bowen GL, Zimmerman LI, Short KA. *Young single soldiers and relationships*. Research Triangle Park, NC: Research Triangle Institute; 1994. A279167. 65p.
- Woods GT. *Women in the infantry—the effect on the moral domain*. Fort Leavenworth, KS: Army Command and General Staff College; 1992. A262478. 54p.

SUBSTANCE ABUSE

- Beson LR. *Relation between cigarette smoking, body fat distribution and density of lipoprotein cholesterol in women.* Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1992. A258195 AFIT/CI/CIA-92-085. Thesis. 102p.
- Giles HI. *A proposal for a prevalence study of the use of alcohol among women attending selected United States Air Force prenatal clinics.* Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1985. A160702 AFIT/CI/NR-85-124T. 58p.
- Melin B, Lundberg U, Wallin L, Frankenhaeuser M. *A multicomponent worksite health promotion program: behavioral and physiological effects on smoking and non-smoking male and female white collar workers.* Stockholm, Sweden: Stockholm University, Department of Psychology; 1989. B139939 697. 17p.

TOXINS

- Angerhofer RA, Michie MW, Barlow MP, Beall PA. *Assessment of the development toxicity of zinc naphthenate in rats. Phase 4.* Aberdeen Proving Ground, MD: Army Environmental Hygiene Agency; 1991. A235308 USAEHA-75-51-0497-91. 32p.
- Brown EA. *A comparative pharmacokinetic study of the role of gender and developmental differences in occupational and environmental exposure to benzene.* Wright-Patterson Air Force Base, OH: Air Force Institute of Technology; 1994. A284809 AFIT/GEE/ENV/94S-12. 121p.
- Brown LD, Justus JD, Wheeler CR, Korte DW Jr. *Acute oral toxicity of JA-2 solid propellant in Sprague-Dawley rats.* San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A217347 LAIR-412, Toxicology Ser-161. 75p.
- Brown LD, Letellier YC, Wheeler CR, Korte DW Jr. *Acute oral toxicity of trimethylolethane trinitrate (TMETN) in ICR mice.* San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A211993 LAIR-IR-345, Toxicology Ser-135. 68p.
- Brown LD, Wheeler CR, Korte DW Jr. *Acute oral toxicity of DIGL-RP solid propellant in Sprague-Dawley rats.* San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A217712 LAIR-409, Toxicology Ser-167. 82p.
- Bruner RH. *Pathologic findings in laboratory animals exposed to hydrocarbon fuels of military interest.* Bethesda, MD: Naval Medical Research Institute; 1984. A166343 NMRI-84-76. 9p.
- Buck WB, Lambert RJ, Swanson SP, Haschek-Hock WM, Beasley VR. *Diagnosis and management of trichothecene toxicosis in the swine model.* Urbana, IL: Illinois University; 1986. A181917. 397p.
- Coppes VG, Gomez CL, Clifford CB, Ferraris S, Korte DW Jr. *Toxic potential of nitroguanidine on reproduction and fertility in rats. Volume 2. Part 2.* San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1990. A224664 LAIR-434, Toxicology Ser-223-VOL-2-PT-2. 411p.
- Coppes VG, Orner GA, Korte DW Jr. *Developmental toxicity potential of nitroguanidine in rats.* San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A192383 LAIR-257, Toxicology Ser-174. 99p.
- Coppes VG, Speckman CL, Korte DW, Jr. *Developmental toxicity potential of hydroxyurea, a positive control, in rabbits.* San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988 May. A196063 LAIR-269, Toxicology Ser-145. 89p.
- Filser JG. *Toxicokinetics, metabolism, and genotoxicity of nitropropanes in rats and mice.* Neuherberg, Germany: Institut Fuer Toxikologie; 1992. A247681. 44p.
- Fisher JW, Whittaker TA, Taylor DH, Clewell HJ, Andersen ME. *Physiologically based pharmacokinetic modeling of the pregnant rat: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid.* Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1989. A252154 AAMRL-TR-89-031. 22p.
- Fisher JW, Whittaker TA, Taylor DH, Clewell HJ III, Andersen ME. *Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid.* Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1990. A226465 AAMRL-TR-90-036. 19p.
- Gaworski CL, Haun CC, Macewen JD, Vernot EH, Bruner RH. *A 90-day vapor inhalation toxicity study of decalin.* Irvine, CA: University of California, Toxic Hazards Research Unit; 1985. A160805. 9p.
- Gaworski CL, Kinkead ER, Horton JR, Bashe WJ, Einhaus EL. *Comparative studies of the short-term toxicity of the hydraulic fluids MIL-J-19457C, MIL-H-19457B, and MIL-H-22072B.* Dayton, OH: California University; 1986. A172172. 40p.
- Gaworski CL, Macewen JD, Vernot EH, Haun CC, Leahy HF. *Evaluation of 90-day inhalation toxicity of petroleum and oil shale diesel fuel marine (DFM).* Dayton, OH: California University; 1985. A202722. 38p.

- Gaworski CL, Macewen JD, Vernot EH, Haun CC, Leahy HF. *Evaluation of the 90-day inhalation toxicity of petroleum and oil shale JP-5 jet fuel*. Dayton, OH: California University; 1985. A156815. 40p.
- Grose EC, Selgrade MJ, Davies DW, Stead AJ. *Inhalation toxicology of fog oil obscurant*. Research Triangle Park, NC: Environmental Protection Agency, Inhalation Toxicology Division; 1986. A176106. 122p.
- Hiatt GF, Brown LD, Wheeler CR, Korte DW Jr. *Acute oral toxicity of triethyleneglycol dinitrate (TEGDN) in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A211313 LAIR-338, Toxicology Ser-133. 75p.
- Hiatt GF, Goldman M, Korte DW Jr. *Acute oral toxicity of methyl-n,n-dihexylethylene diaminemonocarbamate (CHRA) in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1990. A233007 LAIR-IR-440, Toxicology Ser-83. 72p.
- Hiatt GF, Sano SK, Wheeler CR, Korte DW Jr. *Acute oral toxicity of nitroguanidine in mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A194952 LAIR-265, Toxicology Ser-116. 55p.
- Hobson DW, Wyman JF, Lee LH, Bruner RH, Uddin DE. *The subchronic toxicity of diethylene glycol monobutyl ether administered orally to rats*. Bethesda, MD: Naval Medical Research Institute; 1987. A190488 NMRI-87-45. 32p.
- Kinkead ER, Bunker SK, Kimmel EC, Flemming CD, Wall HG. *Effects of a 13-week chloropentafluorobenzene inhalation exposure of Fischer 344 rats and B6C3F1 mice*. Dayton, OH: NSI Technology Services; 1990. A240491. 39p.
- Kinkead ER, Culpepper BT, Henry SS, Moroughan VL, Kimmel EC. *Subchronic studies of chlorotrifluorethylene*. Dayton, OH: NSI Technology Services Corporation; 1989. A214619. 73p.
- Kinkead ER, Culpepper BT, Henry SS, Pollard DL, Kimmel EC. *Evaluation of the acute toxicity of a synthetic polyalphaolefin-based hydraulic fluid*. Dayton, OH: Northrop Services Inc., Environmental Sciences; 1987. A190412. 37p.
- Kinkead ER, Culpepper BT, Henry SS, Szotak PS, Flemming CD. *The determination of the acute and repeated oral toxicity of halocarbon oil, Series 27-S*. Dayton, OH: Northrop Services Inc., Environmental Sciences; 1989. A209589. 60p.
- Kinkead ER, Culpepper BT, Henry SS, Szotak PS, Flemming CD. *The determination of the repeated oral toxicity of halocarbon oil, Series 27-S*. Bethesda, MD: Naval Medical Research Institute; 1990. A223526 NMRI-90-44. 17p.
- Kinkead ER, Culpepper BT, Kutzman RS, Flemming CD, Wall HG. *Evaluation of the potential of inhaled chloropentafluorobenzene to induce toxicity in F-344 rats and B6C3F1 mice and sister chromatid exchanges and micronuclei formation in B6C3F1 mice*. Dayton, OH: NSI Technology Services Corporation; 1989. A214867. 34p.
- Kinkead ER, Gaworski CL, D'Addario AP, Bruner RH. *The toxicological evaluation of polyalphaolefin hydraulic fluids*. Dayton, OH: Northrop Services Inc., Environmental Sciences; 1987. A187234. 18p.
- Letellier YC, Sano SK, Wheeler CR, Korte DW Jr. *Acute oral toxicity of trimethylolethane trinitrate (TMETN) in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A211981 LAIR-IR-344, Toxicology Ser-134. 77p.
- Mattie D, Chase M, Hobson D. *The effect of 2,3,4-trimethylpentane on the ultrastructure of kidneys from normal versus castrated male rats*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1986. A182179 AAMRL-TR-87-017. 3p.
- Morgan EW, Brown LD, Lewis CM, Dahlgren RR, Korte DW Jr. *Fourteen-day subchronic oral toxicity study of nitroguanidine in rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A196666 LAIR-272, Toxicology Ser-146. 88p.
- Morgan EW, Hiatt GF, Korte DW Jr. *Acute oral toxicity of guanidine hydrochloride in mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A217618 LAIR-418, Toxicology Ser-87. 59p.
- Morgan EW, Korte DW Jr. *Primary dermal irritation potential of nitrosoguanidine in female rabbits*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A214315 LAIR-356, Toxicology Ser-172. 25p.
- Morgan EW, Lollini LO, Wheeler CR, Korte DW Jr. *Acute oral toxicity of Ball Powder (trade name) in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A211317 LAIR-350, Toxicology Ser-129. 30p.
- Morgan EW, Ryabik JR, Wheeler C, Korte DW Jr. *Acute oral toxicity of triethyleneglycol dinitrate (TEGDN) in ICR mice*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A208926 LAIR-IR-337. 81p.
- Morgan EW, Sano SK, Korte DW Jr. *Acute oral toxicity (LD50) of guanidine hydrochloride in rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1985. A164654 LAIR-204, Toxicology Ser-77. 109p.
- Morgan EW, Wheeler CR, Korte DW Jr. *Acute oral toxicity of nitrosoguanidine in Sprague-Dawley rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1989. A214312 LAIR-353, Toxicology Ser-168. 30p.
- Morgan EW, Zaucha GM, Lewis CM, Makovec GT, Pearce MJ. *Ninety-day subchronic oral toxicity study of nitroguanidine in rats*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A203681 LAIR-306, Toxicology Ser-170. 185p.
- Olson CT, Yu KO, Serve MP. *Metabolism of nephrotoxic cis- and trans-decalin in Fischer-344 rats*. Dayton, OH: Wright State University, Department of Chemistry; 1986. A169489. 8p.

- Reddy TV. *Subchronic toxicity studies on 1,3,5-trinitrobenzene, 1,3-dinitrobenzene, and tetryl in rats*. Cincinnati, OH: Environmental Protection Agency, Environmental Monitoring Systems Lab; 1994. A290682. 138p.
- Reddy TV. *Subchronic toxicity studies on 1,3,5-trinitrobenzene, 1,3-dinitrobenzene, and tetryl in rats*. Cincinnati, OH: Environmental Protection Agency, Environmental Monitoring Systems Lab; 1994. A283664. 157p.
- Reddy TV. *Subchronic toxicity studies on 1,3,5-trinitrobenzene, 1,3-dinitrobenzene, and tetryl in rats. 14-day toxicity evaluation of n-methyl-n, 2,4,6-tetranitroaniline in Fischer 344 rats*. Cincinnati, OH: Environmental Protection Agency, Environmental Monitoring Systems Lab; 1994. A284190. 146p.
- Reddy TV, Daniel FB, Robinson M, Olson GR, Wiechman B. *Subchronic toxicity studies on 1,3,5-trinitrobenzene, 1,3-dinitrobenzene, and tetryl in rats. Subchronic toxicity evaluation of 1,3,5-trinitrobenzene in Fischer 344 rats*. Cincinnati, OH: Environmental Protection Agency, Environmental Monitoring Systems Lab; 1994. A283663. 208p.
- Sano SK, Korte DW Jr. *Acute dermal toxicity potential of guanidine nitrate in male and female rabbits*. San Francisco, CA: Letterman Army Institute of Research, Presidio of San Francisco; 1988. A198494 LAIR-281, Toxicology Ser-85. 26p.
- Serve MP. *The metabolism of cis- and trans-decalin in Fischer 344 rats*. Dayton, OH: Wright State University; 1985. A166072. 20p.
- Serve MP. *A study of the nephrotoxicity and metabolism of tetralin and indan in Fischer 344 rats*. Dayton, OH: Wright State University; 1989. A208588. 89p.
- Starke WC, Pellerin RJ, Burnett DC, Manthei JH, Heitkamp DH. *Teratogenicity, mutagenicity, and effects of grade 2 diesel fuel on reproduction in a single generation of rats*. Aberdeen Proving Ground, MD: Chemical Development and Engineering Center; 1987. A189938 CRDEC-TR-87083. 28p.
- Sterner RT, Shumake SA, Thompson RD, Johns BE. *Behavioral-physiological effects of red phosphorus smoke inhalation on two wildlife species*. Denver, CO: Fish and Wildlife Service, Denver Wildlife Research Center; 1990. A226375. 52p.
- Taylor DH, Goldey E. *Assessment of the behavioral and neurotoxic effects of hexachlorobenzene (HCB) in the developing rat*. Oxford, OH: Miami University, Department of Zoology; 1990. A243658. 41p.
- Teratological assessment of trinitro-RDX in rats*. Aberdeen Proving Ground, MD: Army Environmental Hygiene Agency; 1986. A166249 USAEHA-75-51-0573-86. 24p.
- Thurman JD, Creasia DA, Quance JL, Johnson AJ. *Adrenal cortical necrosis caused by T-2 mycotoxigenesis in female, but not male, mice*. Fort Detrick, MD: Army Medical Research Institute of Infectious Diseases; 1986. A170208. 3p.
- Thurman JD, Creasia DA, Trotter RW. *Testosterone prevents T-2 toxin-induced adrenal cortical necrosis in mice*. Fort Detrick, MD: Army Medical Research Institute of Infectious Diseases; 1988. A198050. 12p.
- Veltman JC, Dekant W, Guengerich FP, Anders MW. *Cytotoxicity and bioactivation mechanism of benzyl 2-chloro-1,1,2-trifluoroethyl sulfide and benzyl 1,2,3,4,4-pentachlorobutyl-1,3-dienyl sulfide*. Rochester, NY: Rochester University Medical Center; 1988. A247358. 7p.
- Wyman JF, Serve MP, Hobson DW, Lee LH, Uddin D. *Acute toxicity, distribution and metabolism of 2,4,6-trinitrophenol (picric acid) in Fischer 344 rats*. Bethesda, MD: Naval Medical Research Institute; 1992. A265926 NMRI-92-129. 16p.
- Yu KO, Olson CT, Hobson DW, Serve MP. *Identification of urinary metabolites in rats exposed to the nephrotoxic agent 2,3,4-trimethylpentane*. Wright-Patterson Air Force Base, OH: Armstrong Aerospace Medical Research Lab; 1987. A189754 AAMRL-TR-87-078. 4p.

TRAUMATIC STRESS, OTHER

- Brandt GT, Norwood AE, McCarroll JE, Ursano RJ, Fullerton CS. *Responses to disasters, natural and man-made, and interventions with social supports*. Bethesda, MD: Uniformed Services University of the Health Sciences; 1994. A286039. 143p.
- McCarroll JE, Ursano RJ, Fullerton CS, Lundy AC. *Traumatic stress of a wartime mortuary: anticipation of exposure to mass death*. Washington, DC: Walter Reed Army Institute of Research; 1993. A274579 WR-100-93. 8p.
- McCarroll JE, Ursano RJ, Ventis WL, Fullerton CS, Oates GL. *Anticipation of handling the dead: effects of gender and experience*. Washington, DC: Walter Reed Army Institute of Research; 1993. A274426. 4p.

Research in Progress

This chapter lists information on federally funded research currently in progress. It is divided into two parts. Part 1 lists the information retrieved by searching several online databases (Federal Research in Progress, CRIS/USDA, and the DTIC Work Unit) and through information received from federal agencies, including the Agency for Health Care Policy and Research, Centers for Disease Control and Prevention (CDC), Environmental Protection Agency, and the Maternal Child Health Bureau. The year of the award is included if it was available. Part B lists the intramural projects funded by the Defense Women's Health Research Program for FY 1994. Dollar amounts are reported for all studies for which they were available. These citations have been indexed as in chapter 2 with the terms on the following page. Some studies have been placed in more than one category.

Index Terms

body composition
body composition, obesity
bone
cardiovascular health
communicable diseases
cutaneous/dermal conditions
database
eating disorders
endocrine
family issues
gastrointestinal conditions
gynecologic/genito-urinary
gynecologic/reproductive health,
 birth control
gynecologic/reproductive health,
 lactation
gynecologic/reproductive health,
 long-range implications
gynecologic/reproductive health,
 postpartum
gynecologic/reproductive health,
 pregnancy
health, general
health services
HIV/AIDS
hormone replacement therapy
job satisfaction
job stress
load-bearing
medical technology
menstrual cycle
miscellaneous
musculoskeletal, biomechanics
musculoskeletal, injuries
musculoskeletal, treatment
neurosensory conditions
noise, hearing loss
nutrition
nutrition and exercise
otolaryngological conditions
performance
pharmaceutical
physical fitness, general
physical fitness, strength/endurance
protective clothing and equipment
psychological conditions
radiation
respiratory conditions
responses to stressors, other
responses to stressors, physical activity
responses to stressors, pressure
responses to stressors, temperature
sexual assault/harassment
social support
STDs
substance abuse
toxins
traumatic stress, combat
traumatic stress, other

Part A

Current Research

BODY COMPOSITION

- Bray G (Louisiana State University, Baton Rouge, LA). Dietary fat, food intake, energy expenditure and body composition. U.S. Department of Agriculture, Cooperative State Research Service.
- Crews MG, Simmons JL (South Dakota State University, Brookings, SD). 1993. Adipose tissue composition and chronic disease patterns. U.S. Department of Agriculture, Cooperative State Research Service.
- Dennison KF (Dine Systems, Inc., Amherst, NY). 1992. Women's weight management CAI for outpatient settings. National Cancer Institute.
- Kissebah AH (Medical College of Wisconsin, Milwaukee, WI). 1994. Body fat distribution and metabolic profile in women. National Heart, Lung and Blood Institute. \$420,737.
- Lederman SA (Columbia University Teacher's College, New York, NY). 1995. Body Composition in Pregnant Women. Maternal and Child Health Bureau.
- Pierson RN Jr (St. Luke's Roosevelt Institute for Health Sciences, New York, NY). 1992. Body composition and ethnicity III: Hispanic populations. National Institute of Diabetes and Digestive and Kidney Diseases.
- Schrope B (Reshet, Inc., Philadelphia, PA). 1993. Noninvasive measurement of body composition. National Science Foundation. \$49,852.
- Stallings S, Wolman P (Winthrop College, Rock Hill, SC). 1993. Nutritional status and body composition of healthy, black, normal-weight, middle-age females. U.S. Department of Agriculture, Cooperative State Research Service.

BODY COMPOSITION, OBESITY

- Albu J (St. Luke's Roosevelt Institute for Health Sciences, New York, NY). 1994. Differential effects of insulin resistance in obesity. National Institute of Diabetes and Digestive and Kidney Diseases. \$90,180.
- Allison DB (St. Luke's Roosevelt Hospital Center, New York, NY). 1994. Genetics of obesity and related risks among black women. National Institute of Diabetes and Digestive and Kidney Diseases. \$116,575.
- Amatruda JM (Yale University, New Haven, CT). 1994. Metabolic rate and protein turnover in obesity. National Institute of Diabetes and Digestive and Kidney Diseases. \$213,966.
- Blackburn GL (New England Deaconess Hospital, Boston, MA). 1994. Long-term outcome of obesity treatment in minority women. National Institute of Diabetes and Digestive and Kidney Diseases. \$666,653.
- Ehrmann DA (University of Chicago, Chicago, IL). 1994. Relationship of obesity, hyperinsulinemia and LH to polycystic ovary syndrome. National Center for Research Resources.
- Foreyt JP (Baylor College of Medicine, Houston, TX). 1992. Obesity treatment: self management vs. dependence models. National Institute of Diabetes and Digestive and Kidney Diseases.
- Foreyt JP (Baylor College of Medicine, Houston, TX). 1994. Weight loss for Mexican-Americans. National Heart, Lung and Blood Institute. \$763,185.
- Fujimoto WY (University of Washington, Seattle, WA). 1994. Central obesity and disease risk in Japanese Americans. National Heart, Lung and Blood Institute. \$200,352.
- Heymsfield S (St. Luke's Roosevelt Institute for Health Sciences, New York, NY). 1994. Ethnicity and obesity. National Institute of Diabetes and Digestive and Kidney Diseases.
- Holloszy JO (Washington University, St. Louis, MO). 1994. Prevention of NIDDM in centrally obese African Americans. National Institute of Diabetes and Digestive and Kidney Diseases. \$231,459.
- Jensen MD (Mayo Foundation, Rochester, NY). 1992. FFA metabolism in different types of human obesity. National Institute of Diabetes and Digestive and Kidney Diseases.
- Kelley DE (University of Pittsburgh, Pittsburgh, PA). 1994. Skeletal muscle free fatty acid uptake and oxidation in obesity. National Institute of Diabetes and Digestive and Kidney Diseases.
- Klesges RC (University of Memphis, Memphis, TN). 1994. Pharmacologic intervention for postcessation weight gain. National Heart, Lung and Blood Institute. \$723,352.
- McGee B (Southern University, Baton Rouge, LA). Obesity, fat distribution and chronic disease risk factors in young African American women. U.S. Department of Agriculture, Cooperative State Research Service.
- Pi-Sunyer FX (St. Luke's Roosevelt Institute for Health Sciences, New York, NY). 1994. Obesity in black women. National Institute of Diabetes and Digestive and Kidney Diseases. \$241,755.

- Rodin J (Yale University, New Haven, CT). 1994. Metabolic consequences of weight cycling. National Center for Research Resources.
- Sobal J (Cornell University, Ithaca, NY). 1993. Marital status, marital satisfaction and obesity. U.S. Department of Agriculture, State Agricultural Experiment Station.
- Sobal J (Cornell University, Ithaca, NY). 1992. Socioeconomic status and obesity. U.S. Department of Agriculture, Cooperative State Research Service.
- Vazquez JA (University of Pittsburgh, Pittsburgh, PA). 1992. Protein sparing during treatment of obesity. National Institute of Diabetes and Digestive and Kidney Diseases.
- Wadden TA (Department of Veterans Affairs, Medical Center, Syracuse, NY). Behavioral and metabolic consequences of weight change. Department of Veterans Affairs, Research and Development.
- Wadden TA (University of Pennsylvania, Philadelphia, PA). 1994. Behavioral and metabolic consequences of weight change. National Institute of Mental Health. \$241,936.
- Wadden TA (University of Pennsylvania, Philadelphia, PA). 1994. Behavioral treatment of obesity. National Institute of Mental Health. \$58,842.
- Welle SL (University of Rochester, Rochester, NY). 1994. An in vivo study of lipoprotein lipase. National Center for Research Resources.

BONE

- Ackerman JL (Massachusetts General Hospital, Boston, MA). 1994. Solid state magnetic resonance of bone mineral. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$160,149.
- Altman RD (Department of Veterans Affairs, Medical Center, Miami, FL). Cyclical tiludronate in the treatment of patients with low bone mass and no vertebral fractures. Department of Veterans Affairs, Research and Development.
- Anderson J (University of North Carolina, Chapel Hill, NC). The effect of calcium supplementation of young adult white women on bone mass. U.S. Department of Agriculture, Competitive Research Grants Office.
- Barrett-Connor E (University of California, San Diego, CA). 1994. Fracture intervention trial. National Center for Research Resources.
- Bauer DC (University of California, San Francisco, CA). 1994. Thyroid function and osteoporosis. National Institute on Aging. \$73,440.
- Bauer RL (University of Texas Health Science Center, San Antonio, TX). 1992. Osteoporosis in Mexican Americans and non-Hispanic whites. National Institute of Arthritis and Musculoskeletal and Skin Diseases.
- Beauchene R, Costello E (University of Tennessee, Knoxville, TN). 1992. Longitudinal relationships between nutrient intakes and bone loss in East Tennessee Caucasian women. U.S. Department of Agriculture, Cooperative State Research Service.
- Butterfield G (Department of Veterans Affairs, Medical Center, Palo Alto, CA). Effect of calcium-vitamin D supplementation with or without complete vitamin-mineral supplement on bone density in post-menopausal women. Department of Veterans Affairs, Research and Development.
- Canfield RE (Columbia University, New York, NY). 1994. Epidemiology of bone mass in young adults—peak bone mass study. National Center for Research Resources.
- Carter D (Department of Veterans Affairs, Medical Center, Palo Alto, CA). Long bone structural properties from bone densitometry. Department of Veterans Affairs, Research and Development.
- Cody DD (Case Western Reserve University, Cleveland, OH). 1994. Proximal femur architecture in older women. National Institute on Aging. \$85,427.
- Dalsky GP (University of Connecticut Health Center, Farmington, CT). 1994. Exercise effect on femoral bone mass in older adults. National Institute on Aging. \$691,420.
- Ensrud KE (Department of Veterans Affairs, Medical Center, Minneapolis, MN). Fracture intervention trial. Department of Veterans Affairs, Research and Development.
- Ettinger B (Kaiser Foundation Research Institute, Oakland, CA). 1994. Bone mass in a biracial population of young adults. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$161,537.
- Favus MJ (University of Chicago, Chicago, IL). 1994. Pathogenesis of low bone mass in daughters of women with osteoporosis. National Center for Research Resources.
- Fyhrie DP (Case Western Reserve University, Cleveland, OH). 1994. Strength and micro-strain in vertebral trabecular bone. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$97,082.
- Ginier P (Department of Veterans Affairs, Medical Center, Fresno, CA). Analysis of the effectiveness of treatment combinations on bone mineral density in women. Department of Veterans Affairs, Research and Development.

- Glowacki J (Brigham and Women's Hospital, Boston, MA). 1994. Marrow biology and bone mass—effects of age and hormone. National Institute on Aging. \$330,806.
- Goldstein SA (University of Michigan, Ann Arbor, MI). 1994. Tissue morphology and architecture effects on bone. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$151,148.
- Hildebolt CF (Washington University, St. Louis, MO). 1994. Alveolar vs. postcranial bone loss after menopause. National Institute of Dental Research. \$165,915.
- Israel E (Brigham and Women's Hospital, Boston, MA). 1994. Postmenopausal bone loss due to inhaled corticosteroids. National Heart, Lung and Blood Institute. \$228,652.
- Jayo MJ (Wake Forest University, Winston-Salem, NC). 1994. Thiazide effects on bone and arteries. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$346,063.
- Kiel DP (Hebrew Rehabilitation Center for the Aged, Boston, MA). 1994. Risk factors for vertebral fracture and bone loss. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$290,103.
- Kohrt WM (Washington University, St. Louis, MO). 1994. Nonweightbearing exercise and bone mass in older women. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$126,719.
- Lee C, Wang C (Kentucky State University, Frankfort, KY). Calcium metabolism and bone structure impacted by dieting and body weight change. U.S. Department of Agriculture, Cooperative State Research Service.
- Liu JH (University of Cincinnati, Cincinnati, OH). 1994. Progestogen effect on bone and cognition in menopause. National Institute on Aging. \$365,405.
- Majumdar S (University of California, San Francisco, CA). 1994. Quantification of trabecular bone density and structure. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$65,610.
- Marcus RA (Department of Veterans Affairs, Medical Center, Palo Alto, CA). Stanford post menopausal hormone replacement study. Department of Veterans Affairs, Research and Development.
- McKinlay SM (New England Research Institutes, Inc., Watertown, MA). 1994. Risk factors for transmenopausal bone loss. National Institute on Aging. \$188,622.
- Pak CYC (University of Texas Southwest Medical Center, Dallas, TX). 1994. Prevention of bone loss in early postmenopausal women with calcium. National Center for Research Resources.
- Parfitt AM (Case Western Reserve University, Cleveland, OH). 1994. ERT and focal balance between resorption and formation. National Institute on Aging. \$162,684.
- Parisien M (Helen Hayes Hospital, West Haverstraw, NY). 1994. Skeletal homeostasis in blacks and whites. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$331,038.
- Rude RK (University of Southern California, Los Angeles, CA). 1994. Effect of running and strength training on bone mass. National Center for Research Resources.
- Sebastian A (University of California, San Francisco, CA). 1994. Effect of bicarbonate salts on calcium metabolism in postmenopausal women. National Center for Research Resources.
- Sebastian A (University of California, San Francisco, CA). 1994. Effect of KHCO_3 on nocturnal acceleration of bone resorption. National Center for Research Resources.
- Sowers M (University of Michigan, Ann Arbor, MI). 1994. High-fluoride exposure, bone mass and fracture. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$339,863.
- Sowers MF (University of Michigan, Ann Arbor, MI). 1992. Effect of lactation on bone. National Institute of Arthritis and Musculoskeletal and Skin Diseases.
- Specker B, Kalkwarf H, Heubi J (Children's Hospital Medical Center, Cincinnati, OH). Intestinal calcium absorption during lactation and weaning. U.S. Department of Agriculture, Competitive Research Grants Office.
- Specker BL (Children's Hospital Medical Center, Cincinnati, OH). 1994. Lactation and weaning effect on calcium status. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$235,927.
- Taper LJ (Virginia Polytechnic Institute, Blacksburg, VA). 1992. Changes in bone mineral density in eumenorrheic and oligomenorrheic athletes on boron supplementation. U.S. Department of Agriculture, Cooperative State Research Service.
- Wehrli FW (University of Pennsylvania, Philadelphia, PA). 1994. NMR microscopy and stereologic analysis of trabecular bone. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$244,686.
- Wilson L (University of Washington, Seattle, WA). 1994. Controlled trial of amitriptyline for temporomandibular dysfunction. National Institute of Dental Research.

CARDIOVASCULAR HEALTH

- Adams JH (Morehouse College, Atlanta, GA). 1994. John Henryism, emotion, stressors, and cardiovascular responses. National Institute of Mental Health.

- Adams N (Winston-Salem State University, Winston-Salem, NC). 1994. Social role and cardiovascular response to stress. National Institute of General Medical Sciences.
- Adams-Campbell LL (Howard University, Washington, DC). 1994. Clinical cardiovascular outcomes of African-Americans. National Heart, Lung and Blood Institute. \$80,310.
- Anand IS (Department of Veterans Affairs, Medical Center, Minneapolis, MN). A randomized, double blind, placebo controlled multiple dose study of the chronic administration of vernarione in heart failure. Department of Veterans Affairs, Research and Development.
- Appel LJ (Johns Hopkins University, Baltimore, MD). 1994. Dietary patterns and blood pressure. National Heart, Lung and Blood Institute. \$328,234.
- Bakris GL (Rush-Presbyterian-St Lukes Medical Center, Chicago, IL). 1994. African American study of kidney disease and hypertension. National Institute of Diabetes and Digestive and Kidney Diseases. \$255,730.
- Bazarr TL (North Carolina State University, Raleigh, NC). 1993. Effects of diet, body fat, energy expenditure on blood lipids and blood pressure of rural blacks. U.S. Department of Agriculture, Cooperative State Research Service.
- Beatty TH (Johns Hopkins University, Baltimore, MD). 1994. Genetic and epidemiologic studies of premature coronary artery disease. National Heart, Lung and Blood Institute.
- Becker LC (Johns Hopkins University, Baltimore, MD). 1994. CAD mechanisms in high risk families—racial difference. National Heart, Lung and Blood Institute. \$361,898.
- Botchin MB (Wake Forest University, Winston-Salem, NC). 1994. HMG CoA reductase inhibition and behavior. National Heart, Lung and Blood Institute. \$83,700.
- Boyden TW (Department of Veterans Affairs, Medical Center, Tucson, AZ). Efficacy and safety of pravastatin in patients with primary hypercholesterolemia compared to placebo. Department of Veterans Affairs, Research and Development.
- Bray GA (Pennington Biomedical Research Center, Baton Rouge, LA). 1994. Dietary patterns and blood pressure. National Heart, Lung and Blood Institute. \$432,210.
- Bryg RJ (Department of Veterans Affairs, Medical Center, Reno, NV). Comparison of simvastatin and fluvastatin in patients with primary hypercholesterolemia (type IIa and IIb). Department of Veterans Affairs, Research and Development.
- Campese VM (University of Southern California, Los Angeles, CA). 1994. Kidney study in hypertensive black men and women. National Heart, Lung and Blood Institute. \$275,597.
- Cannon RO (National Heart, Lung and Blood Institute, Bethesda, MD). 1994. Effect of 17 beta-estradiol on coronary vascular hemodynamics in postmenopause. National Heart, Lung and Blood Institute.
- Cannon RO (National Heart, Lung and Blood Institute, Bethesda, MD). 1994. Estradiol and oxidizability of low density lipoprotein in postmenopausal women. National Heart, Lung and Blood Institute.
- Chilian WM (Texas A&M University Health Science Center, College Station, TX). 1994. Sex hormone-induced modulation of coronary smooth muscle. National Heart, Lung and Blood Institute. \$187,601.
- Clark KE (University of Cincinnati, Cincinnati, OH). 1994. Estrogen modulation of the cardiovascular system. National Heart, Lung and Blood Institute. \$230,341.
- Cohen JD (St. Louis University, St. Louis, MO). 1992. Trials of hypertension prevention—phase II. National Heart, Lung and Blood Institute.
- D'Agostino RB (Boston University, Boston, MA). 1994. Decline in cardiovascular mortality. National Heart, Lung and Blood Institute. \$250,721.
- Dennis KE (Department of Veterans Affairs, Medical Center, Baltimore, MD). GRECC nutrition clinical demonstration project. Department of Veterans Affairs, Research and Development.
- Duckles SP (University of California, Irvine, CA). 1994. Vascular reactivity—gender and hormonal influences. National Heart, Lung and Blood Institute. \$223,795.
- Eaves LJ (Virginia Commonwealth University, Richmond, VA). 1994. Gender differences in familial risk. National Heart, Lung and Blood Institute. \$202,455.
- Eckberg DL (Department of Veterans Affairs, Medical Center, Richmond, VA). The hormonal role of circulating norepinephrine and its effects on arterial baroreflex sensitivity. Department of Veterans Affairs, Research and Development.
- Falkner BE (Medical College of Pennsylvania, Philadelphia, PA). 1994. Insulin, androgen, and risk in African-American women. National Heart, Lung and Blood Institute. \$226,430.
- Fried SK (Rutgers University, New Brunswick, NJ). 1992. Nutrition and lipoprotein lipase-molecular mechanisms. National Institute of Diabetes and Digestive and Kidney Diseases.
- Gardin JM (University of California, Irvine, CA). 1992. Cardia-echocardiography reading center. National Heart, Lung and Blood Institute.

- Goldberg AP (Department of Veterans Affairs, Medical Center, Baltimore, MD). Effects of strength training on risk factors for cardiovascular disease and self perceptions in post menopausal women. Department of Veterans Affairs, Research and Development.
- Green D (Northwestern University, Chicago, IL). 1992. Hemostatic coronary risk factors in young adults. National Heart, Lung and Blood Institute.
- Gupta SC (Department of Veterans Affairs, Medical Center, Dayton, OH). Efficacy and safety of pravastatin in patients with primary hypercholesterolemia compared with placebo. Department of Veterans Affairs, Research and Development.
- Habib G (Department of Veterans Affairs, Medical Center, Houston, TX). A randomized double-blind placebo controlled dose-response study of temocapril HCL (CS-622) alone or with HCTZ in hypertension. Department of Veterans Affairs, Research and Development.
- Harshfield GA (University of Tennessee, Memphis, TN). 1994. Mechanisms underlying abnormal ambulatory BP patterns. National Heart, Lung and Blood Institute. \$264,325.
- Hebert LA (Ohio State University, Columbus, OH). 1994. Ohio State University application to AASK. National Institute of Diabetes and Digestive and Kidney Diseases. \$265,422.
- Heiss G (University of North Carolina, Chapel Hill, NC). 1992. Postprandial lipoproteins and atherosclerosis/core. National Heart, Lung and Blood Institute.
- Hermesmeyer RK (Oregon Regional Primate Research Center, Beaverton, OR). 1994. Coronary reactivity in males and females. National Heart, Lung and Blood Institute. \$292,195.
- Herrington D (Wake Forest University, Winston-Salem, NC). 1994. Heart and estrogen/progestin replacement studies. National Center for Research Resources.
- Hopkins PN (University of Utah, Salt Lake City, UT). 1994. Genetic interactions and atherosclerosis risk in FH. National Heart, Lung and Blood Institute. \$440,283.
- Icano J, Blair M (Vanderbilt University, Nashville, TN). 1992. Dietary studies on blood pressure and prostanoid metabolism. U.S. Department of Agriculture, Agricultural Research Service.
- Jaffe RB (University of California, San Francisco, CA). 1994. Sex hormone effects on lipoprotein speciation. National Heart, Lung and Blood Institute. \$210,141.
- Jairaj K (University of Arkansas, Pine Bluff, AR). 1993. Assessing coronary risk factors in black college students. U.S. Department of Agriculture, Cooperative State Research Service.
- Jairaj K (University of Arkansas, Pine Bluff, AR). 1994. Ethnic food preference and effect of interventions on hypertensive and hypercholesterolemic subjects. U.S. Department of Agriculture, Cooperative State Research Service.
- James SA (University of Michigan, Ann Arbor, MI). 1994. SES, John Henryism and hypertension-risk in blacks. National Heart, Lung and Blood Institute. \$327,567.
- Jayo MJ (Wake Forest University, Winston-Salem, NC). 1994. Thiazide effects on bone and arteries. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$346,063.
- Johnson JA (Department of Veterans Affairs, Medical Center, Columbia, MO). Arterial sodium concentration in hypertension associated with oral contraceptives. Department of Veterans Affairs, Research and Development.
- Kadish A (Northwestern University, Chicago, IL). 1994. Gender differences in the QT interval. National Center for Research Resources.
- Kannel WB (Boston University, Boston, MA). 1994. Prospective analysis of the effect of widowhood on CVD. National Heart, Lung and Blood Institute. \$56,968.
- Katz LA (Department of Veterans Affairs, Medical Center, New York, NY). A randomized double-blind long term study of temocapril HCL (CS-622) in patients with mild to moderate hypertension. Department of Veterans Affairs, Research and Development.
- Katz R (George Washington University, Washington, DC). 1992. Insulin and pathogenesis of atherosclerosis in blacks. National Heart, Lung and Blood Institute.
- Keil JE (Medical University of South Carolina, Charleston, SC). 1992. Predictors of coronary disease in blacks. National Heart, Lung and Blood Institute.
- Kelsey RM (University of North Texas, Denton, TX). 1994. Cardiovascular adaptation to recurrent stress. National Heart, Lung and Blood Institute. \$102,579.
- Kern F Jr (University of Colorado Health Sciences Center, Denver, CO). 1992. Mechanism of estrogen effects on biliary cholesterol. National Institute of Diabetes and Digestive and Kidney Diseases.
- Knopp RH (University of Washington, Seattle, WA). 1994. Dietary treatment of hyperlipidemia. National Heart, Lung and Blood Institute. \$774,580.
- Kochar MS (Department of Veterans Affairs, Medical Center, Milwaukee, WI). Antihypertensive efficacy and safety of losartan/HCTZ in severe hypertension. Department of Veterans Affairs, Research and Development.

- Koenig KL (New York University, New York, NY). 1994. Endogenous estrogen and coronary heart disease in women. National Heart, Lung and Blood Institute. \$115,227.
- Kuller LH (University of Pittsburgh, Pittsburgh, PA). 1992. Cardiovascular epidemiology training program. National Heart, Lung and Blood Institute.
- Kuller LH (University of Pittsburgh, Pittsburgh, PA). 1992. Epidemiology of cardiovascular risk factors in women. National Heart, Lung and Blood Institute.
- Kwiterovich PO (Johns Hopkins University, Baltimore, MD). 1992. Nontraditional mechanisms of atherogenesis. National Heart, Lung and Blood Institute.
- Lardinois CK (Department of Veterans Affairs, Medical Center, Reno, NV). An open label study of fluvastatin in the treatment of patients with hypercholesterolemia in clinical practice settings. Department of Veterans Affairs, Research and Development.
- Lasser NL (University of Medicine and Dentistry of New Jersey, Newark, NJ). 1994. Prevention of hypertension. National Heart, Lung and Blood Institute. \$385,591.
- Levine DM (Johns Hopkins University, Baltimore, MD). 1994. Urban African-American community hypertension control. National Heart, Lung and Blood Institute. \$402,424.
- List N (Department of Veterans Affairs, Medical Center, North Chicago, IL). Pilot study on influence of sex steroids on chylomicron metabolism in males and females: potential to modify atherogenic lipoprotein profiles. Department of Veterans Affairs, Research and Development.
- Lovelady CA (North Carolina State University, Raleigh, NC). 1993. The effect of diet and exercise on hyperlipidemia and cardiovascular disease in women. U.S. Department of Agriculture, State Agricultural Experiment Station.
- Marmot MG (University of London, London, England). 1994. Oral contraceptives and cardiovascular disease. National Institute of Child Health and Human Development. \$163,795.
- Matthews KA (University of Pittsburgh, Pittsburgh, PA). 1994. CHD risk, behavioral stress and reproductive hormones. National Heart, Lung and Blood Institute. \$325,842.
- Mayer EJ (Wake Forest University, Winston-Salem, NC). 1994. Diet, insulin resistance, and cardiovascular risk. National Heart, Lung and Blood Institute. \$115,562.
- McMahan CA (University of Texas Health Science Center, San Antonio, TX). 1994. Risk factors in early atherogenesis. National Heart, Lung and Blood Institute. \$174,830.
- McGill HC (Southwest Foundation for Biomedical Research, San Antonio, TX). 1992. Diet, stress, and genotype in primate atherosclerosis. National Heart, Lung and Blood Institute.
- Moll PP (University of Michigan, Ann Arbor, MI). 1994. Epidemiology of coronary artery calcification. National Heart, Lung and Blood Institute. \$600,109.
- Morris DJ (Miriam Hospital, Providence, RI). 1994. Novel endogenous regulators of sodium and hypertension. National Heart, Lung and Blood Institute. \$206,809.
- Morris RC Jr (University of California, San Francisco, CA). 1994. Dietary potassium as a determinant of hypertension. National Heart, Lung and Blood Institute. \$294,184.
- Muller JE (New England Deaconess Hospital, Boston, MA). 1994. Modifiers of myocardial infarction onset. National Heart, Lung and Blood Institute. \$483,006.
- O'Brien B (Texas A&M University, College Station, TX). Lipid and lipoprotein metabolic interactions with diet and exercise. U.S. Department of Agriculture, Cooperative State Research Service.
- Osol G (University of Vermont, Burlington, VT). 1994. Ovarian regulation of resistance—artery diameter. National Heart, Lung and Blood Institute. \$186,443.
- Pearson TA (Columbia University, New York, NY). 1992. Lipoprotein (A) and coronary disease in blacks vs. whites. National Heart, Lung and Blood Institute.
- Petitti DB (Kaiser Foundation Research Institute, Oakland, CA). 1994. Stroke and MI in users of estrogen/progestogen. National Heart, Lung and Blood Institute. \$350,903.
- Pickering TG (Cornell University Medical Center, New York, NY). 1994. Psychosocial factors and cardiovascular disease. National Heart, Lung and Blood Institute. \$1,149,303.
- Posner BM (Boston University, Boston, MA). 1994. Offspring/spouse nutrition. National Heart, Lung and Blood Institute. \$345,882.
- Rader DJ (National Heart, Lung and Blood Institute, Bethesda, MD). 1994. Genetic regulation of LPA metabolism. National Heart, Lung and Blood Institute.
- Redberg RF (University of California, San Francisco, CA). 1994. Effect of exercise on coronary disease in women. National Heart, Lung and Blood Institute. \$192,941.
- Roheim PS (Pennington Biomedical Research Center, Baton Rouge, LA). 1992. Multicenter studies of diet and lipoproteins in humans. National Heart, Lung and Blood Institute.

- Sacco RL (Columbia University, New York, NY). 1994. Stroke incidence and prognosis in a mixed ethnic region. National Institute of Neurological Disorders and Stroke. \$724,271.
- Schonfeld G (Washington University, St. Louis, MO). 1994. Short-term exercise training on VLDL and LDL characteristics. National Center for Research Resources.
- Schrott HG (University of Iowa, Iowa City, IA). 1994. Heart and estrogen/progestin replacement. National Center for Research Resources.
- Selby JV (Kaiser Foundation Research Institute, Oakland, CA). 1994. Insulin resistance, hyperglycemia and atherosclerosis. National Heart, Lung and Blood Institute. \$135,000.
- Semenkovich CF (Washington University, St. Louis, MO). 1994. Nutritional and genetic regulation of lipoprotein lipase. National Heart, Lung and Blood Institute. \$109,298.
- Shahar E (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Cardiovascular consequences of sleep apnea. National Heart, Lung and Blood Institute. \$282,438.
- Share L (University of Tennessee, Memphis, TN). 1994. Control of ADH secretion and metabolism. National Heart, Lung and Blood Institute. \$208,674.
- Sherwood A (Duke University, Durham, NC). 1994. Menopausal effects in cardiovascular stress responses. National Heart, Lung and Blood Institute. \$169,334.
- Smith OA (University of Washington, Seattle, WA). 1994. Circulatory control—forebrain influence. National Heart, Lung and Blood Institute. \$183,057.
- Snook J (Ohio State University, Columbus, OH). 1992. Health maintenance aspects of dietary recommendations designed to modify lipid metabolism. U.S. Department of Agriculture, Cooperative State Research Service.
- Snook JT (Ohio State University, Columbus, OH). 1993. Effect of saturated fatty acids on LDL synthesis and degradation in women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Spaulding M (Department of Veterans Affairs, Medical Center, Buffalo, NY). Case control studies of the epidemiology of myocardial infarction and lung cancer. Department of Veterans Affairs, Research and Development.
- Srivastava TN (Department of Veterans Affairs, Medical Center, Jackson, MS). Effects of increases in potassium on cardiac function in hypertensive subjects. Department of Veterans Affairs, Research and Development.
- Stallone JN (Northeastern Ohio Universities College of Medicine, Rootstown, OH). 1994. Sex dimorphism in vascular function—humoral mechanisms. National Heart, Lung and Blood Institute. \$90,377.
- Stamler J (Northwestern University, Chicago, IL). 1994. Epidemiology of CV and non-CV risk in 4 cohorts. National Heart, Lung and Blood Institute. \$434,425.
- Stamler J (Northwestern University, Chicago, IL). 1994. Intersalt—next phase-focus on protein, Na⁺, K⁺, and BP. National Heart, Lung and Blood Institute. \$195,726.
- Svetkey LP (Duke University, Durham, NC). 1992. Adrenergic receptor genes in salt sensitive hypertension. National Heart, Lung and Blood Institute.
- Svetkey LP (Duke University, Durham, NC). 1994. Dietary patterns and blood pressure. National Heart, Lung and Blood Institute. \$484,706.
- Tso P (Louisiana State University Medical Center, Shreveport, LA). 1992. The formation and secretion of intestinal lipoproteins. National Institute of Diabetes and Digestive and Kidney Diseases.
- Turner ST (Mayo Foundation, Rochester, MN). 1994. Renal hemodynamic non-modulation and blood pressure. National Heart, Lung and Blood Institute. \$656,991.
- Walsh BW (Brigham and Women's Hospital, Boston, MA). 1994. Postmenopausal estrogens and hypercholesterolemia. National Center for Research Resources.
- Weiner CP (University of Iowa, Iowa City, IA). 1994. Sex hormones and coronary artery reactivity. National Heart, Lung and Blood Institute. \$255,791.
- Wilcox JN (Emory University, Atlanta, GA). Biological mediators of atherogenesis in black Americans. National Heart, Lung and Blood Institute.
- Williams JK (Wake Forest University, Winston-Salem, NC). 1994. Tamoxifen and coronary heart disease. National Heart, Lung and Blood Institute. \$350,063.
- Williams RB Jr (Duke University, Durham, NC). 1994. Behavioral factors in coronary heart disease. National Heart, Lung and Blood Institute. \$1,304,481.
- Yaseen M (Department of Veterans Affairs, Medical Center, Washington, DC). Stroke prevention in young women. Department of Veterans Affairs, Research and Development.
- Zukowska-Grojec Z (Georgetown University, Washington, DC). 1994. Gender and neuropeptide catecholamine hypertension. Fogarty International Center. \$24,498.

COMMUNICABLE DISEASES

Cheever AW (National Institute of Allergy and Infectious Diseases, Bethesda, MD). 1994. Studies on the quantitative parasitology of schistosome infections. National Institute of Allergy and Infectious Diseases.

CUTANEOUS/DERMAL CONDITIONS

- Cooper KD, Oberhelman L, Hamilton TA, Baadsgaard O, Terhune M, LeVee G, Anderson T, Koren H (University of Michigan, Ann Arbor, MI). 1995. Effects of UV exposure on immunization rates and tolerance to epicutaneous antigens in humans: relationship to gender, dose, CD1aDR+ epidermal macrophage induction and Langerhans cell depletion. Environmental Protection Agency.
- Crosby DL (Department of Veterans Affairs, Medical Center, Milwaukee, WI). A comparative study of the efficacy and safety of calcium mupirocin cream with cephalexin in the treatment of secondarily infected eczema. Department of Veterans Affairs, Research and Development.
- Durate B (Department of Veterans Affairs, Medical Center, Chicago, IL). L-ofloxacin vs. timetin and augmentin in the treatment of skin and skin structure. Department of Veterans Affairs, Research and Development.
- Franz TJ (Department of Veterans Affairs, Medical Center, Little Rock, AR). Pharmacokinetics of tretinoin in man following topical application. Department of Veterans Affairs, Research and Development.
- Guin JD (Department of Veterans Affairs, Medical Center, Little Rock, AR). Topical tretinoin effects on plasma levels of tretinoin in humans. Department of Veterans Affairs, Research and Development.
- Knutson K (University of Utah, Salt Lake City, UT). 1994. Mechanistic studies of transdermal transport/metabolism. National Institute of Child Health and Human Development. \$258,750.
- Moon TE (University of Arizona, Tucson, AZ). 1994. Nonmelanoma skin cancer epidemiology. National Cancer Institute.
- Ramirez-Ronda CH (Department of Veterans Affairs, Medical Center, San Juan, PR). Safety and efficacy of two doses of FK-037 in skin infections. Department of Veterans Affairs, Research and Development.
- Ramirez-Ronda CH (Department of Veterans Affairs, Medical Center, San Juan, PR). Study of efficacy and safety of sparfloxacin vs. ciprofloxacin in the treatment of skin infection. Department of Veterans Affairs, Research and Development.
- Smith TH (Department of Veterans Affairs, Medical Center, Newington, CT). Immune mediated alterations in connective tissue cells. Department of Veterans Affairs, Research and Development.
- Taylor JR (Department of Veterans Affairs, Medical Center, Miami, FL). Sparfloxacin vs. ciprofloxacin in the treatment of skin and skin structure infections. Department of Veterans Affairs, Research and Development.
- Weinstock MA (Roger Williams Hospital, Providence, RI). 1994. Case control study of dysplastic nevi. National Cancer Institute. \$69,641.

DATABASE

- Armstrong Laboratory (Brooks Air Force Base, TX). 1994. DERA health standards—quantitative health and risk analysis.
- California Public Health Foundation (Berkeley, CA). 1994. Adding data accessibility and rule-based targeted data collection to the California cancer reporting system for breast cases. \$608,000.
- Rosenberg L (Boston University, Boston, MA). 1994. Case-control surveillance of serious illnesses and drugs. National Cancer Institute. \$581,418.
- SRI International (Menlo Park, CA). 1994. Optimization techniques for trusted semantic interoperation. \$750,000.

EATING DISORDERS

- Agras WS (Stanford University, Stanford, CA). 1994. Psychological treatment of bulimia nervosa. National Institute of Mental Health. \$451,242.
- Agras WS (Stanford University, Stanford, CA). 1992. Studies of the treatment and psychopathology of bulimia. National Institute of Mental Health.
- Barber WD (Colorado State University, Fort Collins, CO). 1994. Regulation of proximal gastrointestinal tract. National Institute of Neurological Disorders and Stroke. \$173,261.

- Cannon D (Department of Veterans Affairs, Medical Center, Dallas, TX). Impulsivity and 5-HT-LA receptor function in bulimia nervosa. Department of Veterans Affairs, Research and Development.
- Eckert ED (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Nociception of bulimia nervosa. National Institute of Mental Health. \$197,149.
- Estok PJ (Kent State University, Kent, OH). 1992. Eating disorders—assessment of women runners/nonrunners. National Center for Nursing Research.
- Geary ND (Cornell University Medical Center, New York, NY). 1994. Ovarian hormonal control of meal size. National Institute of Mental Health. \$205,337.
- Hoebel BG (Princeton University, Princeton, NJ). 1994. Neural basis of feeding and reinforcement. National Institute of Neurological Disorders and Stroke. \$202,588.
- Hsu LK (New England Medical Center Hospitals, Inc., Boston, MA). 1994. Fluoxetine in anorexia nervosa. National Institute of Mental Health. \$170,900.
- Jimerson D (Beth Israel Hospital, Boston, MA). 1994. Psychobiology of bulimia. National Center for Research Resources.
- Jimerson D (Beth Israel Hospital, Boston, MA). 1994. Serotonin function in patients with eating disorders and in healthy controls. National Center for Research Resources.
- Kalra SP (University of Florida, Gainesville, FL). 1994. Brain-gut peptides in female reproduction-ovulation. National Institute of Child Health and Human Development. \$184,347.
- Kaye WH (University of Pittsburgh, Pittsburgh, PA). 1994. Neurobiology of feeding behavior in bulimia. National Institute of Mental Health. \$297,124.
- Liddle RA (Duke University, Durham, NC). 1994. Regulation of cholecystokinin secretion and physiologic actions. National Center for Research Resources.
- McClain CJ (Department of Veterans Affairs, Medical Center, Lexington, KY). Altered zinc metabolism in eating disorders. Department of Veterans Affairs, Research and Development.
- Pardo JV (Department of Veterans Affairs, Medical Center, Minneapolis, MN). Neuroimaging studies of appetitive behaviors. Department of Veterans Affairs, Research and Development.
- Smith GP (Cornell University Medical Center, New York, NY). 1994. Physiological psychology of motivated behavior. National Institute of Mental Health. \$105,709.
- Smith GP (Cornell University Medical Center, New York, NY). 1994. Satiety effect of cholecystokinin. National Institute of Mental Health. \$144,734.
- Walsh BT (Columbia University New York, New York, NY). 1994. Psychobiology of eating behavior in eating disorders. National Institute of Mental Health. \$183,513.
- Walsh BT (New York State Psychiatric Institute, New York, NY). 1992. Psychological and pharmacological treatment of bulimia. National Institute of Mental Health.
- Walsh BT (New York State Psychiatric Institute, New York, NY). 1994. Psychological treatment of bulimia nervosa. National Institute of Mental Health. \$410,012.
- Wilfley DE (Yale University, New Haven, CT). 1994. Psychological treatment of overweight binge eaters. National Institute of Mental Health. \$101,670.

ENDOCRINE

- Abaira C (Department of Veterans Affairs, Medical Center, Hines, IL). Glycemic control and complications in non-insulin dependent diabetes mellitus cooperative. Department of Veterans Affairs, Research and Development.
- Becker J (University of Michigan, Ann Arbor, MI). 93. Gonadal hormone involvement in brain activity. National Science Foundation. \$294,455.
- Brenner RM (Oregon Regional Primate Research Center, Beaverton, OR). 1994. Hormonal control of the female reproductive tract. National Institute of Child Health and Human Development. \$290,387.
- Bridges RS (Tufts University, Boston, MA). 1994. Endocrine regulation of maternal behavior. National Institute of Child Health and Human Development. \$188,903.
- Etgen AM (Yeshiva University, New York, NY). 1994. Steroid hormones—brain and behavior. National Institute of Mental Health. \$227,310.
- Hauger RL (Department of Veterans Affairs, Medical Center, San Diego, CA). Pituitary-adrenal responses to ovine corticotropin releasing factor during Alzheimer caregiving stress. Department of Veterans Affairs, Research and Development.
- Hsueh WA (University of Southern California, Los Angeles, CA). 1994. Renin and insulin systems in endometrial growth. National Heart, Lung and Blood Institute. \$188,630.

- Jensen MD (Mayo Foundation, Rochester, MN). 1994. Effects of epinephrine on regional lipolysis in men and women. National Center for Research Resources.
- Kahn SE (University of Washington, Seattle, WA). 1994. NIDDM primary prevention trial (DPT-2). National Institute of Diabetes and Digestive and Kidney Diseases. \$197,988.
- Korytkowski M (University of Pittsburgh, Pittsburgh, PA). 1994. Regimens for polycystic ovary syndrome and insulin sensitivity/secretion. National Center for Research Resources.
- Larsen PR (Brigham and Women's Hospital, Boston, MA). 1994. Estrogen therapy and thyroid function. National Center for Research Resources.
- Luine VN (Hunter College, New York, NY). 1994. Serotonergic systems and hormone-dependent sexual behavior. National Institute of Child Health and Human Development. \$127,548.
- Markoff E (Children's Hospital Medical Center, Cincinnati, OH). 1994. Physiological role of glycosylated human prolactin. National Institute of Diabetes and Digestive and Kidney Diseases. \$164,215.
- Metzger BE (Northwestern University, Chicago, IL). 1994. Primary prevention trial (DPT-2). National Institute of Diabetes and Digestive and Kidney Diseases. \$217,450.
- Morris DJ (Miriam Hospital, Providence, RI). 1994. Regulation of metabolism and action of aldosterone. National Institute of Diabetes and Digestive and Kidney Diseases. \$176,008.
- Moss RL (University of Texas Southwest Medical Center, Dallas, TX). 1994. Neuropeptides in the control of reproductive behavior. National Institute of Mental Health. \$253,583.
- Nieman LK (National Institute of Child Health and Human Development, Bethesda, MD). 1994. Steroid hormone action in female reproduction. National Institute of Child Health and Human Development.
- O'Connor JF (Columbia University, New York, NY). 1994. Clinical applications of gonadotropin measurement. National Institute of Child Health and Human Development.
- Pintauro S, Calles J, Goran M (University of Vermont, Burlington, VT). Insulin sensitivity and RMR as risk factors for obesity and diabetes. U.S. Department of Agriculture, Cooperative State Research Service.
- Polonsky K (University of Chicago, Chicago, IL). 1994. NIDDM primary prevention trial (DPT-2). National Institute of Diabetes and Digestive and Kidney Diseases. \$211,731.
- Renner KJ (Southwest Missouri State University, Springfield, MO). 1993. RUI: hormones, neurotransmitters and behavior. National Science Foundation. \$37,498.
- Riggs BL (Mayo Foundation, Rochester, MN). 1994. Relationship of the renal leak in postmenopausal women to parathyroid hormone. National Center for Research Resources.
- Schlechte JA (University of Iowa, Iowa City, IA). 1994. Efficacy of estrogen in hyperprolactinemic amenorrhea. National Institute of Diabetes and Digestive and Kidney Diseases. \$200,051.
- Shamoon H (Yeshiva University, New York, NY). 1994. NIDDM primary prevention trial. National Institute of Diabetes and Digestive and Kidney Diseases. \$239,731.
- Spies HG (Oregon Regional Primate Research Center, Beaverton, OR). 1994. Neural influence on hypophyseal-gonadal function. National Institute of Child Health and Human Development. \$276,498.
- Stouffer RL (Oregon Regional Primate Research Center, Beaverton, OR). 1994. Gonadotropin receptors of the corpus luteum. National Institute of Child Health and Human Development. \$200,167.
- Theoharides TC (Tufts University, Boston, MA). 1994. Neurohormonal and free radical activation of bladder cells. National Institute of Diabetes and Digestive and Kidney Diseases. \$156,161.
- Voogt JL (University of Kansas Medical Center, Kansas City, KS). 1994. Hypothalamic control of prolactin. National Institute of Child Health and Human Development. \$168,920.
- Watson RE Jr (University of Kentucky, Lexington, KY). 1994. Estrogen receptive neurons—synaptic circuitry. National Institute of Child Health and Human Development. \$98,421.

FAMILY ISSUES

- Kannel WB (Boston University, Boston, MA). 1994. Prospective analysis of the effect of widowhood on CVD. National Heart, Lung and Blood Institute. \$56,968.
- Mauldin T (University of Georgia, Athens, GA). Causes and consequences of divorce: differences by gender and age. U.S. Department of Agriculture, Cooperative State Research Service.
- National Center for Health Statistics, Hyattsville, MD. Improving the quality of reporting of abortions by women of child-bearing age. Centers for Disease Control and Prevention.
- Tucker MB (University of California, Los Angeles, CA). 1994. Mate availability, family formation and well-being. National Institute of Mental Health. \$493,522.

Williams JK (University of Iowa, Iowa City, IA). 1994. Genetic knowledge—psychosocial impact. National Institute of Nursing Research. \$109,421.

GASTROINTESTINAL CONDITIONS

- Berenson MM (Department of Veterans Affairs, Medical Center, Salt Lake City, UT). Clinical evaluation of Propulsid (cisapride) tablets 20mg bid in the treatment of subjects with symptoms of chronic gastroesophageal disease. Department of Veterans Affairs, Research and Development.
- Blackburn GL (New England Deaconess Hospital, Boston, MA). 1992. Mucosal proliferation and fish oil in colorectal cancer. National Cancer Institute.
- Cintron JR (Veterans Administration Medical Center, Chicago, IL). 1992. Polyp prevention trial. Department of Veterans Affairs, Research and Development.
- Gammon MD (Columbia University School of Public Health, New York, NY). 1992. Adenocarcinomas of the esophagus and gastric cardia. National Cancer Institute.
- Greene JM (Department of Veterans Affairs, Medical Center, Brockton, MA). Multicenter study of GR122311X vs. ranitidine and GR88502X for prophylaxis of NSAID associated ulcers in patients with arthritis. Department of Veterans Affairs, Research and Development.
- Hsieh C (Harvard University, Boston, MA). 1992. Case-control study of cancer of extrahepatic bile duct. National Cancer Institute.
- Layden TJ (Department of Veterans Affairs, Medical Center, Chicago, IL). Effect of ranitidine bismuth on gastric ulcer healing. Department of Veterans Affairs, Research and Development.
- Lyons J (Walter Reed Army Medical Center, Washington, DC). 1992. Large bowel adenomatous polyp dietary intervention study. National Cancer Institute.
- Moore JG (Department of Veterans Affairs, Medical Center, Salt Lake City, UT). Circadian rhythms in stomach defensive mechanisms. Department of Veterans Affairs, Research and Development.
- Pate AS (Department of Veterans Affairs Medical Center, Hines, IL). 1992. Large bowel adenomatous polyp dietary intervention study. National Cancer Institute.
- Potter JD (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Adenomatous polyps case study—family history, diet, alcohol, and exercise. National Cancer Institute.
- Sampliner RE (Department of Veterans Affairs, Medical Center, Tucson, AZ). A study to evaluate the effects of dual therapy with lansoprazole and amoxicillin on the eradication of *H. pylori*. Department of Veterans Affairs, Research and Development.
- Sandler RS (University of North Carolina, Chapel Hill, NC). 1994. Epidemiology of rectal mucosal proliferation. National Cancer Institute. \$287,934.
- Slattery ML (University of Utah, Salt Lake City, UT). 1994. Diet, activity and reproduction as risks for colon cancer. National Cancer Institute. \$1,110,689.
- Smith KA (Department of Veterans Affairs, Medical Center, Allen Park, MI). Evaluate effects of dual therapy on the eradication of *H. pylori* and healing and prevention of recurrence of duodenal ulcer. Department of Veterans Affairs, Research and Development.
- Spiegel TA (University of Pennsylvania, Philadelphia, PA). 1994. Differential kinetics of gastric emptying in lean and obese women. National Center for Research Resources.
- Vaughan TL (Fred Hutchinson Cancer Research Center, Seattle, WA). 1994. Epidemiologic study of adenocarcinomas of the esophagus. National Cancer Institute. \$200,678.
- Walsh JH (Department of Veterans Affairs, Medical Center, Los Angeles, CA). H2B-211: pilot study to evaluate oral GR122311x 400 mg, 800 mg, and placebo in patients with non-ulcer dyspepsia. Department of Veterans Affairs, Research and Development.

GYNECOLOGIC/GENITO-URINARY

- Anderson KE (University of Texas Medical, Galveston, TX). 1994. Efficacy of histrelin in acute porphyria. National Center for Research Resources.
- Barnes RB (University of Chicago, Chicago, IL). 1994. Gonadotropin-releasing hormone agonist test in oligomenorrhea. National Center for Research Resources.

- Becker TM (University of New Mexico, Albuquerque, NM). 1992. Epidemiology of cervical dysplasia in minority women. National Cancer Institute.
- Becker TM (University of New Mexico, Albuquerque, NM). 1994. Epidemiology of cervical dysplasia in American Indian women. National Cancer Institute. \$468,273.
- Beresford SA (University of Washington, Seattle, WA). 1992. Lactose/galactose and epithelial ovarian cancer. National Cancer Institute.
- Berkley KJ (Florida State University, Tallahassee, FL). 1994. Sensory innervation of pelvic organs. National Institute of Neurological Disorders and Stroke. \$159,118.
- Brunham R (University of Washington, Seattle, WA). 1994. PID in developing countries—relation to HIV and the pill. National Institute of Allergy and Infectious Diseases.
- Bump RC (Duke University, Durham, NC). 1994. Epidemiologic racial and incontinence data surveys pilot. National Institute of Diabetes and Digestive and Kidney Diseases. \$200,125.
- Burand JP (University of Massachusetts, Amherst, MA). 1994. Virulence determinants of trichomonads in humans. National Institute of Allergy and Infectious Diseases. \$147,521.
- Clauw DJ (Georgetown University, Washington, DC). 1994. CNS dysregulation in interstitial cystitis. National Institute of Diabetes and Digestive and Kidney Diseases. \$197,252.
- Collins C (University of Miami, Miami, FL). 1994. Urease—molecular studies and role in pathogenesis. National Institute of Allergy and Infectious Diseases. \$103,633.
- Crowley WF (Massachusetts General Hospital, Boston, MA). 1994. Pulsatile release of gonadotropins in normal and clinical conditions. National Center for Research Resources.
- Curhan GC (Brigham and Women's Hospital, Boston, MA). 1994. Epidemiology of interstitial cystitis. National Institute of Diabetes and Digestive and Kidney Diseases. \$94,973.
- De La Maza LM (University of California, Irvine, CA). 1994. Immunopathology of tubal infertility. National Institute of Allergy and Infectious Diseases. \$225,352.
- Endicott J (New York State Psychiatric Institute, New York, NY). 1994. Severe premenstrual syndromes: risk/course/mechanisms. National Institute of Child Health and Human Development. \$188,744.
- Escalante DA (Baylor College of Medicine, Houston, TX). 1994. Insulin sensitivity in PMS patients with hypoglycemic-like attacks. National Center for Research Resources.
- Eschenbach DA (University of Washington, Seattle, WA). 1994. Etiology, epidemiology, and treatment of chronic/subacute PID. National Institute of Allergy and Infectious Diseases.
- Fihn SD (Department of Veterans Affairs, Medical Center, Seattle, WA). Vaginal spermicides and urinary tract infections. Department of Veterans Affairs, Research and Development.
- Freeman EW (University of Pennsylvania, Philadelphia, PA). 1994. Treatment evaluation in premenstrual syndrome patients. National Institute of Child Health and Human Development. \$252,383.
- Geletko SM (Department of Veterans Affairs, Medical Center, Providence, RI). A randomized comparison of oral fluconazole vs. amphotericin bladder irrigations for the treatment of hospital-associated candidal cystitis. Department of Veterans Affairs, Research and Development.
- Giuliano AR (University of Arizona, Tucson, AZ). 1994. Preventive oncology. National Cancer Institute. \$84,932.
- Goodman MT (University of Hawaii, Honolulu, HI). 1994. Preinvasive cervical lesions in Hawaii. National Cancer Institute. \$340,090.
- Halbreich U (State University of New York, Buffalo, NY). 1994. Alpha 2 receptors, luteal depression and gonadal hormones. National Institute of Mental Health. \$268,604.
- Heller DS (Columbia University, New York, NY). 1994. Geminal inclusion cysts of ovary: the epidemiology. National Cancer Institute. \$83,492.
- Herbst AL (University of Chicago, Chicago, IL). 1994. DES and cancer of vagina/cervix—collaborative studies. National Cancer Institute. \$576,396.
- Hill JA (Brigham and Women's Hospital, Boston, MA). 1994. Reproductive failure in endometriosis—immune mechanisms. National Institute of Child Health and Human Development. \$324,912.
- Hoke GD (Dyad Pharmaceutical Corporation). 1993. Treatment of endometrial hyperplasia. Department of Health and Human Services.
- Irizarry L (Department of Veterans Affairs, Medical Center, Albuquerque, NM). Comparison of oral levofloxacin in the treatment of complicated urinary tract infections in adults. Department of Veterans Affairs, Research and Development.
- Irizarry L (Department of Veterans Affairs, Medical Center, Albuquerque, NM). Safety and efficacy of FK-037 in the treatment of urinary tract infections. Department of Veterans Affairs, Research and Development.
- Johnson JR (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Pathogenesis and prevention of bacterial cystitis. National Institute of Diabetes and Digestive and Kidney Diseases. \$105,495.

- Kam LW (Department of Veterans Affairs, Medical Center, Tampa, FL). Randomized prospective study of high single-dose vs. conventional multiple-dose IV aminoglycosides in patients w/normal renal function. Department of Veterans Affairs, Research and Development.
- Kirmani N (Department of Veterans Affairs, Medical Center, Hines, IL). Multicenter doubleblind randomized study: levofloxan vs. ciprofloxacin in the treatment of complicated urinary tract infections. Department of Veterans Affairs, Research and Development.
- Kjaer SK (Danish Cancer Society, Copenhagen, Denmark). 1994. Risk factors and prognostic factors for ovarian cancer. National Cancer Institute. \$246,871.
- Kjerulff KH (University of Maryland, Baltimore, MD). 1994. Risk factors associated with uterine fibroid growth. National Institute of Child Health and Human Development. \$621,797.
- Koutsky LA (University of Washington, Seattle, WA). 1994. Etiology and natural history of cervical neoplasia. National Cancer Institute. \$395,913.
- Kwaan HC (Department of Veterans Affairs, Medical Center, Chicago, IL). Significance of the fibrinolytic system in wound adhesions including endometriosis. Department of Veterans Affairs, Research and Development.
- Lockwood CJ (Mount Sinai School of Medicine, New York, NY). 1994. Regulation of decidual cell tissue factor expression. National Institute of Child Health and Human Development. \$130,787.
- Mallett VT (Wayne State University, Detroit, MI). 1994. Levator ani muscle—physiologic and histologic properties. National Institute of Diabetes and Digestive and Kidney Diseases. \$46,736.
- Mathur S (Medical University of South Carolina, Charleston, SC). 1994. Endometrial antigens involved in endometriosis. National Institute of Child Health and Human Development. \$112,587.
- McClure SA (Spelman College, Atlanta, GA). 1994. Regulation of fibroid tumor cells. National Institute of General Medical Sciences.
- Miller SM (Temple University, Philadelphia, PA). 1994. Psychoneuroimmunology of cervical dysplasia. National Cancer Institute. \$512,638.
- Miller W (University of Michigan, Ann Arbor, MI). 1994. Ovulatory dysfunction—gonadotropin releasing hormone receptor regulation. National Institute of Child Health and Human Development.
- Modan B (Chaim Sheba Medical Center, Tel Hashomer, Israel). 1994. Epidemiology of ovarian cancer. National Cancer Institute. \$227,124.
- Monson FC (University of Pennsylvania, Philadelphia, PA). 1994. Mucosal integrity in female and male bladders. National Institute of Diabetes and Digestive and Kidney Diseases. \$202,910.
- Morton CC (Brigham and Women's Hospital, Boston, MA). 1994. Molecular and cytogenetic studies of uterine leiomyomata. National Institute of Child Health and Human Development. \$200,297.
- Mufson MA (Department of Veterans Affairs, Medical Center, Huntington, WV). Fosmycin tometamine vs. nitrofurantoin in uncomplicated urinary tract infections. Department of Veterans Affairs, Research and Development.
- Ness RB (University of Pittsburgh, Pittsburgh, PA). 1994. Oral contraceptives and ovarian cancer. National Cancer Institute. \$461,334.
- Pacheco M (Fundacion Costarricense Para La Docencia, San Jose, Costa Rica). 1992. Population-based natural history of cervical neoplasia. National Cancer Institute.
- Palmer J (Boston University, Boston, MA). 1994. Gestational trophoblastic disease and oral contraceptives. National Cancer Institute. \$271,379.
- Palmer MH (National Institute of Nursing Research, Bethesda, MD). 1994. Role of estrogen on urinary incontinence and symptoms in post-menopausal women. National Institute of Nursing Research.
- Pardoll DM (Johns Hopkins University, Baltimore, MD). 1994. T cell responses to human papillomavirus oncoproteins in cervical cancer. National Institute of Allergy and Infectious Diseases.
- Perl ER (University of North Carolina, Chapel Hill, NC). 1994. Possible neuropathic origin of interstitial cystitis. National Institute of Diabetes and Digestive and Kidney Diseases. \$160,947.
- Peters RK (University of Southern California, Los Angeles, CA). 1992. Case-control study of adenocarcinoma of the cervix. National Cancer Institute.
- Petty BG (Johns Hopkins University, Baltimore, MD). 1994. Single dose of loxacin vs. trimethoprim-sulfamethoxazole in cystitis in women. National Center for Research Resources.
- Rader JS (Washington University, St. Louis, MO). 1994. HLA, human papillomavirus and invasive cervical cancer. National Cancer Institute. \$36,610.
- Risch HA (Yale University, New Haven, CT). 1994. Genetic/epidemiology study of epithelial ovarian tumors. National Cancer Institute. \$188,049.
- Rosenblatt KA (University of Illinois, Chicago, IL). 1994. Epidemiology of epithelial ovarian cancer. National Cancer Institute. \$305,948.

- Roy JB (University of Oklahoma Health Sciences Center, Oklahoma City, OK). 1994. Interstitial cystitis clinical center. National Institute of Diabetes and Digestive and Kidney Diseases. \$115,979.
- Russo TA. 1994. Mechanism of recurrent urinary tract infections in women. National Institute of Allergy and Infectious Diseases.
- Saban R (University of Wisconsin, Madison, WI). 1994. Neuropeptide-mast cell interaction in bladder reactivity. National Institute of Diabetes and Digestive and Kidney Diseases. \$154,064.
- Schaeffer AJ (Northwestern University, Chicago, IL). 1994. Host factors in susceptibility to UTI. National Institute of Diabetes and Digestive and Kidney Diseases. \$174,365.
- Sharpe KL (University of Missouri, Columbia, MO). 1994. Endometriosis-associated secretory proteins. National Institute of Child Health and Human Development. \$100,054.
- Stapleton AE (University of Washington, Seattle, WA). 1994. Genetic basis of recurrent urinary tract infection. National Institute of Allergy and Infectious Diseases. \$74,298.
- Szklo M (Johns Hopkins University, Baltimore, MD). 1994. Risk factors for uterine leiomyoma. National Cancer Institute. \$70,161.
- Weiss RM (Yale University, New Haven, CT). 1994. Nitric oxide in UTIs and interstitial cystitis. National Institute of Diabetes and Digestive and Kidney Diseases. \$246,141.
- Woessner JF Jr (University of Miami, Miami, Florida). 1994. Connective tissue role in urinary stress incontinence. Fogarty International Center. \$24,680.
- Wyman JF (Virginia Commonwealth University, Richmond, VA). 1994. Behavioral intervention. National Institute on Aging.

GYNECOLOGIC/REPRODUCTIVE HEALTH, BIRTH CONTROL

- Avery M (SRI International, Menlo Park, CA). 1994. Synthesis of antiprogesterone/postcoital agents. National Institute of Child Health and Human Development. \$2,774.
- Becker C (National Center for Prevention Services, Atlanta, GA). Sexual decision making and the acceptability of the female condom for women of color. Centers for Disease Control and Prevention.
- Bleil JD (University of Connecticut Health Center, Farmington, CT). 1994. An immunocontraceptive directed against human sperm. National Institute of Child Health and Human Development.
- Chien YW (Rutgers State University, New Brunswick, NJ). 1994. Spermicidal-releasing vaginal barrier contraceptive. National Institute of Child Health and Human Development. \$358,570.
- Davidson AR (Columbia University, New York, NY). 1994. Decisions concerning Norplant® use and discontinuation. National Institute of Child Health and Human Development. \$355,057.
- Erb JL (Innovation Associates Inc, Ann Arbor, MI). 1992. Fertile period prediction with a TIRF biosensor. Department of Health and Human Services. \$49,867.
- Forrest JD (Alan Guttmacher Institute, New York, NY). 1994. Contraceptive effectiveness and unintended pregnancy. National Institute of Child Health and Human Development. \$219,426.
- Forrest KA (American Institutes for Research, Palo Alto, CA). 1994. Condom use decision making. National Institute of Child Health and Human Development. \$450,629.
- Giudice LC (Stanford University, Stanford, CA). 1994. The role of IGF in ovary (in vitro). National Institute of Child Health and Human Development. \$112,241.
- Goldberg E (University of Virginia, Charlottesville, VA). 1994. Human testis cDNAs identified by infertility sera. National Institute of Child Health and Human Development.
- Hall JE (Massachusetts General Hospital, Boston, MA). 1994. Clinical pharmacology of LHRH antagonists in the female. National Center for Research Resources.
- Herr J (University of Virginia, Charlottesville, VA). 1994. Avirulent *Salmonella* SP-10 vaccine for secretory immunity. National Institute of Child Health and Human Development.
- Jackanicz T (Population Council, New York, NY). 1994. Norethindrone acetate/ethynylestradiol contraceptive ring. National Institute of Child Health and Human Development.
- Jackson TE (Southern Research Institute, Birmingham, AL). 1994. Spermicidal releasing vaginal barrier contraceptive. National Institute of Child Health and Human Development. \$165,000.
- Johnson KC (University of Tennessee, Memphis, TN). 1994. Norplant effect on cardiovascular risk in young women. National Institute of Child Health and Human Development. \$233,137.
- Koch JP (Brookline Women's Healthcare Associates, Brookline, MA). 1994. Development of a coordinated cervical cap system. National Institute of Child Health and Human Development. \$237,501.

- Koo HP (Research Triangle Institute, Research Triangle Park, NC). 1994. Longitudinal study of Norplant® choice and use dynamics. National Institute of Child Health and Human Development. \$103,011.
- Kosasky HJ (Saltime, Newton, MA). 1994. Ovulation detection by rheological examination of saliva. National Institute of Child Health and Human Development. \$99,888.
- Marmot MG (University of London, London, England). 1994. Oral contraceptives and cardiovascular disease. National Institute of Child Health and Human Development. \$163,795.
- Ness RB (University of Pittsburgh, Pittsburgh, PA). 1994. Oral contraceptives and ovarian cancer. National Cancer Institute. \$461,334.
- Nuwayser ES (Biotek, Inc., Woburn, MA). 1994. Development and testing of a new spermicide suppository. National Institute of Child Health and Human Development. \$255,490.
- O'Rand MG (University of Virginia, Charlottesville, VA). 1994. A human sperm antigen as an immunocontraceptive. National Institute of Child Health and Human Development.
- Palmer J (Boston University, Boston, MA). 1994. Gestational trophoblastic disease and oral contraceptives. National Cancer Institute. \$271,379.
- Tanfer K (Battelle Seattle Research Center, Seattle, WA). 1994. Norplant adoption and discontinuation in the U.S. National Institute of Child Health and Human Development. \$230,615.
- Tung K (University of Virginia, Charlottesville, VA). 1994. Autoimmune oophoritis—consequence of gamete vaccines. National Institute of Child Health and Human Development.
- Verhage HG (University of Illinois, Chicago, IL). 1994. Secretions of the mammalian oviduct. National Institute of Child Health and Human Development. \$223,762.
- Zacur H (Johns Hopkins University, Baltimore, MD). 1994. Plasma ethinyl estradiol/norethindrone levels in women taking oral contraceptives. National Center for Research Resources.

GYNECOLOGIC/REPRODUCTIVE HEALTH, LACTATION

- Dungy CI (University of Iowa, Iowa City, IA). 1994. Effect of breast pumps on the duration of breastfeeding. Maternal and Child Health Bureau.
- Dusdieker LB (University of Iowa, Iowa City, IA). 1994. Maternal calorie restriction on breast milk production. National Center for Research Resources.
- Humenick S (University of Wyoming, Laramie, WY). 1992. Insufficient milk supply—nursing diagnosis/intervention. National Center for Nursing Research.
- Liu J (Children's Hospital Medical Center, Cincinnati, OH). 1994. Postpartum amenorrhea—neuroendocrine mechanisms in lactation vs. nonlactation. National Center for Research Resources.
- McNamara JP (Washington State University, Pullman, WA). 1992. Adipose metabolism in support of lactation. National Institute of Child Health and Human Development.
- Sowers MF (University of Michigan, Ann Arbor, MI). 1992. Effect of lactation on bone. National Institute of Arthritis and Musculoskeletal and Skin Diseases.
- Specker B, Kalkwarf H, Heubi J (Children's Hospital Medical Center, Cincinnati, OH). Intestinal calcium absorption during lactation and weaning. U.S. Department of Agriculture, Competitive Research Grants Office.
- Specker BL (Children's Hospital Medical Center, Cincinnati, OH). 1994. Lactation and weaning effect on calcium status. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$235,927.
- Subramanian MG (Wayne State University, Detroit, MI). 1994. Alcohol and lactation—effects on prolactin release. National Institute on Alcohol Abuse and Alcoholism. \$163,367.
- Taylor W (New Mexico Highlands University, Las Vegas, NM). 1994. Factors that maintain amenorrhea after childbirth—a prospective study. National Institute of General Medical Sciences.
- Veldhuis JD (University of Virginia, Charlottesville, VA). 1994. Estrogen negative feedback in postpartum lactational amenorrhea. National Center for Research Resources.

GYNECOLOGIC/REPRODUCTIVE HEALTH, LONG-RANGE IMPLICATIONS

- Baird DD (National Institute of Environmental Health Sciences). 1994. Environmental effects on fertility. National Institute of Environmental Health Sciences.
- Lasley B (University of California, Davis, CA). 1994. Biomarkers for human reproductive epidemiology. National Institute of Environmental Health Sciences.

- Lasley BL (University of California, Davis, CA). 1994. Biomarkers for assessing the effects of reproductive toxins. National Institute of Environmental Health Sciences.
- Waggoner SE (University of Chicago, Chicago, IL). 1994. Prevalence of HPV in women exposed in utero to DES. National Cancer Institute. \$29,681.
- Wilcox AJ. 1994. Epidemiologic study of reproductive outcomes and environmental exposures. National Institute of Environmental Health Sciences.

GYNECOLOGIC/REPRODUCTIVE HEALTH, POSTPARTUM

- Army Research Institute of Environmental Medicine. 1994. Evaluate performance, health, and nutritional status in postpartum women.
- Brinkman CR (Los Angeles County Harbor-UCLA Medical Center, Torrance, CA). 1994. Management and outcomes of childbirth. National Center for Research Resources.
- Goland RS (Columbia University, New York, NY). 1994. CRH testing in postpartum women. National Center for Research Resources.
- Kurz K (International Center for Research on Women, Washington, DC). 1992. Maternal nutrition and health. Agency for International Development.
- Lindheimer MD (University of Chicago, Chicago, IL). 1994. Duration of proteinuria following pre-eclampsia. National Center for Research Resources.
- Liu J (Children's Hospital Medical Center, Cincinnati, OH). 1994. Postpartum amenorrhea—neuroendocrine mechanisms in lactation vs. nonlactation. National Center for Research Resources.
- Olson CM (Cornell University, Ithaca, NY). 1994. Biosocial influences on postpartum weight retention. National Institute of Child Health and Human Development. \$133,691.
- Wisner KL (Case Western Reserve University, Cleveland, OH). 1994. Prevention of recurrent postpartum major depression. National Institute of Mental Health. \$245,065.

GYNECOLOGIC/REPRODUCTIVE HEALTH, PREGNANCY

- Abrams BF (Western Consortium for Public Health, Berkeley, CA). 1992. Maternal weight gain and fetal outcome. National Institute of Child Health and Human Development.
- Abrams RM (University of Florida, Gainesville, FL). 1994. Sound and vibration in pregnancy. National Institute of Child Health and Human Development. \$160,437.
- Acton RT (University of Alabama, Birmingham, AL). 1992. Predicting gestational and subsequent overt diabetes. National Institute of Diabetes and Digestive and Kidney Diseases.
- Affonso DD (University of California, San Francisco, CA). 1992. Caring for pregnant women. National Center for Nursing Research.
- Alexander DF (National Institute for Child Health and Human Development, Bethesda, MD). 1992. Trial of calcium for preeclampsia prevention. National Heart, Lung and Blood Institute.
- Andersen JL (State University New York, Stony Brook, NY). 1994. Steroid regulation of connexin43 in myometrium. National Institute of Child Health and Human Development. \$149,073.
- Arici AM (Yale University, New Haven, CT). 1994. Chemoattractions in reproductive tissues. National Institute of Child Health and Human Development. \$84,510.
- Atrash H (National Center for Chronic Disease Prevention and Health Promotion, Atlanta, GA). Prevention of morbidity and mortality associated with pregnancy. Centers for Disease Control and Prevention.
- Ballas S (Children's Hospital of Philadelphia, Philadelphia, PA). 1994. Diagnosis and counseling for hemoglobin abnormalities. National Heart, Lung and Blood Institute.
- Barron WM (Loyola University Medical Center, Maywood, IL). 1994. Testing in preeclampsia. Agency for Health Care Policy and Research. \$74,097.
- Battaglia FC (University of Colorado Health Sciences Center, Denver, CO). 1994. Amino acid and carbohydrate metabolism in growth retarded pregnancies. National Institute of Child Health and Human Development.
- Beaman KD (Finch University of Health Sciences, Chicago Medical School, Chicago, IL). 1994. Fetal-specific immune suppression during pregnancy. National Institute of Child Health and Human Development. \$110,947.
- Bianchi D (Children's Hospital, Boston, MA). 1994. Aneuploidy detection in fetal cells separated from maternal blood. National Institute of Child Health and Human Development.

- Bianchi D (New England Medical Center Hospitals, Inc, Boston, MA). 1994. Prenatal diagnosis using fetal cells from maternal blood—clinical trial. National Institute of Child Health and Human Development. \$690,919.
- Carson SA (Baylor College of Medicine, Houston, TX). 1994. Cooperative multicenter reproductive medicine network. National Institute of Child Health and Human Development. \$313,685.
- Casey ML (University of Texas Southwestern Medical Center, Dallas, TX). 1994. Regulation of myometrial contractile response. National Institute of Child Health and Human Development.
- Catalano PM (Case Western Reserve University, Cleveland, OH). 1994. Insulin resistance and glucose metabolism in pregnancy. National Institute of Child Health and Human Development. \$143,463.
- Chapman A (University of Colorado Health Sciences Center, Denver, CO). 1994. Hemodynamic and hormonal changes of early normal human pregnancy. National Center for Research Resources.
- Chaudhuri G (University of California, Los Angeles, CA). 1994. EDRF and prostacyclin in human umbilical vessels. National Institute of Child Health and Human Development. \$228,496.
- Conrad K (University of New Mexico, Albuquerque, NM). 1994. Endogenous nitric oxide and cytokines in normal pregnancy and preeclampsia. National Center for Research Resources.
- Conrad KP (University of New Mexico, Albuquerque, NM). 1994. Mechanisms of maternal circulatory adaptation to pregnancy. National Institute of General Medical Sciences.
- Cramer DW (Brigham and Women's Hospital, Boston, MA). 1994. Epidemiologic and biologic predictors of IVF success. National Institute of Child Health and Human Development. \$379,745.
- Crowley WF Jr (Massachusetts General Hospital, Boston, MA). 1994. Neuroendocrine control of reproduction in the female. National Institute of Child Health and Human Development. \$340,869.
- Crowley WF (Massachusetts General Hospital, Boston, MA). 1994. Pulsatile GnRH in anovulatory infertility. National Center for Research Resources.
- Curet LB (University of New Mexico, Albuquerque, NM). 1994. NICHD calcium supplementation in pregnancy for prevention of preeclampsia. National Center for Research Resources.
- Curet LB (University of New Mexico, Albuquerque, NM). 1994. Prophylactic insulin treatment of patients with gestational diabetes. National Center for Research Resources.
- David C (Adeza Biomedical Corporation, Sunnyvale, CA). 1992. Immunodetection of women at risk for preterm delivery. Department of Health and Human Services. \$25,750.
- Defronzo RA (Department of Veterans Affairs, Medical Center, San Antonio, TX). Mechanisms of carbohydrate intolerance in patients with gestational diabetes mellitus. Department of Veterans Affairs, Research and Development.
- Easterling TR (University of Washington, Seattle, WA). 1994. Calcium supplementation and maternal hemodynamics. National Center for Research Resources.
- Easterling TR (University of Washington, Seattle, WA). 1994. Hypertension in pregnancy. National Center for Research Resources.
- Easterling TR (University of Washington, Seattle, WA). 1994. Renal reserve after preeclampsia. National Center for Research Resources.
- Easterling TR (University of Washington, Seattle, WA). 1994. Treatment of hypertension in pregnancy. National Center for Research Resources.
- Elias S (University of Tennessee, Memphis, TN). 1994. Prenatal diagnosis using fetal cells from maternal blood. National Institute of Child Health and Human Development. \$651,398.
- Elkayam U (University of Southern California, Los Angeles, CA). 1994. Disposition of atenolol during pregnancy. National Center for Research Resources.
- Fenster L (California Public Health Foundation, Berkeley, CA). 1994. Caffeine and human reproduction. National Institute of Child Health and Human Development. \$107,883.
- Fried LE (Health and Hospitals of the City of Boston, Boston, MA). Violence against pregnant women and pregnancy outcomes. Agency for Health Care Policy and Research. \$21,333.
- Geller G (Johns Hopkins University, Baltimore, MD). 1994. Prenatal genetic testing—provider-patient communication. National Center for Human Genome Research. \$171,379.
- Gilson G (University of New Mexico, Albuquerque, NM). 1994. Role of antibiotics in the management of preterm labor. National Center for Research Resources.
- Gleich GJ (Mayo Foundation, Rochester, MN). 1994. MBP and human pregnancy. National Center for Research Resources.
- Goland RS (Columbia University, New York, NY). 1994. Corticotropin releasing factor during pregnancy. National Center for Research Resources.
- Goldenberg RL (University of Alabama, Birmingham, AL). Low birthweight in minority and high-risk women. Agency for Health Care Policy and Research.

- Graves SW (Brigham and Women's Hospital, Boston, MA). 1992. Abnormal sodium homeostasis in hypertensive pregnancy. National Institute of Child Health and Human Development.
- Handwerger S (Children's Hospital Medical Center, Cincinnati, OH). 1994. Decidual prolactin in normal and pathologic pregnancies. National Institute of Child Health and Human Development. \$229,565.
- Johnston JM (University of Texas Southwest Medical Center, Dallas, TX). 1994. Arachidonic acid and platelet activating factor during birth. National Institute of Child Health and Human Development.
- Juchau MR (University of Washington, Seattle, WA). 1994. Retinoids—conceptual biotransformation/dysmorphogenesis. National Institute of Environmental Health Sciences. \$181,346.
- King J (University of California, Berkeley, CA). Energy expenditure of obese pregnant women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Kirke P (Health Research Board, Dublin, Ireland). 1994. Folate and neural tube defects project. National Institute of Child Health and Human Development. \$307,205.
- Kniss DA (Ohio State University, Columbus, OH). 1994. In vitro studies of infection-mediated preterm labor. National Institute of Child Health and Human Development. \$111,460.
- Koblinsky M (John Snow, Inc, Arlington, VA). 1992. Maternal and neonatal health and nutrition. Agency for International Development.
- Lapp CA (Medical College of Georgia, Augusta, GA). 1994. Hormones of pregnancy effects on gingival fibroblasts. National Institute of Dental Research. \$36,756.
- Lawson E (University of Kentucky, Lexington, KY). 1994. Blood pressure reactivity during pregnancy. National Center for Research Resources.
- Leef JL (Biomedical Research, Inc., Rockville, MD). 1994. Trial of calcium supplementation in pregnancy. National Institute of Child Health and Human Development. \$100,726.
- Lessey BA (University of North Carolina, Chapel Hill, NC). 1994. Endometriosis, integrins and infertility. National Institute of Child Health and Human Development. \$138,700.
- Lessey BA (University of North Carolina, Chapel Hill, NC). 1994. Endometrial integrins—a role in uterine receptivity. National Institute of Child Health and Human Development. \$95,650.
- Levin RM (Department of Veterans Affairs, Medical Center, Philadelphia, PA). Effect of pregnancy on bladder function. Department of Veterans Affairs, Research and Development.
- Levine RJ. 1994. Calcium supplementation in pregnancy to prevent preeclampsia. National Institute of Child Health and Human Development.
- Li SS. 1994. Mammalian lactate dehydrogenase genes and their encoded isozymes. National Institute of Environmental Health Sciences.
- MacDonald PC (University of Texas Southwest Medical Center, Dallas, TX). 1994. Clinical evolution of parturitional processes at term and preterm. National Institute of Child Health and Human Development.
- Mann PE (Tufts University, North Grafton, MA). 1994. RGP: opioid peptide gene expression during reproduction. National Science Foundation. \$17,928.
- Metzger BE (Northwestern University, Chicago, IL). 1994. Pathogenesis and natural history of gestational diabetes mellitus. National Center for Research Resources.
- Miller SC (University of Utah, Salt Lake City, UT). 1994. Periodontal tissue changes during pregnancy/lactation. National Institute of Dental Research. \$154,052.
- Milligan RA (Georgetown University, Washington, DC). 1994. Breech version by acumoxa. National Center for Research Resources. \$28,774.
- Moghissi K (University of Michigan, Ann Arbor, MI). 1994. Neuroendocrinology of unexplained infertility. National Institute of Child Health and Human Development.
- National Center for Health Statistics, Hyattsville, MD. Improving the quality of reporting of HIV behaviors by women of child-bearing age. Centers for Disease Control and Prevention.
- Oh W (Women and Infants Hospital, Providence, RI). 1992. Diabetes during pregnancy: effects on the offspring. National Institute of Child Health and Human Development.
- Onstad C, Motil K, Butte N (Baylor College of Medicine, Houston, TX). Hormonal and physiological adaptations in pregnancy and lactation related to dietary energy & protein. U.S. Department of Agriculture, Agricultural Research Service.
- Petrulis AS (Case Western Reserve University, Cleveland, OH). 1994. Calcium supplementation for the prevention of preeclampsia and preterm births. National Center for Research Resources.
- Pettiti DJ (National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD). 1994. Complications and outcome of diabetic and prediabetic pregnancies. National Institute of Diabetes and Digestive and Kidney Diseases.
- Pollack SB (University of Washington, Seattle, WA). 1994. NK cells and pregnancy. National Institute of Child Health and Human Development. \$131,479.

- Rao CV (University of Louisville, Louisville, KY). 1994. Direct gonadotropin regulation of human fallopian tubes. National Institute of Child Health and Human Development. \$186,803.
- Raymond EG (National Institute of Child Health and Human Development, Bethesda, MD). 1994. Prostaglandin excretion in preeclampsia. National Institute of Child Health and Human Development.
- Roberts JM (Magee-Women's Hospital, Pittsburgh, PA). 1994. Nitric oxide dysregulation in the pathogenesis of preeclampsia. National Institute of Child Health and Human Development.
- Roberts JM (Magee-Women's Hospital, Pittsburgh, PA). 1994. Preeclampsia—trophoblast and endothelial dysfunction. National Institute of Child Health and Human Development. \$653,639.
- Rodin J (Yale University, New Haven, CT). Biobehavioral effects of weight cycling on pregnancy. National Institute of Child Health and Human Development.
- Sampsel CM (University of Michigan, Ann Arbor, MI). 1994. Pelvic muscle exercise in pregnancy. National Center for Research Resources.
- Schrier R (University of Colorado Health Sciences Center, Denver, CO). 1994. Hemodynamic and hormonal changes of early normal human pregnancy. National Center for Research Resources.
- Seely EW (Brigham and Women's Hospital, Boston, MA). 1994. Disordered sodium regulation and hypertensive complications of pregnancy. National Center for Research Resources.
- Seely EW (Brigham and Women's Hospital, Boston, MA). 1994. Insulin resistance and pregnancy-induced hypertension. National Center for Research Resources.
- Segars JH (National Institute of Child Health and Human Development, Bethesda, MD). 1994. Endocrinology of reproduction in women. National Institute of Child Health and Human Development.
- Sherwood OD (University of Illinois Urbana-Champaign, Champaign, IL). 1994. Relaxin: biochemical and physiological studies. National Institute of Child Health and Human Development. \$118,069.
- Siega-Riz AM (University of North Carolina, Chapel Hill, NC). Dietary factors related to adverse birth outcomes. Agency for Health Care Policy and Research.
- Soll RS (University of Vermont, Burlington, VT). 1994. Antenatal steroids in premature labor. National Center for Research Resources.
- Sowers J (Wayne State University, Detroit, MI). 1992. Insulin resistance and calcium metabolism in pregnancy. National Institute of Child Health and Human Development.
- Stagno S (University of Alabama, Birmingham, AL). 1994. Maternal cytomegalovirus infection in two populations. National Institute of Child Health and Human Development.
- Stoerker J (Applied Technology Genetics Corporation, Malvern, PA). 1994. Prenatal blood group analysis in high risk pregnancies. National Institute of Child Health and Human Development. \$75,000.
- Strauss JF III (University of Pennsylvania, Philadelphia, PA). 1994. Abnormalities in trophoblast function. National Heart, Lung and Blood Institute. \$41,624.
- Sturman JA (Institute for Basic Research in Developmental Disabilities, New York, NY). 1992. Nutritional taurine—pregnancy and outcome. National Institute of Child Health and Human Development.
- Taylor RN (Magee-Women's Hospital, Pittsburgh, PA). 1994. Circulating mediators of maternal endothelial cell injury in preeclampsia. National Institute of Child Health and Human Development.
- Tracy TS (West Virginia University, Morgantown, WV). 1994. Placental drug metabolism in diabetic patients. National Institute of Diabetes and Digestive and Kidney Diseases. \$107,246.
- Van Dyne MM (Intellidyne, Kansas City, MO). 1992. Expert systems for nurses' preterm labor risk assessment. Department of Health and Human Services. \$49,351.
- Walsh SW (Virginia Commonwealth University, Richmond, VA). 1994. Endocrine functions of the placenta. National Institute of Child Health and Human Development. \$99,616.
- Weiss G (University of Medicine And Dentistry of New Jersey, Newark, NJ). 1994. Physiology of relaxin. National Institute of Child Health and Human Development. \$189,802.
- Wilkes BM (North Shore University Hospital, Manhasset, NY). 1994. Endothelin in high risk pregnancies. National Heart, Lung and Blood Institute. \$207,124.
- Wood GW (University of Kansas Medical Center, Kansas City, KS). 1994. Cytokines and endotoxin-induced abortion. National Institute of Child Health and Human Development. \$141,271.
- Word RA (University of Texas Southwest Medical Center, Dallas, TX). 1994. Maintenance of myometrial quiescence during human pregnancy. National Institute of Child Health and Human Development.
- Yeo S (University of Michigan, Ann Arbor, MI). 1994. Maternal/fetal hemodynamics responses to exercise. National Institute of Nursing Research. \$75,441.

HEALTH, GENERAL

- Akiyama H (University of Michigan, Ann Arbor, MI). 1994. Gender and health—historical and cross cultural analysis. National Institute of Mental Health. \$101,909.
- Cannon JG (New England Medical Center Hospitals, Inc, Boston, MA). 1994. Exertion-induced cytokines in chronic fatigue syndrome. National Institute of Allergy and Infectious Diseases. \$168,974.
- Chambless LE (University of North Carolina, Chapel Hill, NC). 1992. Community and cohort surveillance programs. National Heart, Lung and Blood Institute.
- Dimartino NA (Department of Veterans Affairs, Medical Center, Boston, MA). Environmental and dietary factors and influence on health of individuals. Department of Veterans Affairs, Research and Development.
- Ferrans CE (University of Illinois, Chicago, IL). 1994. Quality of life index for black and Hispanic patients. National Cancer Institute. \$314,579.
- Fillingim RB (University of North Carolina, Chapel Hill, NC). 1994. Pulpitis pain--the effects of gender and coping. National Institute of Dental Research. \$34,066.
- Florida Department of Health and Rehabilitation Services (Tallahassee, FL). 1994. Epidemiological research study—women/children in Western Palm Beach County. Centers for Disease Control and Prevention.
- George V (University of Miami, Miami, Florida). 1994. Womens Health Trial. National Cancer Institute. \$381,963.
- Gerace TA (University of Miami, Miami, FL). 1992. Women's Health Trial—feasibility study in minorities. National Cancer Institute.
- Grimes P (Charles R. Drew University of Medicine and Science, Los Angeles, CA). 1994. Phenolic chemicals and viral agents in the pathogenesis of immune aberrations. National Institute of General Medical Sciences.
- Hall WD (Emory University, Atlanta, GA). 1992. Women's Health Trial—feasibility study in minorities. National Cancer Institute.
- Humphreys-Beher MG (University of Florida, Gainesville, FL). 1994. Oral and ocular sequelae of autoimmune diseases. National Institute of Dental Research. \$15,000.
- Krieger N (Kaiser Foundation Research Institute, Oakland, CA). 1994. Race, class, and gender—studies of health effects. National Heart, Lung and Blood Institute. \$77,892.
- Meredith LS (RAND, Santa Monica, CA). Effects of stressful life events on health outcomes. Agency for Health Care Policy and Research. \$18,273.
- Mullen PD (University of Texas Health Science Center, Houston, TX). 1994. Sustaining women's smoking cessation postpartum. National Heart, Lung and Blood Institute. \$368,174.
- Paganini-Hill A (University of Southern California, Los Angeles, CA). 1992. Estrogens and vitamin A: role in disease prevention. National Cancer Institute.
- Patsch WP (Baylor College of Medicine, Houston, TX). 1992. Community and cohort surveillance program. National Heart, Lung and Blood Institute.
- Pavalko EK (Indiana University, Bloomington, IN). 1994. Work and health among women in midlife and beyond. National Institute on Aging. \$95,725.
- Prentice R (Fred Hutchinson Cancer Research Center, Seattle, WA). 1992. Women's Health Trial—feasibility study in minority. National Cancer Institute.
- Ritz L (SRA Technologies, Inc., Alexandria, VA). 1992. A prospective cohort study of cancer among men and women. National Cancer Institute.
- Rosenberg L (Boston University, Boston, MA). 1994. Follow-up study for causes of illness in black women. National Cancer Institute. \$868,796.
- Rubenstein LV (Department of Veterans Affairs, Medical Center). Health status and access to care among women veterans. Department of Veterans Affairs, Research and Development.
- Speizer FE (Brigham and Women's Hospital, Boston, MA). 1992. Biochemical markers in the Nurse Health Study cohort. National Cancer Institute.

HEALTH SERVICES

- Allan J (University of Texas, Austin, TX). 1992. Cross-ethnic nursing study of weight management in women. National Center for Nursing Research.
- AMC Cancer Research Center (Denver, CO). 1994. Breast and cervical cancer education and training assistance. Centers for Disease Control and Prevention.

- American Indian Health Care Association (Denver, CO); Mayo Foundation (Rochester, MN); World Education (Boston, MA); American Association of Retired Persons, American Federation of Teachers Education Foundation, COSSMHO, National Caucus and Center on Black Aged, Inc., National Education Association Health Information Network, National Hispanic Council on Aging, and YWCA of the USA (Washington, DC); National Migrant Resource Program, Inc. (Austin, TX); Susan Komen Breast Cancer Foundation (Dallas, TX). 1994. National organizational strategies for early detection and control of breast and cervical cancer. Centers for Disease Control and Prevention.
- Auslander WF (Washington University, St. Louis, MO). 1994. Dietary changes in African American women by activation. National Institute of Diabetes and Digestive and Kidney Diseases. \$244,633.
- Bailey WC (Department of Veterans Affairs, Medical Center, Birmingham, AL). Chronic obstructive pulmonary disease (COPD) prevention trial. Department of Veterans Affairs, Research and Development.
- Baker SA (University of Washington, Seattle, WA). 1994. Safer sex groups for women. National Institute of Mental Health. \$617,489.
- Barnhart KI (Department of Veterans Affairs, Medical Center, Augusta, GA). Women veterans' utilization of VA health care. Department of Veterans Affairs, Research and Development.
- Basch CE (Columbia University Teachers College, New York, NY). 1994. Ophthalmic complications prevention trial. National Eye Institute. \$333,915.
- Boehm S (University of Michigan, Ann Arbor, MI). 1994. Tuberculosis—prevention and adherence interventions. National Institute of Nursing Research. \$161,270.
- Braden CJ (University of Arizona, Tucson, AZ). 1994. Promoting self help—underserved women with breast cancer. National Cancer Institute. \$499,113.
- Cohen JD (St. Louis University, St. Louis, MO). 1994. Trials of hypertension prevention. National Heart, Lung and Blood Institute. \$349,673.
- Connors GJ (Research Institute On Addictions, Buffalo, NY). 1994. Enhancing involvement in outpatient alcoholism treatment. National Institute on Alcohol Abuse and Alcoholism. \$224,876.
- Dennison KF (Dine Systems Inc, Amherst, NY). 1992. Women's weight management CAI for outpatient settings. Department of Health and Human Services. \$50,000.
- Department of Health (Sacramento, CA; Baltimore, MD; Lansing, MI; Columbia, MO; Lincoln, NE; Santa Fe, NM; Raleigh, NC; Austin, TX). 1994. Comprehensive breast and cervical cancer control program. Centers for Disease Control and Prevention.
- Department of Health (Denver, CO; Minneapolis, MN; Columbia, SC; Charleston, WV). 1994. Early detection of breast and cervical cancer. Centers for Disease Control and Prevention.
- D'Orsi C (University of Colorado Health Sciences Center, Denver, CO). 1994. Radiologist's training and report methods and efficacy of screening mammography. National Cancer Institute.
- Haddow JE (Foundation for Blood Research, Scarborough, ME). 1994. First trimester prenatal screening for Down Syndrome. National Institute of Child Health and Human Development. \$264,817.
- Heckerling PS (University of Illinois, Chicago, IL). 1994. Decision making in prenatal genetic testing. Agency for Health Care Policy and Research. \$109,270.
- Joffe G (University of New Mexico, Albuquerque, NM). 1994. Hyperinsulinemia and the definitive diagnosis of gestational diabetes. National Center for Research Resources.
- Kushi LH (University of Minnesota Twin Cities, Minneapolis, MN). 1992. Evaluation of low literacy CVD nutrition education. National Heart, Lung and Blood Institute.
- Martin M Jr (Evanston, IL). 1993. Using interactive media in health practices. Department of Health and Human Services. \$50,000.
- Massachusetts University Medical School. 1994. Effects of meditation-based stress reduction in younger women with breast cancer. \$800,000.
- Morehouse School of Medicine (Atlanta, GA). 1994. Breast health education study. \$375,000.
- Oberman A (University of Alabama, Birmingham, AL). 1994. Trials of Hypertension Prevention (TOHP)—phase II. National Heart, Lung and Blood Institute. \$301,299.
- Ohio State University Research Foundation (Columbus, OH). 1994. Psychological intervention for women with breast cancer. \$87,000.
- Petitti DB (Kaiser Foundation Research Institute, CA). Low birthweight and the quality/content of prenatal care. Agency for Health Care Policy and Research. \$56,678.
- Prochaska JO (University of Rhode Island, Kingston, RI). 1994. Accelerating the process of change for cancer prevention. National Cancer Institute. \$2,419,944.
- Shear MK (University of Pittsburgh, Pittsburgh, PA). 1994. Treatment effectiveness studies in women. National Institute of Mental Health. \$400,001.

- Solberg LI (Group Health, Inc., Minneapolis, MN). 1994. Improve—improving disease prevention in primary care. Agency for Health Care Policy and Research. \$869,942.
- Strang Cancer Prevention Center (New York, NY). 1994. Psycho educational group intervention for women at increased risk for breast cancer. \$800,000.
- Vander Tuig J, Taui J (Lincoln University, Jefferson City, MO). Health benefits of a weight-loss program for African-Americans. U.S. Department of Agriculture, Cooperative State Research Service.
- Vega WA (California Public Health Foundation, Berkeley, CA). 1994. MH service utilization among rural Mexican Americans. National Institute of Mental Health. \$899,247.
- Vogt TM (Kaiser Foundation Research Institute, Oakland, CA). 1994. Tobacco reduction and cancer control II. National Cancer Institute. \$394,118.
- Zelen M (Dana-Farber Cancer Institute, Boston, MA). 1994. Optimal programs for the early detection of disease. National Cancer Institute. \$180,385.

HIV/AIDS

- Ahluwalia IB (University of North Carolina, Chapel Hill, NC). Psychosocial predictors of pregnancy, women at HIV risk. Agency for Health Care Policy and Research. \$20,260.
- Allen SA (University of California, San Francisco, CA). 1994. Heterosexual transmission and the natural history of HIV. National Institute of Allergy and Infectious Diseases. \$604,190.
- Anastos K (Bronx-Lebanon Hospital Center, New York, NY). 1994. New York City collaborative working group on HIV infection in women. National Institute of Allergy and Infectious Diseases.
- Attrash H (National Center for Chronic Disease Prevention and Health Promotion, Atlanta, GA). Prevention of HIV infection in women and infants and reduction of morbidity and mortality among infected women. Centers for Disease Control and Prevention.
- Blower SM (University of California, Berkeley, CA). 1994. Diffusion of HIV epidemics. National Institute on Drug Abuse. \$94,309.
- Burton DR (Scripps Research Institute, San Diego, CA). 1994. Antibodies to HIV-1 by repertoire cloning. National Institute of Allergy and Infectious Diseases. \$489,728.
- Butel JS (Baylor College of Medicine, Houston, TX). 1994. AIDS research. National Institute of Allergy and Infectious Diseases. \$643,590.
- Carney PA (University of Washington, Seattle, WA). HIV prevention in primary care: an objective assessment. Agency for Health Care Policy and Research. \$21,600.
- Catania JA (University of California, San Francisco, CA). 1994. Sex and AIDS methodology survey—minority expansion. National Institute of Mental Health. \$341,252.
- Chiappelli F (Department of Veterans Affairs, Medical Center, Los Angeles, CA). Cellular immunotoxicity of cocaethylene. Department of Veterans Affairs, Research and Development.
- Compans RW (University of Alabama, Birmingham, AL). 1994. Expression of HIV and SIV antigens. National Institute of Allergy and Infectious Diseases.
- Compans RW (Emory University, Atlanta, GA). 1994. Molecular approaches to mucosal immunization. National Institute of Allergy and Infectious Diseases. \$55,655.
- Corbeil LB (University of California, San Diego, CA). 1994. Adjuvants to enhance cervicovaginal immunity to HIV. National Institute of Allergy and Infectious Diseases. \$190,002.
- Dancy BL (University of Illinois, Chicago, IL). 1994. Tailoring AIDS prevention programs to be relevant. National Institute of Mental Health. \$76,066.
- Desmond DP (University of Texas Health Science Center, San Antonio, TX). 1994. Center for behavioral studies in AIDS and substance abuse. National Institute on Drug Abuse. \$448,866.
- Diiorio CK (Emory University, Atlanta, GA). 1994. AIDS risk reduction practices among college students. National Institute of Nursing Research. \$439,570.
- Dukes CS (Department of Veterans Affairs, Medical Center, Durham, NC). HIV infection of mononuclear phagocytes: a study of effector functions. Department of Veterans Affairs, Research and Development.
- Eldridge JH (University of Alabama, Birmingham, AL). 1994. Antigen delivery system for HIV and SIV vaccines. National Institute of Allergy and Infectious Diseases.
- Eldridge JH (Lederle-Praxis Biologicals, West Henrietta, NY). 1994. Microencapsulated HIV/SIV vaccines for mucosal immunity. National Institute of Allergy and Infectious Diseases. \$111,143.

- Estrada JJ (Meharry Medical College, Nashville, TN). 1994. Developmental immunology research. National Institute of Allergy and Infectious Diseases.
- Friedman HM (University of Pennsylvania, Philadelphia, PA). 1994. AIDS clinical trial. National Institute of Allergy and Infectious Diseases. \$1,404,312.
- Friedman SR (National Development & Research Institutes, New York, NY). 1994. Social factors and HIV risk. National Institute on Drug Abuse. \$187,923.
- Greenberg J (National Center for Prevention Services, Atlanta, GA). Evaluation of HIV support groups to prevent HIV infection in high risk women (WINGS). Centers for Disease Control and Prevention.
- Greenblatt RM (University of California, San Francisco, CA). 1994. Bay Area women's HIV study. National Institute of Allergy and Infectious Diseases. \$2,103,267.
- Greenblatt RM (University of California, San Francisco, CA). 1994. Women's interagency HIV study organization, management and communications. National Institute of Allergy and Infectious Diseases.
- Jackson S (University of Alabama, Birmingham, AL). 1994. Mucosal and serum IGA systems in AIDS. National Institute of Allergy and Infectious Diseases. \$196,893.
- Johns Hopkins University, Family Planning Council of Pennsylvania (Philadelphia, PA) San Francisco Department of Public Health (San Francisco, CA). 1994. Prevention of HIV in women and infants. Centers for Disease Control and Prevention.
- Kalichman SC (Medical College of Wisconsin, Milwaukee, WI). 1994. Videotape based HIV prevention intervention. National Institute of Mental Health. \$306,412.
- Kauth MR (Department of Veterans Affairs, Medical Center, New Orleans, LA). Social support and quality of life among HIV seronegative men and women. Department of Veterans Affairs, Research and Development.
- Kelly JA (Medical College of Wisconsin, Milwaukee, WI). 1994. AIDS/HIV prevention for vulnerable urban population. National Institute of Mental Health. \$819,723.
- Kosten TR (Yale University, New Haven, CT). 1994. Reducing AIDS risks. National Institute on Drug Abuse. \$1,187,086.
- Lehner T (University of London, London, England). 1994. Rectal immunization against HIV infection. National Institute of Allergy and Infectious Diseases. \$91,638.
- Levine AM (University of Southern California, Los Angeles, CA). 1994. Southern California Women's Interagency HIV Study. National Institute of Allergy and Infectious Diseases. \$9,483.
- Lockwood D (University of Delaware, Newark, DE). 1994. Efficacy of female condoms for women at high HIV risk. National Institute on Drug Abuse. \$195,914.
- Magana JR (University of California, Irvine, CA). 1994. AIDS education to empower IDU partners. National Institute of Mental Health. \$670,949.
- Marthas ML (University of California, Davis, CA). 1994. Vaccination against infection with cell-associated HIV. National Institute of Allergy and Infectious Diseases. \$275,059.
- Marx PA (University of Alabama, Birmingham, AL). 1994. Mucosal and systemic immunity to SIV and HIV antigens. National Institute of Allergy and Infectious Diseases.
- Miles J (National Center for Prevention Services, Atlanta, GA). Minority and other community-based organization (CBO) HIV prevention projects. Centers for Disease Control and Prevention.
- Miles J (National Center for Prevention Services, Atlanta, GA). National/regional minority organizations (NRMO) HIV/STD prevention projects. Centers for Disease Control and Prevention.
- Minkoff HL (Health Science Center, New York, NY). 1994. Women's AIDS study. National Institute of Allergy and Infectious Diseases. \$1,462,774.
- Montgomery DH (Florida State University, Tallahassee, FL). 1994. HIV prevention among culturally diverse at-risk women. National Institute of Child Health and Human Development. \$430,282.
- Neutra MR (Children's Hospital, Boston, MA). 1994. Mucosal immune response to HIV GP120 vaccines. National Institute of Allergy and Infectious Diseases. \$254,329.
- Person B (National Center for Prevention Services, Atlanta, GA). The prevention of HIV in women and infants demonstration projects (WIDP). Centers for Disease Control and Prevention.
- Schilling RF (Columbia University, New York, NY). 1994. Skills and self help to reduce HIV and drug use in women. National Institute on Drug Abuse. \$589,368.
- Schneiderman N (University of Miami, Miami, FL). 1994. HIV-1, ethnicity, gender and acute stress reactivity. National Institute of Mental Health.
- St. Lawrence JS (Jackson State University, Jackson, MS). 1994. Evaluation of AIDS prevention models for minority women. National Institute of Child Health and Human Development. \$363,453.
- Stevens CE (New York Blood Center, New York, NY). 1994. Evaluating a candidate population for HIV vaccine trials. National Institute of Allergy and Infectious Diseases. \$935,857.

- Wawer MJ (Columbia University, New York, NY). 1994. HIV prevention study. National Institute of Child Health and Human Development. \$398,173.
- Webne SL (Department of Veterans Affairs, Medical Center, Lexington, KY). HIV prevention among female sexual partners of males undergoing substance abuse treatment: a test of intervention efficacy. Department of Veterans Affairs, Research and Development.
- Wyatt GE (University of California, Los Angeles, CA). 1994. AIDS related decision making. National Institute of Mental Health. \$212,102.

HORMONE REPLACEMENT THERAPY

- Barrett-Connor E (University of California, San Diego, CA). 1994. Postmenopausal estrogen progestin intervention. National Center for Research Resources.
- Bowers C (Tulane University, New Orleans, LA). 1994. Clinical and hormonal effects of growth hormone releasing peptide. National Center for Research Resources.
- Bush TL (Johns Hopkins University, Baltimore, MD). 1994. Postmenopausal estrogen-progestin intervention (PEPI). National Heart, Lung and Blood Institute. \$10,078.
- Cannon RO (National Heart, Lung and Blood Institute, Bethesda, MD). 1994. Effect of 17 beta-estradiol on coronary vascular hemodynamics in postmenopause. National Heart, Lung and Blood Institute.
- Cannon RO (National Heart, Lung and Blood Institute, Bethesda, MD). 1994. Estradiol and oxidizability of low density lipoprotein in postmenopausal women. National Heart, Lung and Blood Institute.
- Cefalu W (Wake Forest University, Winston-Salem, NC). 1994. Comparison trial of effects of estrogen and hormone replacement therapy. National Center for Research Resources.
- Eggena P (Department of Veterans Affairs, Medical Center, Sepulveda, CA). Postmenopausal Estrogen/Progestin Interventions. Department of Veterans Affairs, Research and Development.
- Howard JL (University of California Los Angeles, Los Angeles, CA). 1994. Postmenopausal Estrogen/Progestin Interventions Trial. National Center for Research Resources.
- Jayo MJ (Wake Forest University, Winston-Salem, NC). 1994. Thiazide effects on bone and arteries. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$346,063.
- Judd HL (University of California, Los Angeles, CA). 1994. Postmenopausal Estrogen-Progestin Intervention. National Heart, Lung and Blood Institute. \$21,955.
- Leboff MS (Brigham and Women's Hospital, Boston, MA). 1994. Effects of postmenopausal estrogen/provera hormone replacement. National Center for Research Resources.
- Miller VT (George Washington University, Washington, DC). 1992. Postmenopausal Estrogen/Progestin Intervention Trial. National Heart, Lung and Blood Institute.
- Newman WP (Department of Veterans Affairs, Medical Center). Evaluation of symptoms caused by various climacteric hormonal replacement protocols versus no therapy. Department of Veterans Affairs, Research and Development.
- Nuwayser ES (Biotek, Inc., Woburn, MA). 1994. Estrogen-progestin patch for estrogen replacement. National Institute of Child Health and Human Development. \$257,910.
- Pauerstein CJ (University of Texas Health Sciences Center, San Antonio, TX). 1992. Postmenopausal Estrogen/Progestin Interventions. National Heart, Lung and Blood Institute.
- Petitti DB (Kaiser Foundation Research Institute, Oakland, CA). 1994. Stroke and MI in users of estrogen/progestogen. National Heart, Lung and Blood Institute. \$350,903.
- Riggs BL (Mayo Foundation, Rochester, MN). 1994. Relationship of the renal leak in postmenopausal women to parathyroid hormone. National Center for Research Resources.
- Rothert ML (Michigan State University, East Lansing, MI). 1994. Women's judgments of estrogen replacement therapy. National Institute of Nursing Research. \$76,210.
- Schrott HG (University of Iowa, Iowa City, IA). 1992. Postmenopausal Estrogen/Progestin Interventions. National Heart, Lung and Blood Institute.
- Subbiah MT (University of Cincinnati, Cincinnati, OH). 1994. Antioxidant potential of estrogens in menopause. National Heart, Lung and Blood Institute. \$153,770.
- Wells HB (Wake Forest University, Winston-Salem, NC). 1994. Postmenopausal Estrogen-Progestin Intervention (PEPI)—coordinating center. National Heart, Lung and Blood Institute. \$1,077,202.
- Williams JK (Wake Forest University, Winston-Salem, NC). 1994. Tamoxifen and coronary heart disease. National Heart, Lung and Blood Institute. \$350,063.

Wood PD (Stanford University, Stanford, CA). 1992. Stanford postmenopausal hormone replacement study. National Heart, Lung and Blood Institute.

JOB SATISFACTION

Glass JL (University of Notre Dame, Iowa City, IA). 91. Work conditions, pregnancy, and employment continuity. National Science Foundation. \$120,000.

JOB STRESS

Marmot MG (University of London, London, England). 1994. Social and occupational influences on health and illness. National Heart, Lung and Blood Institute. \$114,958.

Williams RB (Duke University, Durham, NC). 1994. Biobehavioral correlates of hostility in a high stress work environment. National Heart, Lung and Blood Institute.

MEDICAL TECHNOLOGY

Andre MP (Department of Veterans Affairs, Medical Center, San Diego, CA). High resolution digital whole-breast mammography. Department of Veterans Affairs, Research and Development.

Bolt, Beranek and Newman, Inc. (Cambridge, MA). 1994. Increasing the accuracy of mammogram interpretation. \$790,000.

Campbell JL (Department of Veterans Affairs, Medical Center, Kansas City, MO). Detection of biochemical markers of alcohol abuse. Department of Veterans Affairs, Research and Development.

Cole LA (Yale University, New Haven, CT). 1994. Urinary HCGB subunit/core fragment in gynecologic cancer. National Cancer Institute. \$248,150.

Drexel University. 1994. Development of methods for improved breast imaging ultrasound. \$200,000.

Erb JL (Innovation Associates, Inc., Ann Arbor, MI). 1994. Fertile period identification with a TIRF biosensor. National Institute of Child Health and Human Development. \$287,070.

Erb JL (Innovation Associates, Inc., Ann Arbor, MI). 1994. Fiber optic sensor for reproductive hormones. National Institute on Aging. \$78,232.

Evans MI (Wayne State University, Detroit, MI). 1994. Prenatal diagnosis using fetal cells from maternal blood—clinical trial. National Institute of Child Health and Human Development. \$196,066.

Hampar B (Bio-Molecular Technology, Inc., Frederick, MD). 1993. Detection of an active HSV infection during pregnancy. Department of Health and Human Services. \$50,000.

Jackson LG (Thomas Jefferson University, Philadelphia, PA). 1994. Prenatal diagnosis using fetal cells from maternal blood—clinical trial. National Institute of Child Health and Human Development. \$179,249.

Panza JA (National Heart, Lung and Blood Institute, Bethesda, MD). 1994. Dobutamine echocardiography for detection of coronary disease in women. National Heart, Lung and Blood Institute.

Savage HCJ (Apollo Light Systems, Inc., South Orem, UT). 1993. Reproductive medicine phototherapy. Department of Health and Human Services. \$49,825.

Siddiqi TA (University of Cincinnati, Cincinnati, OH). 1994. Ultrasound dosimetry in human OB/GYN examination. National Institute of Child Health and Human Development. \$151,647.

MENSTRUAL CYCLE

Arafat ES (Rust College, Holly Springs, MS). 1994. Steroid hormones/monoamine neurotransmitters in premenstrual syndrome. National Institute of General Medical Sciences.

Cameron JL (University of Pittsburgh, Pittsburgh, PA). 1992. Etiology of exercise-induced amenorrhea. National Institute of Child Health and Human Development.

Canfield RE (Columbia University, New York, NY). 1994. Hormonal parameters of the normal menstrual cycle. National Center for Research Resources.

Evans WS (University of Virginia, Charlottesville, VA). 1994. Deconvolution of LH, FSH and prolactin in normal cycling women. National Center for Research Resources.

- Fanger MW (Dartmouth College, Hanover, NH). 1994. Characterization of myeloid cells. National Institute of Allergy and Infectious Diseases.
- Ferin M (Columbia University, New York, NY). 1994. The gonadotropin-releasing hormone pulse generator. National Institute of Child Health and Human Development.
- Harlow SD (University of Michigan, Ann Arbor, MI). 1994. An epidemiologic assessment of menstrual cycle patterns. National Institute of Child Health and Human Development. \$102,461.
- Irwin MR (University of California, San Diego, CA). 1994. Immunological effects of menstrual cycle and sleep deprivation. National Center for Research Resources.
- Kripke DF (University of California, San Diego, CA). 1994. Behavioral and light effects on menstrual cycle regulation. National Institute of Mental Health. \$68,526.
- Kripke DF (Department of Veterans Affairs, Medical Center, San Diego, CA). Effects of night lights on irregular menstrual cycle. Department of Veterans Affairs, Research and Development.
- Leslie CA (Department of Veterans Affairs, Medical Center, Bedford, MA). Gender, eicosanoid synthesis and immunity. Department of Veterans Affairs, Research and Development.
- Lewis LL (University of Washington, Seattle, WA). 1994. Nursing appraisal, stress and endocrine dynamics in PMS. National Institute of Nursing Research. \$122,622.
- Lewis LL (University of Washington, Seattle, WA). 1994. Premenstrual syndrome—stress and endocrine dynamics. National Center for Research Resources.
- Liebenluft E (National Institute of Mental Health, Bethesda, MD). 1994. The role of gonadal steroids in regulating circadian rhythms in women. National Institute of Mental Health.
- McClintock MK (University of Chicago, Chicago, IL). 1994. Pheromones, behavior and the regulation of fertility. National Institute of Mental Health. \$270,917.
- Phillips SF (Mayo Foundation, Rochester, MN). 1994. Does gastrointestinal transit of healthy women change during the menstrual cycle. National Center for Research Resources.
- Pogach LM (Department of Veterans Affairs, Medical Center, East Orange, NJ). Characterization of normal and abnormal menstrual cycle and endometrial function. Department of Veterans Affairs, Research and Development.
- Reame NE (University of Michigan, Ann Arbor, MI). 1992. Nursing assessment: menstrual cycle clinical models.
- Rogol AD (University of Virginia, Charlottesville, VA). 1994. Reproductive system function in endurance trained women. National Center for Research Resources.
- Rubinow DR (National Institute of Mental Health, Bethesda, MD). 1994. Psychobiology and treatment of menstrually-related mood disorders. National Institute of Mental Health.
- Schlechte JA (University of Iowa, Iowa City, IA). 1994. Efficacy of estrogen in hyperprolactinemic amenorrhea. National Institute of Diabetes and Digestive and Kidney Diseases. \$200,051.
- Selim AJ (Department of Veterans Affairs, Medical Center, Boston, MA). N.V.A. blood pressure study. Department of Veterans Affairs, Research and Development.
- Shenker Y (Department of Veterans Affairs, Medical Center, Madison, WI). Effects of ANF on AVP secretion during the menstrual cycle. Department of Veterans Affairs, Research and Development.
- Soules MR (University of Washington, Seattle, WA). 1994. Different clinical methods for the diagnosis of luteal phase deficiency. National Center for Research Resources.
- Stouffer RL (Oregon Regional Primate Research Center, Beaverton, OR). 1994. Subpopulations of luteal cells in the ovary. National Institute of Child Health and Human Development. \$196,917.
- Strickland OL (Emory University, Atlanta, GA). 1994. Nursing assessment of PMS—neurometric indices. National Institute of Nursing Research. \$316,237.
- Taylor D (University of California, San Francisco, CA). 1994. Nursing strategies for perimenstrual symptom management. National Institute of Nursing Research. \$99,410.
- Wagner DR (Cornell University Medical Center, New York, NY). 1994. Sleep, temperature and melatonin in LLPDD. National Institute of Mental Health. \$163,990.
- Warren MP (St. Luke's Roosevelt Hospital Center, New York, NY). 1992. Estrogen replacement and complications of amenorrhea. National Institute of Child Health and Human Development.
- Weinshel EH (Department of Veterans Affairs, Medical Center, New York, NY). Effects of the menstrual cycle on the ECG. Department of Veterans Affairs, Research and Development.
- Yen SS (University of California, San Diego, CA). 1994. Biological rhythms of reproductive hormones and neurotransmitters. National Center for Research Resources.
- Yen SS (University of California, San Diego, CA). 1994. Hormonal dynamics during folliculogenesis. National Center for Research Resources.

- Yen SSC (University of California, San Diego, CA). 1994. Estrogen/progesterone fluctuation effect on premenstrual symptoms. National Center for Research Resources.

MISCELLANEOUS

- Shaver JL (University of Washington, Seattle, WA). 1994. Nursing study of perimenopausal insomnia. National Institute of Nursing Research. \$305,529.
- Smith TW (National Opinion Research Center, Chicago, IL). 1994. Gender differences in self reports on sensitive behaviors. National Science Foundation. \$219,301.
- Steele CM (Stanford University, Stanford, CA). 1994. Protective dis-identification and academic performance. National Institute of Mental Health. \$148,092.
- Tomer KB 1994. Collaborative projects in environmental health sciences. National Institute of Environmental Health Sciences.
- Warren DW (University of Southern California, Los Angeles, CA). 1994. Sex hormone regulation of lacrimal gland secretion. National Eye Institute. \$275,706.
- Wood PA (Department of Veterans Affairs, Medical Center). Mechanisms of the circadian coordination of erythropoiesis. Department of Veterans Affairs, Research and Development.

MUSCULOSKELETAL, BIOMECHANICS

- Fleming R, Rempel D (National Institute for Occupational Safety and Health, Atlanta, GA). 1994. Intracarpal pressure during hand maneuvers of men and women. Centers for Disease Control and Prevention.
- Morris TL (Department of Veterans Affairs, Medical Center, Hines, IL). Development of a low-dimensional state space representation of lifting dynamics. Department of Veterans Affairs, Research and Development.
- Myklebust B (Department of Veterans Affairs, Medical Center, Milwaukee, WI). Kinesiologic electromyographic studies in normal adult subjects. Department of Veterans Affairs, Research and Development.

MUSCULOSKELETAL, INJURIES

- Clegg DO (Department of Veterans Affairs, Medical Center, Salt Lake City, UT). Genetic epidemiology of rheumatoid arthritis. Department of Veterans Affairs, Research and Development.
- Davidson A (Yeshiva University, New York, NY). 1994. Using idiotypes to assess SLE in minority women. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$234,021.
- Everett JG (University of Michigan, Ann Arbor, MI). 1994. Construction tasks for overexertion injuries. National Institute for Occupational Safety and Health. \$37,460.
- Fleming R, Agnew J (National Institute for Occupational Safety and Health, Atlanta, GA). 1994. Age and cumulative trauma disorders in women garment workers. Centers for Disease Control and Prevention.
- Grant K, Sweeney M (National Institute for Occupational Safety and Health, Cincinnati, OH). 1994. Assessment of musculoskeletal disorders in the retail food industry. Centers for Disease Control and Prevention.
- Grisso JA (University of Pennsylvania, Philadelphia, PA). 1992. Causes of hip fractures among black and white women. National Institute of Arthritis and Musculoskeletal and Skin Diseases.
- Roy RR (University of California, Los Angeles, CA). 1994. Response of inactive skeletal muscles to neuromuscular activation. National Institute of Neurological Disorders and Stroke.
- Tanaka S, Behrens V (National Institute for Occupational Safety and Health, Cincinnati, OH). 1994. Analysis of the 1988 National Health Interview Survey (NHIS), Occupational Health Supplement (OHS) Data. Centers for Disease Control and Prevention.

MUSCULOSKELETAL, TREATMENT

- Gershuni DH (Department of Veterans Affairs, Medical Center, San Diego, CA). Treatment of non-union fractures with the iatromed bone growth stimulator. Department of Veterans Affairs, Research and Development.

NEUROSENSORY CONDITIONS

- De Simone JA (Virginia Commonwealth University, Richmond, VA). 1994. Voltage clamp probe of taste responses in development. National Institute on Deafness and Other Communication Disorders. \$182,601.
- Doty RL (University of Pennsylvania, Philadelphia, PA). 1994. Neuroendocrine factors and brain mechanisms in olfactory function. National Institute on Deafness and Other Communication Disorders.
- Essick GK (University of North Carolina, Chapel Hill, NC). 1994. Evaluation of perioral directional sensitivity. National Institute of Dental Research.
- Lentz MJ (University of Washington, Seattle, WA). 1994. Measuring sleep changes—accuracy of alternatives to PSG. National Institute of Nursing Research. \$127,495.
- Schneider JE (Lehigh University, Bethlehem, PA). 1995. Metabolic and endocrine control of behavior. National Science Foundation. \$344,515.

NUTRITION

- Adlercreutz C (University of Helsinki, Helsinki, Finland). 1992. Metabolism of soybean isoflavonoids and lignans in man. National Cancer Institute.
- Amos RJ (Iowa State University, Ames, IA). 1993. Behavioral and health factors that influence the food consumption of young adults. U.S. Department of Agriculture, Cooperative State Research Service.
- Armstrong JE (Washington State University, Pullman, WA). 1993. Culture-specific factors that influence dietary quality in multi-cultural communities. U.S. Department of Agriculture, Cooperative State Research Service.
- Auslander W (Washington University, St. Louis, MO). 1992. Modifying dietary patterns by empowering black women. National Institute of Diabetes and Digestive and Kidney Diseases.
- Bailey L (University of Florida, Gainesville, FL). 1993. Folate utilization and nutrient interaction in human subjects. U.S. Department of Agriculture, Cooperative State Research Service.
- Bailey LB (University of Florida, Gainesville, FL). 1994. Folate kinetics in pregnant human subjects. National Center for Research Resources.
- Baird DD (National Institute of Environmental Health Sciences, Research Triangle Park, NC). 1994. Biological effects of plant estrogens in postmenopausal women. National Institute of Environmental Health Sciences.
- Battaglia FC (University of Colorado Health Sciences Center, Denver, CO). 1994. Evaluation of in vivo placental permeability. National Center for Research Resources.
- Behall K, Canary J (Georgetown University, Washington, DC). 1992. Metabolic effect of incorporation high amylose foods in self-selected diets. U.S. Department of Agriculture, Agricultural Research Service.
- Beresford SA (University of Washington, Seattle, WA). 1992. Dietary intervention trial in primary care practices. National Cancer Institute.
- Bidlack B, Love J, Cate R (Iowa State University, Ames, IA). 1992. Research program: center for designing foods to improve nutrition. U.S. Department of Agriculture, Cooperative State Research Service.
- Boozer CN (St. Luke-Roosevelt Institute for Health Sciences, New York, NY). 1994. Fat metabolism and regulation of energy balance. National Institute of Diabetes and Digestive and Kidney Diseases. \$106,930.
- Bray G (Louisiana State University, Baton Rouge, LA). Dietary fat, food intake, energy expenditure and body composition. U.S. Department of Agriculture, Cooperative State Research Service.
- Brown I (Clark Atlanta University, Atlanta, GA). 1994. Anti-carcinogenesis properties of retinoids. National Institute of General Medical Sciences.
- Butera PC (Niagara University, Niagara, NY). 1994. Potentiation of CCK-8 on food intake by estradiol. National Institute of Diabetes and Digestive and Kidney Diseases. \$69,582.
- Connor W (Oregon Health Science University, Portland, OR). Lipid responsiveness to dietary fat in black and white women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Dawson-Hughes B, Krall E, Harris S (Tufts University, Boston, MA). 1992. The vitamin D intake requirement in healthy postmenopausal women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Demitrack M (University of Michigan, Ann Arbor, MI). 1994. Dieting effects on ovulation in college women. National Institute of Child Health and Human Development.
- Dennis KE (Department of Veterans Affairs, Medical Center, Baltimore, MD). GRECC nutrition clinical demonstration project. Department of Veterans Affairs, Research and Development.
- Diamond M (Yale University, New Haven, CT). 1994. Glucose homeostasis evaluation. National Center for Research Resources.

- Diamond MP (Vanderbilt University, Nashville, TN). 1994. Evaluation of glucose homeostasis. National Center for Research Resources.
- Dowdy R (University of Missouri, Columbia, MO). 1993. Nutritional health of vulnerable populations. U.S. Department of Agriculture, Cooperative State Research Service.
- Dratman MB (Department of Veterans Affairs, Medical Center). Post-prandial thyroid hormone levels in normal patients. Department of Veterans Affairs, Research and Development.
- Druzin M (Stanford University, Stanford, CA). 1994. Metabolic and fetal status response to variations in dietary carbohydrate. National Center for Research Resources.
- Edens NK (University of Maryland, College Park, MD). 1994. Regulation of adipocyte free fatty acid reesterification. National Institute of Diabetes and Digestive and Kidney Diseases. \$114,543.
- Elmer PJ (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Dietary effects on lipoprotein and thrombogenic activity (DELTA). National Center for Research Resources.
- Elmer PJ (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Multicenter studies of diet and lipoproteins. National Heart, Lung and Blood Institute. \$528,613.
- Elson C, Shrago E (University of Wisconsin, Madison, WI). Health maintenance aspects of dietary recommendations designed to modify lipid metabolism. U.S. Department of Agriculture, Cooperative State Research Service.
- Emken E, Adlof R, Mounts T (Northern Regional Research Center, Peoria, IL). 1993. Conversion of dietary fatty acids in humans. U.S. Department of Agriculture, Agricultural Research Service.
- Finley J, Vanderpool R (Agricultural Research Service, Grand Forks, ND). Absorption and homeostasis of trace elements. U.S. Department of Agriculture, Agricultural Research Service.
- Freudenheim JL (State University of New York, Buffalo, NY). 1994. Nutritional epidemiology of cancer. National Cancer Institute. \$69,349.
- Gabel KA (University of Idaho, Moscow, Idaho). 1993. Dietary fat and fiber: knowledge, perceived risk and dietary practices. U.S. Department of Agriculture, Cooperative State Research Service.
- Gerber L (University of Rhode Island, Kingston, RI). 1993. Beta-carotene and the prevention of cancer. U.S. Department of Agriculture, Cooperative State Research Service.
- Goldstein-Shapses SA (Rutgers State University, New Brunswick, NJ). 1994. Nutritional regulation of bone turnover. National Institute on Aging. \$123,700.
- Goodman M (University of Hawaii, Honolulu, Hawaii). 1994. Collaborative study of ovarian cancer in two risk groups. National Cancer Institute. \$517,367.
- Gregory JF III (University of Florida, Gainesville, Florida). 1994. Nutritional properties of pyridoxine-beta-glucoside. National Institute of Diabetes and Digestive and Kidney Diseases. \$86,280.
- Grunewald KK (Kansas State University, Manhattan, KS). 1993. Sucrose loading effects on cognitive function in young adults. U.S. Department of Agriculture, Cooperative State Research Service.
- Heaney RP (Creighton University, Omaha, NE). 1994. Calcium absorptive physiology. National Institute of Arthritis and Musculoskeletal and Skin Diseases.
- Heaney RP (Creighton University, Omaha, NE). 1994. Calcium bioavailability from certain food sources. National Institute of Arthritis and Musculoskeletal and Skin Diseases.
- Hill JO (University of Colorado Health Sciences Center, Denver, CO). 1994. The influence of diet on nutrient balance in man. National Institute of Diabetes and Digestive and Kidney Diseases. \$284,061.
- Hoerr SL (Michigan State University, East Lansing, MI). 1993. Behavioral and health factors that influence the food consumption of young adults. U.S. Department of Agriculture, Cooperative State Research Service.
- Howat P (Louisiana State University, Baton Rouge, LA). Reasoning and implications for inaccuracies of reported diet intake data. U.S. Department of Agriculture, Cooperative State Research Service.
- Iacono J, Cumberland W (University of California, Los Angeles, CA). 1992. Biostatistical and epidemiological methodology development in dietary intervention studies. U.S. Department of Agriculture, Agricultural Research Service.
- Icano J, Blair M (Vanderbilt University, Nashville, TN). 1992. Dietary studies on blood pressure and prostanoid metabolism. U.S. Department of Agriculture, Agricultural Research Service.
- Istfan NW (New England Medical Center Hospitals, Inc., Boston, MA). 1994. Nutrient partitioning and insulin resistance in obesity. National Institute of Diabetes and Digestive and Kidney Diseases.
- Jacob R, Csallany A (University of Minnesota, St. Paul, MN). Dietary studies of lipid peroxidation. U.S. Department of Agriculture, Agricultural Research Service.
- Jensen MD (Mayo Foundation, Rochester, MN). 1994. Regional fatty acid metabolism in humans. National Institute of Diabetes and Digestive and Kidney Diseases. \$253,281.
- Judd J, Canary T (Georgetown University, Washington, DC). 1992. Effect of type and amount of dietary fat on hormones in adult human. U.S. Department of Agriculture, Agricultural Research Service.

- Judd J, Muesing R (George Washington University, Washington, DC). Human lipoprotein metabolism in response to diet. U.S. Department of Agriculture, Agricultural Research Service.
- Judd JT (Agricultural Research Center, Beltsville, MD). 1993. Effect of dietary trans fatty acids on blood lipids. U.S. Department of Agriculture, Agricultural Research Service.
- Kalkwarf HJ (Children's Hospital Medical Center, Cincinnati, OH). 1994. Dietary calcium, lactation, and weaning on calcium status in women. National Center for Research Resources.
- Kasim SE (University of California, Davis, CA). 1994. High density lipoproteins—biomarkers of low-fat diet. National Cancer Institute. \$321,381.
- Keim N, Johnson H, Kretsch M (Agricultural Research Service, San Francisco, CA). Healthy body weight influences of nutritional, biological and environmental factors. U.S. Department of Agriculture, Agricultural Research Service.
- Kramer T (Agricultural Research Service, Beltsville, MD). Carotenoids and immune responses of humans. U.S. Department of Agriculture, Agricultural Research Service.
- Kramer TR (Agricultural Research Service, Beltsville, MD). 1993. Nutritional status and immune function of Ranger trainees following nutritional intervention. U.S. Department of Agriculture, Agricultural Research Service.
- Kretsch MJ (Agricultural Research Service, San Francisco, CA). 1993. Computerized dietary assessment of individuals: nutrition evaluation scale system development. U.S. Department of Agriculture, Agricultural Research Service.
- Kurzer M (University of Minnesota, St. Paul, MN). 1993. Dietary regulation of sex hormone synthesis and metabolism. U.S. Department of Agriculture, Cooperative State Research Service.
- Lawless HT (Cornell University, Ithaca, NY). 1993. Food flavor perception. U.S. Department of Agriculture, State Agricultural Experiment Station.
- Leklem J, Miller L (Oregon State University, Corvallis, OR). Vitamin B-6 - riboflavin: nutrient interaction, metabolism and status in women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Lu LW (University of Texas, Galveston, TX). 1994. Pharmacokinetics of soybean anticarcinogens in humans. National Center for Research Resources.
- Mattes RD (Monell Chemical Senses Center, Philadelphia, PA). 1994. Hedonics and dietary intake of fat. National Institute of Diabetes and Digestive and Kidney Diseases. \$108,031.
- McGee B (Southern University, Baton Rouge, LA). Metabolic psychological behavioral and environmental concomitants of weight regulation in black women. U.S. Department of Agriculture, Cooperative State Research Service.
- Miller DR (New England Medical Center Hospitals, Inc, Boston, MA). 1994. Long term health impact of body weight change. National Institute of Diabetes and Digestive and Kidney Diseases.
- Molnar I, Glaser J, Bleich D (Lincoln University, Jefferson City, MO). Nutritional parameters in the etiology and control of adult onset diabetes in black women. U.S. Department of Agriculture, Cooperative State Research Service.
- Nair P, McMacken R Jr (John Hopkins University, Baltimore, MD). 1993. Relation between nutrition, aging and mutagenicity. U.S. Department of Agriculture, Agricultural Research Service.
- Nielsen F, Klevay L, Lukaski H (Agricultural Research Service, Grand Forks, ND). Human mineral element requirements and their modification by stressors. U.S. Department of Agriculture, Agricultural Research Service.
- Ohio Department of Health (Cleveland, OH). 1994. Interventions in iron deficiency anemia among women. Centers for Disease Control and Prevention.
- Olson AK (University of Alabama, Birmingham, AL). 1994. Effect of diet on weight, metabolism, thermogenesis and energy expenditure. National Center for Research Resources.
- Pak CYC (University of Texas Southwest Medical Center, Dallas, TX). 1994. Calcium bioavailability—risk for calcium stone formation. National Center for Research Resources.
- Penland JG (Agricultural Research Service, Grand Forks, ND). Trace element nutrition, neuropsychological function and behavior. U.S. Department of Agriculture, Agricultural Research Service.
- Picciano M (Pennsylvania State University, University Park, PA). Dietary folate requirement of lactating women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Prior R, Sadowski L, Ferland J (Agricultural Research Service, Boston, MA). 1993. Function and metabolism of vitamin K and vitamin K-dependent proteins during aging. U.S. Department of Agriculture, Agricultural Research Service.
- Rumpler W, Conway J, Seale J (Agricultural Research Service, Beltsville, MD). Relationship between energy expenditure and identifiable sources of variation in humans. U.S. Department of Agriculture, Agricultural Research Service.
- Sachan D (University of Tennessee, Knoxville, TN). Choline-carnitine interactions: metabolic and nutritional significance. U.S. Department of Agriculture, Cooperative State Research Service.
- Salomon RM (Department of Veterans Affairs, Medical Center, West Haven, CT). The behavioral effects of acute tryptophan depletion in healthy subjects and depressed patients. Department of Veterans Affairs, Research and Development.
- Sanjur D, Ortega I, Rodriguez M (Cornell University, Ithaca, NY). 1993. Dietary risk-factors among Hispanic families. U.S. Department of Agriculture, Cooperative State Research Service.

- Schatzkin A (National Institutes of Health, Bethesda, MD). 1992. A dietary intervention study of the recurrence of large bowel adenomatous polyps. National Cancer Institute.
- Schwartz K (Johns Hopkins University, Baltimore, MD). 1994. Breath ethane, biomarker of vitamin A and E deficiency roles of participants. National Center for Research Resources.
- Scott BJ, St. Jeor ST, Brunner RL (University of Nevada, Reno, NV). 1993. Assessment of temporal changes in type and level of dairy food intake. U.S. Department of Agriculture, State Agricultural Experiment Station.
- Shultz TD (Washington State University, Pullman, WA). 1993. Dietary fat, fiber, phytochemicals, hormone metabolism, and cancer risk. U.S. Department of Agriculture, Cooperative State Research Service.
- Slavin JL (University of Minnesota, St. Paul, MN). 1993. Defining a desirable dietary fiber intake. U.S. Department of Agriculture, Cooperative State Research Service.
- Speizer FE (Brigham and Women's Hospital, Boston, MA). 1992. Dietary risk factors for diabetes in a cohort of women. National Institute of Diabetes and Digestive and Kidney Diseases.
- Spence J, Canary J (Georgetown University, Washington, DC). 1992. Modifying nutrient bioavailability and protection of human health. U.S. Department of Agriculture, Agricultural Research Service.
- Spencer H (Veterans Administration Medical Center, Hines, IL). 1992. Survey of food intake. Veteran's Administration.
- Stallings S, Wolman P (Winthrop College, Rock Hill, SC). 1993. Nutritional status and body composition of healthy, black, normal-weight, middle-age females. U.S. Department of Agriculture, Cooperative State Research Service.
- Tinsley AM (University of Arizona, Tucson, AZ). 1992. Factors that influence the food consumption of young adults. U.S. Department of Agriculture, Cooperative State Research Service.
- Trumbo P (Purdue Research Foundation, West Lafayette, IN). Pregnancy and vitamin B-6 bioavailability. U.S. Department of Agriculture, Competitive Research Grants Office.
- Tufts University (Boston, MA). 1994. Effect of a soy dietary supplement on menopausal symptoms and hormones in women at high risk of breast cancer. \$800,000.
- Turnlund J, Hawkes WC (Agricultural Research Service, San Francisco, CA). 1993. Dietary mineral requirements and nutritional status of humans. U.S. Department of Agriculture, Agricultural Research Service.
- Veillon C, Morris E (Agricultural Research Service, Beltsville, MD). Bioavailability of essential trace elements using stable isotopes. U.S. Department of Agriculture, Agricultural Research Service.
- Wallace RB (University of Iowa, Iowa City, IA). 1994. Women's Health Initiative. National Center for Research Resources.
- Wander RC (Oregon State University, Corvallis, OR). 1993. Interaction of vitamin E and fish oil on lipid peroxidation in older women. U.S. Department of Agriculture, Competitive Research Grants Office.
- Webb RE (Virginia Polytechnic Institute, Blacksburg, VA). 1993. Urinary conjugates in adult females and the effect of dietary broccoli. U.S. Department of Agriculture, Cooperative State Research Service.
- Weigel MM (University of Illinois, Urbana, IL). 1993. Diet, ethnicity and chronic disease risk in three U.S. Hispanic groups. U.S. Department of Agriculture, Cooperative State Research Service.
- Young VR (Massachusetts Institute of Technology, Cambridge, MA). 1994. Human amino acid kinetics and requirements. National Institute of Diabetes and Digestive and Kidney Diseases. \$285,485.

NUTRITION AND EXERCISE

- Broeder CE (Department of Veterans Affairs, Medical Center, Mountain Home, TN). The effects of aerobic fitness on resting metabolic rate and the thermogenic effect of feeding in women. Department of Veterans Affairs, Research and Development.
- Brooks GA (University of California, Berkeley, CA). 1994. Exercise substrate utilization—the crossover concept. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$329,469.
- Carlson MG (Vanderbilt University, Nashville, TN). 1994. Regulation of fat metabolism during exercise in humans. National Institute of Diabetes and Digestive and Kidney Diseases. \$109,200.
- Gardner SN (Westat, Inc., Rockville, MD). 1994. Continuation of followup on participants. National Cancer Institute. \$307,910.
- Geliebter A (St. Luke's-Roosevelt Institute for Health Sciences, New York, NY). 1994. Aerobic vs. strength training during dieting in obesity. National Institute of Diabetes and Digestive and Kidney Diseases. \$201,390.
- Goldberg AP (Department of Veterans Affairs, Medical Center, Baltimore, MD). Effects—obesity/physical conditioning/age and sertraline on adipose tissue metabolism/glucose tolerance/insulin/sympathetic nervous system activity & metabolic rate. Department of Veterans Affairs, Research and Development.
- Gowans S (Northwestern University, Chicago, IL). 1994. Effect of diet and exercise on insulin sensitivity after gestational diabetes. National Center for Research Resources.

- Hoffman MD (Department of Veterans Affairs, Medical Center, Milwaukee, WI). Comparison of caloric expenditure among indoor aerobic exercise modes. Department of Veterans Affairs, Research and Development.
- Houtkooper L, Howell W (University of Arizona, Tucson, AZ). Energy balance and body composition of sedentary and highly trained women. U.S. Department of Agriculture, Cooperative State Research Service.
- Klein S (Washington University, St. Louis, MO). 1994. Weight reduction and exercise training in obesity. National Institute of Diabetes and Digestive and Kidney Diseases. \$220,833.
- Williams PT (University of California, Berkeley, CA). 1994. Running and diet effects on lipoprotein subclasses. National Heart, Lung and Blood Institute. \$81,879.
- Williams PT (University of California, Berkeley, CA). 1994. Weight set-point and HDL concentration in runners. National Heart, Lung and Blood Institute. \$355,155.
- Wolfe RR (University of Texas Medical Center, Galveston, TX). 1994. Exercise, lipolysis and fat oxidation. National Institute of Diabetes and Digestive and Kidney Diseases. \$231,415.

OTOLARYNGOLOGICAL CONDITIONS

- Larson VD (Department of Veterans Affairs, Medical Center, Augusta, GA). The clinical efficacy of simultaneously acquired multi-frequency tympanograms. Department of Veterans Affairs, Research and Development.

PHARMACEUTICAL

- Anderson KE (University of Texas Medical Center, Galveston, TX). 1994. Efficacy of histrelin in acute porphyria. National Center for Research Resources.
- Badger TM (University of Arkansas, Little Rock, AR). 1994. Alcohol direct and indirect effects on drug metabolism. National Institute on Alcohol Abuse and Alcoholism. \$325,802.
- Bourgoignie JJ (University of Miami, Miami, FL). 1994. African American study of kidney disease. National Institute of Diabetes and Digestive and Kidney Diseases. \$299,254.
- Boyden TW (Department of Veterans Affairs, Medical Center, Tucson, AZ). Efficacy and safety of pravastatin in patients with primary hypercholesterolemia compared to placebo. Department of Veterans Affairs, Research and Development.
- Boyer WF (Department of Veterans Affairs, Medical Center, Decatur, GA). A clinical evaluation of Risperdal in the treatment of schizophrenia. Department of Veterans Affairs, Research and Development.
- Boza RA (Department of Veterans Affairs, Medical Center, Miami, FL). A multi-dose double blind study comparing four doses of Haldol decanote. Department of Veterans Affairs, Research and Development.
- Boza RA (Department of Veterans Affairs, Medical Center, Miami, FL). Seroquel vs. Haldol in prevention of relapse in stable outpatients with schizophrenia. Department of Veterans Affairs, Research and Development.
- Bryg RJ (Department of Veterans Affairs, Medical Center). Comparison of simvastatin and fluvastatin in patients with primary hypercholesterolemia (type IIA and IIB). Department of Veterans Affairs, Research and Development.
- Fenster L (California Public Health Foundation, Berkeley, CA). 1994. Caffeine and human reproduction. National Institute of Child Health and Human Development. \$107,883.
- Keogh JP (University of Maryland, Baltimore, MD). 1994. Phase IV chemoprevention trial beta-carotene/retinol. National Cancer Institute. \$409,376.
- Murphy DL (National Institute of Mental Health, Bethesda, MD). 1994. Neuropharmacology of neuroendocrine and neurotransmitter regulatory mechanisms. National Institute of Mental Health.
- Rosenberg L (Boston University, Boston, MA). 1994. Case-control surveillance of serious illnesses and drugs. National Cancer Institute. \$581,418.
- Thiobonniier M (Case Western Reserve University, Cleveland, OH). 1994. Bioavailability study of levothyroxine (300 mcg) preparations. National Center for Research Resources.

PHYSICAL FITNESS, GENERAL

- Goldberg AP (Department of Veterans Affairs, Medical Center, Baltimore, MD). Effects of strength training on risk factors for cardiovascular disease and self perceptions in post menopausal women. Department of Veterans Affairs, Research and Development.

- Lowenthal DT (Department of Veterans Affairs, Medical Center, Gainesville, FL). Cross validation of submaximal cycle ergometry estimates of aerobic capacity. Department of Veterans Affairs, Research and Development.
- Maki KC (Department of Veterans Affairs, Medical Center, Hines, IL). Estimating energy expenditure with the AMS-1000 physical activity monitor. Department of Veterans Affairs, Research and Development.
- Pratley RE (Department of Veterans Affairs, Medical Center, Baltimore, MD). Effects of strength training on risks factors for cardiovascular disease and self perceptions in post menopausal women. Department of Veterans Affairs, Research and Development.

PSYCHOLOGICAL CONDITIONS

- Barr LC (Department of Veterans Affairs, Medical Center, West Haven, CT). Tryptophan depletion and vulnerability to depression. Department of Veterans Affairs, Research and Development.
- Cartwright RD (Rush-Presbyterian-St. Luke's Medical Center, Chicago, IL). 1994. Sex differences in mood disorder and REM sleep/dreaming. National Institute of Mental Health. \$153,688.
- Clarkin JF (Cornell University Medical Center, New York, NY). 1994. Marital treatment for bipolar disorder patients. National Institute of Mental Health. \$277,378.
- Frank E (University of Pittsburgh, Pittsburgh, PA). 1994. Maintenance psychotherapy in recurrent depression. National Institute of Mental Health. \$763,453.
- Genero NP (Wellesley College, Wellesley, MA). 1995. Peer support in high-risk mothers of young children. Maternal and Child Health Bureau.
- Heimberg C (Department of Veterans Affairs, Medical Center, Little Rock, AR). A randomized, comparative study of paroxetine in the treatment of depression as used in a clinical practice setting. Department of Veterans Affairs, Research and Development.
- Howlett BA (Department of Veterans Affairs, Medical Center, Coatesville, PA). An investigation of the relationship between general belief patterns and well-being. Department of Veterans Affairs, Research and Development.
- Kendler KS (Virginia Commonwealth University, Richmond, VA). 1994. Epidemiology of mood, anxiety and alcohol disorders. National Institute of Mental Health. \$1,261,972.
- Leibenluft E (National Institute of Mental Health, Bethesda, MD). 1994. Chronobiological evaluation of rapid-cycling bipolar disorder. National Institute of Mental Health.
- Linehan MM (University of Washington, Seattle, WA). 1994. Assessment and treatment of parasuicide patients. National Institute of Mental Health. \$390,641.
- Major B (State University of New York, Buffalo, NY). 1994. Predicting psychological adjustment to abortion. National Institute of Mental Health. \$259,878.
- Meller W (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Luteinizing hormone secretion in major depression. National Center for Research Resources.
- Mintz J (University of California, Los Angeles, CA). 1994. Work outcome in depression, anxiety, and schizophrenia. National Institute of Mental Health. \$52,085.
- Neal AM (Kent State University, Kent, OH). 1994. Race, reactivity, variability, and panic disorder. National Institute of Mental Health. \$88,668.
- Nolen-Hoeksema SK (Stanford University, Stanford, CA). 1994. Gender differences in depression across the lifespan. National Institute of Mental Health. \$323,794.
- Parry B (University of California, San Diego, CA). 1994. Chronobiology of PMS and seasonal depression. National Center for Research Resources.
- Parry BL (University of California, San Diego, CA). 1994. Chronobiology of postpartum depression. National Center for Research Resources.
- Parry BL (University of California, San Diego, CA). 1994. Melatonin sensitivity to light in women with PMS and mood disorders. National Center for Research Resources.
- Rubinow DR (National Institute of Mental Health, Bethesda, MD). 1994. Hormonal studies of affective disorders. National Institute of Mental Health.
- Rubinow DR (National Institute of Mental Health, Bethesda, MD). 1994. Psychobiology and treatment of menstrually-related mood disorders. National Institute of Mental Health.
- Rubinow DR (National Institute of Mental Health, Bethesda, MD). 1994. Psychobiology and treatment of peri-menopausal mood disorders. National Institute of Mental Health.
- Salomon RM (Department of Veterans Affairs, Medical Center, West Haven, CT). Serotonin mechanisms in sleep deprivation therapy for depression. Department of Veterans Affairs, Research and Development.

- Stahl SM (Department of Veterans Affairs, Medical Center, San Diego, CA). An open label, long term safety study of DN-2327 in the treatment of patients with generalized anxiety disorder. Department of Veterans Affairs, Research and Development.
- Trapp GA (Department of Veterans Affairs, Medical Center, Dallas, TX). Double-blind study to assess the efficacy of maintenance sertraline treatment in the prevention of recurrence in chronic depression. Department of Veterans Affairs, Research and Development.
- Willer JK (Department of Veterans Affairs, Medical Center, Chicago, IL). Mental health needs of female veterans. Department of Veterans Affairs, Research and Development.
- Young EA (University of Michigan, Ann Arbor, MI). 1994. Stress and reproductive hormones in depressed women. National Institute of Mental Health. \$200,215.

RADIATION

- Graham C (Midwest Research Institute, Kansas City, MO). 1994. EMF effects on melatonin hormones and immunity. National Institute of Environmental Health Sciences. \$280,953.
- London SJ (University of Southern California, Los Angeles, CA). 1994. Magnetic fields and breast cancer risk. National Institute of Environmental Health Sciences. \$176,249.
- Rinehart CA (University of North Carolina, Chapel Hill, NC). 1994. Evaluation of transforming potential of EMF. National Institute of Environmental Health Sciences. \$231,340.
- Ullrich RL (University of Texas, Galveston, TX). 1994. Carcinogenic interactions of radiation and chemicals. National Cancer Institute. \$229,022.
- Wilkinson GS (University of Texas Medical Center, Galveston, TX). 1994. Mortality among female nuclear weapons workers. National Institute for Occupational Safety and Health. \$240,739.

RESPIRATORY CONDITIONS

- Cassano PA (Cornell University, Ithaca, NY). 1994. Risk factors for chronic obstructive pulmonary disease. National Heart, Lung and Blood Institute. \$95,774.
- Chodosh SMD (Department of Veterans Affairs, Medical Center, Boston, MA). A multicenter investigator-blind efficacy and azithromycin vs. trimethoprim/sulfamethoxazole in the treatment of acute bacterial. Department of Veterans Affairs, Research and Development.
- Chodosh S (Department of Veterans Affairs, Medical Center, Boston, MA). Sparfloxacin vs. ciprofloxacin the treatment of acute bacterial exacerbations of chronic bronchitis. Department of Veterans Affairs, Research and Development.
- Cooper MD (University of Alabama, Birmingham, AL). 1994. Asthma, allergic and immunologic diseases cooperative research center. National Institute of Allergy and Infectious Diseases. \$516,385.
- Desai SG (Department of Veterans Affairs, Medical Center, Allen Park, MI). A multicenter investigator-blinded study of the efficacy and safety of azithromycin vs. amoxicillin/clavulanate. Department of Veterans Affairs, Research and Development.
- Fanta CH (Brigham and Women's Hospital, Boston, MA). 1994. Asthma morbidity among city minorities—educational intervention. National Institute of Allergy and Infectious Diseases.
- Goetzel EJ (University of California, San Francisco, CA). 1994. Neuromediation of immunity and hypersensitivity. National Institute of Allergy and Infectious Diseases. \$495,007.
- Greenberg RN (Department of Veterans Affairs, Medical Center, Lexington, KY). Study of cefdinir in the treatment of secondary bacterial infections of acute bronchitis. Department of Veterans Affairs, Research and Development.
- Gross NJ (Department of Veterans Affairs, Medical Center, Hines, IL). A double-blind, parallel group evaluation of the efficacy and quality of life outcomes of salmeterol versus placebo in asthma patients. Department of Veterans Affairs, Research and Development.
- Hopp LJ (Purdue University, West Lafayette, Indiana). 1994. Incremental threshold loading in healthy subjects. National Institute of Nursing Research. \$109,753.
- Liu JW (Department of Veterans Affairs, Medical Center, Salem, WV). Comparison of the safety and efficacy of oral twice daily administration of SB 205312 with inhaled Tilade in patients with mild to moderate asthma. Department of Veterans Affairs, Research and Development.

- Mikolich DJ (Department of Veterans Affairs, Medical Center, Providence, RI). A comparative study of ciprofloxacin and clarithromycin for the treatment of acute bacterial exacerbation of chronic bronchitis. Department of Veterans Affairs, Research and Development.
- Onal E (Department of Veterans Affairs, Medical Center, Chicago, IL). Upper airway and respiratory muscle control during sleep. Department of Veterans Affairs, Research and Development.
- Ramirez-Ronda CH (Department of Veterans Affairs, Medical Center, San Juan, PR). Double ranging, double-blind, randomized multicenter study of vs. ceftriaxone in the treatment of acute bacterial pneumonia. Department of Veterans Affairs, Research and Development.
- Rubeiz GJ (Department of Veterans Affairs, Medical Center). Phase III, randomized, double-blind, multicenter study of synergicid in the treatment of acute community acquired bacterial pneumonia. Department of Veterans Affairs, Research and Development.
- Ruddy S (Virginia Commonwealth University, Richmond, VA). 1994. Cellular mechanisms of allergy and inflammation. National Institute of Allergy and Infectious Diseases. \$421,244.
- Seal E Jr, McDonnell WF, House DE (University of North Carolina, Chapel Hill, NC). 1995. The effects of age, socioeconomic status, and menstrual cycle on the pulmonary response to ozone. U.S. Environmental Protection Agency.
- Valanis BG (Kaiser Foundation Research Institute, Oakland, CA). 1994. Chemoprevention of lung cancer—retinoids/beta-carotene. National Cancer Institute. \$1,211,703.
- Wu-Williams AH (University of Southern California, Los Angeles, CA). 1992. Risk factors of lung cancer in nonsmoking women. National Cancer Institute.

RESPONSES TO STRESSORS, OTHER

- Adams JH (Morehouse College, Atlanta, GA). 1994. John Henryism, emotion, stressors, and cardiovascular responses. National Institute of Mental Health.
- Altose MD, (Department of Veterans Affairs, Medical Center, Cleveland, OH). Behavioral influences on breathing. Department of Veterans Affairs, Research and Development.
- Armstrong Laboratory (Brooks Air Force Base, San Antonio, TX). 1995. Autonomic functions associated with chronically-repeated training with high G acceleration.
- Benedict JA (Department of Veterans Affairs, Medical Center, Reno, NV). Evaluation of shiftwork on the nutritional status of women. Department of Veterans Affairs, Research and Development.
- Caggiula AR (University of Pittsburgh, Pittsburgh, PA). 1994. Ovarian hormones, stress, and immunologic responsiveness. National Institute of Mental Health. \$249,986.
- Caudell KA (University of Washington, Seattle, WA). 1994. Effect of acute stressor on neuroendocrine and immune function-IBS. National Center for Research Resources.
- Chiappelli F (Department of Veterans Affairs, Medical Center, Los Angeles, CA). Modes of action of beta-endorphin on T cells. Department of Veterans Affairs, Research and Development.
- Clark WC (New York State Psychiatric Institute, New York, NY). 1994. Verbal and physical dimensions of pain and emotion. National Institute of Neurological Disorders and Stroke. \$244,366.
- Czeisler CA (Brigham and Women's Hospital, Boston, MA). 1994. Bright light treatment of shift rotation insomnia. National Heart, Lung and Blood Institute. \$449,813.
- Fenster L (California Public Health Foundation, Berkeley, CA). 1994. Stress and risk for adverse reproductive outcome. National Institute of Mental Health. \$60,900.
- Herbert TB (MPC Corporation, Pittsburgh, PA). 1994. Mechanism linking major depression to immunity. National Institute of Mental Health. \$204,619.
- Krug International 1994. Female acceleration tolerance enhancement (FATE). \$11,786,000.
- Mills PJ (University of California, San Diego, CA). 1994. Contribution of adrenergic receptors to reactivity. National Heart, Lung and Blood Institute. \$113,820.
- Monk TH (University of Pittsburgh, Pittsburgh, PA). 1994. Sleep and circadian dysfunction—emotion and performance. National Institute of Mental Health. \$94,109.
- Morley JE (Department of Veterans Affairs, Medical Center, St. Louis, MO). Effects of physical restraints. Department of Veterans Affairs, Research and Development.
- Niaura RS (Miriam Hospital, Providence, RI). 1994. Coping style stress responsiveness and lipids. National Heart, Lung and Blood Institute. \$271,869.

- Sloan-Kettering Institute for Cancer Research (New York, NY). 1994. A community study of psychological distress and immune function in women with family histories of breast cancer. \$200,000.
- Zautra AJ (Arizona State University, Tempe, AZ). 1994. Interpersonal stress and disease activity in arthritis. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$114,767.

RESPONSES TO STRESSORS, PHYSICAL ACTIVITY

- Drinkard BE 1994. Cardiovascular responses to concentric and eccentric isokinetic exercise. Clinical Center.
- Hoffman MD (Department of Veterans Affairs, Medical Center, Milwaukee, WI). Physiological and biomechanical responses during cross country skiing. Department of Veterans Affairs, Research and Development.
- Yen SS (University of California, San Diego, CA). 1994. Hypothalamic amenorrhea—neuroendocrine characterization. National Institute of Child Health and Human Development. \$168,852.

SEXUAL ASSAULT/HARASSMENT

- Abbey AA (Wayne State University, Detroit, MI). 1994. Alcohol and sexual assault. National Institute of Mental Health.
- Atrash H (National Center for Chronic Disease Prevention and Health Promotion, Atlanta, GA). Prevention of violence against women associated with reproductive health. Centers for Disease Control and Prevention.
- Burt MR (Urban Institute, Washington, DC). 1994. Cognitive representations, coping, and rape recovery. National Institute of Mental Health. \$80,864.
- Dunford FW (University of Colorado, Boulder, CO). 1994. San Diego Navy spouse assault/treatment experiment. National Institute of Mental Health. \$1,500,000.
- Foa EB (Medical College of Pennsylvania, Philadelphia, PA). 1994. Prevention of PTSD following rape and aggravated assault. National Institute of Mental Health. \$295,805.
- Foa EB (Medical College of Pennsylvania, Philadelphia, PA). 1994. Rape victims—persistent reactions and their treatment. National Institute of Mental Health. \$364,796.
- Follingstad DR (University of South Carolina, Columbia, SC). 1994. Prevention of physical violence in dating relationships. National Institute of Mental Health. \$242,277.
- Frazier PA (University of Minnesota Twin Cities, Minneapolis, MN). 1994. Causal attributions and postrape recovery. National Institute of Mental Health. \$88,677.
- Fried LE (Health and Hospitals of the City of Boston, Boston, MA). Violence against pregnant women and pregnancy outcomes. Agency for Health Care Policy and Research. \$21,333.
- Hall SP. (Individual Grant, NC) Intimate relationship abuse perception scale. Agency for Health Care Policy and Research. \$19,992.
- Houston Department of Health and Human Services (Houston, TX); Indiana University of Pennsylvania (Indiana, PA); Johns Hopkins University (Baltimore, MD); Men Stopping Violence, Inc. (Atlanta, GA); Michigan State University (East Lansing, MI); Milwaukee Women's Center, Inc. (Milwaukee, WI); Minnesota Program Development, Inc. (Duluth, MN); Regents of the University of Michigan (Ann Arbor, MI); Rutgers University/The State University of New York (Newark, NJ); University of North Carolina (Chapel Hill, NC); University of North Texas (Denton, TX). 1994. Grants for injury prevention research for violence against women. Centers for Disease Control and Prevention.
- Koss MP (University of Arizona, Tucson, AZ). 1994. Cognitive processing of traumatic sexual victimization. National Institute of Mental Health. \$126,477.
- Nichol KL (Department of Veterans Affairs, Medical Center, Minneapolis, MN). Prevalence of domestic violence among Medicaid eligible women—a pilot study. Department of Veterans Affairs, Research and Development.
- Norris J (University of Washington, Seattle, WA). 1994. Alcohol and social influence. National Institute on Alcohol Abuse and Alcoholism. \$168,158.
- Parrot A (Cornell University, Ithaca, NY). Comparison of acquaintance rape patterns in NYS colleges. U.S. Department of Agriculture, Cooperative State Research Service.
- Resick PA (University of Missouri, St. Louis, MO). 1994. Marital violence in the wake of the great flood of 1993. National Institute of Mental Health. \$71,266.
- Smilkstein G (University of California, Davis, CA). 1994. Spouse abuse and pregnancy outcomes: a prediction study. Maternal and Child Health Bureau.
- Walker EA (University of Washington, Seattle, WA). 1994. Health care utilization in women with sexual abuse. National Institute of Mental Health. \$124,092.

Watson CG (Department of Veterans Affairs, Medical Center, St. Cloud, MN). The incidence of posttraumatic stress disorder (PTSD) in abused women. Department of Veterans Affairs, Research and Development.

SOCIAL SUPPORT

Kerns RD (Department of Veterans Affairs, Medical Center, West Haven, CT). Gender, coping, and social support in adjustment to chronic pain. Department of Veterans Affairs, Research and Development.

STDs

- Acholonu AD (Alcorn State University, Lorman, MS). 1994. Trichomonacidal action of some drugs and herbs on *Trichomonas vaginalis* strains. National Institute of General Medical Sciences.
- Apicella MA (University of Iowa, Iowa City, IA). 1994. Lipopolysaccharide of *Neisseria gonorrhoea*. National Institute of Allergy and Infectious Diseases. \$121,185.
- Arno JN (University of Wisconsin, Madison, WI). 1994. Chlamydial antigen presentation by native human cells. National Institute of Allergy and Infectious Diseases.
- Baseman JB (University of Texas, San Antonio, TX). 1994. Sexually Transmitted Diseases Cooperative Research Center. National Institute of Allergy and Infectious Diseases. \$1,562,430.
- Beckmann AM (Fred Hutchinson Cancer Research Center, Seattle, WA). 1994. Pathobiology of anogenital HPV infection. National Cancer Institute. \$148,376.
- Beck-Sague C (National Center for Infectious Diseases, Atlanta, GA). Demonstrations of diagnosis and prevention of chlamydia infections and gonorrhea in non-STD clinic settings that provide primary care to adolescent women. Centers for Disease Control and Prevention.
- Blake MS (Rockefeller University, New York, NY). 1994. Functional aspects of major gonococcal surface proteins. National Institute of Allergy and Infectious Diseases. \$206,653.
- Brown DR (Department of Veterans Affairs, Medical Center, Indianapolis, IN). Effects of progesterone and 17-beta-estradiol on human papillomavirus. Department of Veterans Affairs, Research and Development.
- Burk RD (Yeshiva University, New York, NY). 1994. Natural history of acute HPV infection. National Institute of Allergy and Infectious Diseases. \$524,719.
- Byrne GI (University of Wisconsin, Madison, WI). 1994. Molecular immunology of STDs caused by chlamydia. National Institute of Allergy and Infectious Diseases. \$739,968.
- Byrne GI (Indiana University-Purdue University, Indianapolis, IN). 1994. T cell responses in chlamydial disease. National Institute of Allergy and Infectious Diseases.
- Coker AL (University of South Carolina, Columbia, SC). 1994. CIN risk—interactions of HPV, diet, smoking, and race. National Cancer Institute. \$103,456.
- Compans RW (Emory University, Atlanta, GA). 1994. Mucosal and systemic immunity to HTLV and STLV. National Cancer Institute. \$145,260.
- Corbeil LB (University of California, San Diego, CA). 1994. Enhancing mucosal immunity to trichomoniasis. National Institute of Allergy and Infectious Diseases. \$213,073.
- Deal CD (Johns Hopkins University, Baltimore, MD). 1994. Immune responses to gonococcal infections. National Institute of Allergy and Infectious Diseases.
- Ehrhardt AA (New York State Psychiatric Institute, New York, NY). 1994. Sexual risk behavior and behavior change in heterosexual women and men. National Institute of Mental Health.
- Fife KH (Indiana University-Purdue University, Indianapolis, IN). 1994. Papillomavirus infections in pregnancy. National Institute of Allergy and Infectious Diseases.
- Glass AG (Center for Health Research, Portland, OR). 1992. Prospective investigation of human papillomavirus. National Cancer Institute.
- Griffiss JM (Department of Veterans Affairs, Medical Center, San Francisco, CA). Bay Area STD program. Department of Veterans Affairs, Research and Development.
- Griffiss JML (Department of Veterans Affairs, Medical Center, San Francisco, CA). VA/DOD collaboration: genetic regulation of gonococcal LOS synthesis. Department of Veterans Affairs, Research and Development.
- Harlow LL (University of Rhode Island, Kingston, RI). 1994. Predicting HIV-risky heterosexual behavior in women. National Institute of Mental Health. \$215,603.

- Hillier SL (University of Washington, Seattle, WA). 1994. Hydrogen peroxide-producing *Lactobacilli* and STD resistance in women. National Institute of Allergy and Infectious Diseases.
- Holmes KK (University of Washington, Seattle, WA). 1994. University of Washington STD Cooperative Research Center. National Institute of Allergy and Infectious Diseases. \$1,290,887.
- Jones RB (Indiana University-Purdue University, Indianapolis, IN). 1994. Midwest Sexually Transmitted Diseases Research Center. National Institute of Allergy and Infectious Diseases. \$1,278,973.
- Koch WC (Virginia Commonwealth University, Richmond, VA). 1994. Maternal antibody responses to parvovirus B19. National Institute of Allergy and Infectious Diseases. \$91,800.
- Lawrence PJ (Litmus Concepts, Inc., Santa Clara, CA). 1994. Screening test for *Chlamydia trachomatis* in women. National Institute of Allergy and Infectious Diseases. \$239,631.
- Litmus Concepts, Inc. (Santa Clara, CA). 1991. A screening test for *Chlamydia trachomatis* in women. Department of Health and Human Services. \$50,000.
- Macaluso M (University of Alabama, Birmingham, AL). 1994. Barrier contraception for prevention of STD. National Institute of Child Health and Human Development. \$1,271,230.
- Mastecky J (University of Alabama, Birmingham, AL). 1994. Mucosal immunization strategies for genital immunity. National Institute of Allergy and Infectious Diseases.
- Masterson BJ (Department of Veterans Affairs, Medical Center, Livermore, CA). Cellular immunity in women with genital human papilloma viral infection. Department of Veterans Affairs, Research and Development.
- McQuillen DP (Boston Health and Hospitals, Boston, MA). 1994. Immune interactions of gonorrhea and vaccine development. National Institute of Allergy and Infectious Diseases. \$92,988.
- Miles J (National Center for Prevention Services, Atlanta, GA). Prevention of infertility caused by sexually transmitted diseases. Centers for Disease Control and Prevention.
- Miles J (National Center for Prevention Services, Atlanta, GA). Sexually Transmitted Diseases Accelerated Prevention Campaigns (STD APC). Centers for Disease Control and Prevention.
- Miles J, Walsh CM (National Center for Prevention Services, Atlanta, GA). 1994. Infertility Prevention Initiative: regional service provision projects. Centers for Disease Control and Prevention.
- Morrison RP (National Institute of Allergy and Infectious Diseases). 1994. Immunopathogenesis of chlamydial infections. National Institute of Allergy and Infectious Diseases.
- Novak M (Secretech, Inc., Birmingham, AL). 1993. Mucosal vaccine for sexually transmitted chlamydia. Department of Health and Human Services. \$50,000.
- O'Hagan DT (United Biomedical, Inc., Hauppauge, NY). 1994. Oral/intravaginal delivery for chlamydia vaccine. National Institute of Allergy and Infectious Diseases. \$72,986.
- Padian NS (University of California, San Francisco, CA). 1994. Sexual partners and risk of pelvic inflammatory disease. National Institute of Allergy and Infectious Diseases.
- Parr MB (Southern Illinois University, Carbondale, IL). 1994. Mucosal immunity in the female genital tract. National Institute of Child Health and Human Development. \$132,253.
- Petrie CR (Microprobe Corporation, Bothell, WA). 1992. Simultaneous detection of *N. gonorrhoea* and *C. trachomatis*. Department of Health and Human Services. \$50,000.
- Rank RG (University of Arkansas, Little Rock, AR). 1994. T-cell mediated immunity in chlamydial genital infection. National Institute of Allergy and Infectious Diseases. \$226,583.
- Rest RF (Hahnemann University, Philadelphia, PA). 1994. Anaerobiosis, CMP-NANA and gonococcal pathogenesis. National Institute of Allergy and Infectious Diseases. \$253,050.
- Rice PA (Boston City Hospital, Boston, MA). 1994. Clinical and laboratory studies of PID. National Institute of Allergy and Infectious Diseases. \$816,284.
- Rice PA (Boston City Hospital, Boston, MA). 1994. Resolutions of sexually acquired endometritis. National Institute of Allergy and Infectious Diseases.
- Russell MW (University of Alabama, Birmingham, AL). 1994. Mucosal immunity in gonococcal infection. National Institute of Allergy and Infectious Diseases. \$200,824.
- Schachter J (University of California, San Francisco, CA). 1994. Chlamydia and douching in ectopic pregnancy. National Institute of Allergy and Infectious Diseases. \$266,238.
- Schachter J (University of California, San Francisco, CA). 1994. San Francisco STD Cooperative Research Center. National Institute of Allergy and Infectious Diseases. \$1,521,221.
- Seifert HS (Indiana University-Purdue University, Indianapolis, IN). 1994. Gonococcal pilin serology and gene usage in vivo. National Institute of Allergy and Infectious Diseases.
- Shafer MAB (University of California, San Francisco, CA). 1994. Military-based intervention to prevent urethritis/STDs. National Institute of Allergy and Infectious Diseases.

- Shain RN (University of Texas Health Science Center, San Antonio, TX). 1994. Modifying STD risk behavior among Mexican American women. National Institute of Allergy and Infectious Diseases.
- Soll DR (University of Iowa, Iowa City, IA). 1994. Vaginitropic and vaginopathic strains of *Candida albicans*. National Institute of Allergy and Infectious Diseases. \$192,150.
- Sparling PF (University of North Carolina, Chapel Hill, NC). 1994. Genetics and biology of gonococcal Protein I. National Institute of Allergy and Infectious Diseases. \$242,871.
- St. Louis ME (National Center for Prevention Services, Atlanta, GA). 1994. Infertility Prevention Initiative: program development and evaluation projects. Centers for Disease Control and Prevention.
- Stamm WE (University of Washington, Seattle, WA). 1994. Chlamydia and pelvic inflammatory disease. National Institute of Allergy and Infectious Diseases. \$965,973.
- Sweet RL (University of California, San Francisco, CA). 1994. Inapparent PID in female contacts of men with urethritis. National Institute of Allergy and Infectious Diseases.
- Testa ML (New York State Council for Mental Hygiene Planning, Albany, NY). 1994. Alcohol and sexual risk taking among women. National Institute on Alcohol Abuse and Alcoholism. \$99,694.
- Tyring SK (University of Texas, Galveston, TX). 1994. Oral famciclovir in the suppression of recurrent genital herpes infection. National Center for Research Resources.
- Wheeler CM (University of New Mexico, Albuquerque, NM). 1994. PCR based natural history study of HPV infections. National Institute of Allergy and Infectious Diseases. \$77,199.
- Wyrick PB (University of North Carolina, Chapel Hill, NC). 1994. Virulence factors of chlamydiae. National Institute of Allergy and Infectious Diseases. \$289,348.

SUBSTANCE ABUSE

- Ahijevych K (Ohio State University, Columbus, OH). 1994. Cigarette smoking topography among African American and Caucasian women. National Center for Research Resources.
- Ammenheuser MM (University of Texas Medical Center, Galveston, TX). 1994. Mutant T-cells in pregnant abusers of drugs and tobacco. National Institute on Drug Abuse. \$73,428.
- Anthony JC (National Institute on Drug Abuse, Bethesda, MD). 1994. Analysis of data from the National Comorbidity Survey. National Institute on Drug Abuse.
- Association of Maternal and Child Health (Washington, D.C.). 1994. Maternal and child health programs for prenatal smoking cessation. Centers for Disease Control and Prevention.
- Badger TM (University of Arkansas, Little Rock, AR). 1994. Alcohol direct and indirect effects on drug metabolism. National Institute on Alcohol Abuse and Alcoholism. \$325,802.
- Chang G (Brigham and Women's Hospital, Boston, MA). 1994. Alcohol abuse in pregnancy. National Institute on Alcohol Abuse and Alcoholism. \$289,614.
- Connors GJ (Research Institute on Addictions, Buffalo, NY). 1994. Enhancing involvement in outpatient alcoholism treatment. National Institute on Alcohol Abuse and Alcoholism. \$224,876.
- Cottler LM (Washington University, St. Louis, MO). 1994. Reliability of DSM and ICD substance use disorders. National Institute on Drug Abuse. \$324,383.
- Cutter HSG (Department of Veterans Affairs, Medical Center, Brockton, MA). Multisite study of substance use diagnosis. Department of Veterans Affairs, Research and Development.
- De Vaud LL (University of North Carolina, Chapel Hill, NC). 1994. Gender specific effects of ethanol on GABA A receptors. National Institute on Alcohol Abuse and Alcoholism. \$88,700.
- Engle M (University of Alabama, Birmingham, AL). 1994. Substance abuse awareness intervention. National Institute on Drug Abuse. \$384,858.
- Fisher SE (North Shore University Hospital, Manhasset, NY). 1994. Ethanol and fetal growth—role of the placenta. National Institute on Alcohol Abuse and Alcoholism. \$405,862.
- Fortmann SP (Stanford University, Stanford, CA). 1994. Nicotine patch treatment for smoking relapse prevention. National Heart, Lung and Blood Institute. \$366,822.
- French MT (Research Triangle Institute, Research Triangle Park, NC). 1994. Workplace alcohol programs for women and minorities. National Institute on Alcohol Abuse and Alcoholism. \$381,301.
- Gianoulakis C (Douglas Hospital Centre, Quebec, Canada). 1994. Prenatal ethanol effects on the B endorphin systems. National Institute on Alcohol Abuse and Alcoholism. \$52,636.
- Gilbert DG (Southern Illinois University, Carbondale, IL). 1994. Gender and vulnerability factors in cigarette abstinence. National Institute on Drug Abuse. \$252,264.

- Goldberg AP (Department of Veterans Affairs, Medical Center, Baltimore, MD). Metabolic effects of cigarette smoking, the nicotine patch, and smoking cessation. Department of Veterans Affairs, Research and Development.
- Goldstein PJ (University of Illinois, Chicago, IL). 1994. Anabolic steroids—new issue in prevention research. National Institute on Drug Abuse. \$606,668.
- Greenfield TK (California Pacific Medical Center, San Francisco, CA). 1994. Impact of alcoholic beverage warning labels. National Institute on Alcohol Abuse and Alcoholism. \$307,895.
- Hankin JR (Wayne State University, Detroit, MI). 1994. Impact of labeling and education on antenatal drinking. National Institute on Alcohol Abuse and Alcoholism. \$179,171.
- Hasin DS (New York State Psychiatric Institute, New York, NY). 1994. Validating epidemiologic measures of alcohol dependence. National Institute on Alcohol Abuse and Alcoholism. \$210,244.
- Hughes TK (University of Texas, Galveston, TX). 1994. Anabolic steroids and the immune-neuroendocrine axis. National Institute on Drug Abuse. \$128,202.
- Hutchins EM (Baltimore, MD). Risk factors for prenatal drug use and treatment success. Agency for Health Care Policy and Research. \$5,005.
- Jamner LD (Department of Veterans Affairs, Medical Center, Fresno, CA). Stress, nicotine, and blood pressure: influences of gender and oral contraceptives. Department of Veterans Affairs, Research and Development.
- Kabat GC (American Health Foundation, Valhalla, NY). 1994. General epidemiology of tobacco-related cancers. National Cancer Institute.
- Klesges RC (University of Memphis, Memphis, TN). 1994. Sex, smoking rate, and postcessation weight gain. National Heart, Lung and Blood Institute. \$313,868.
- Krahn DD (University of Michigan, Ann Arbor, MI). 1992. Effect of dieting on alcohol and drug use in young women. National Institute on Drug Abuse.
- Maisto SA (University of Pittsburgh, Pittsburgh, PA). 1994. Brief intervention and stage of change in primary care. National Institute on Alcohol Abuse and Alcoholism. \$344,162.
- Marcus BH (Miriam Hospital, Providence, RI). 1994. Smoking cessation, weight gain, and exercise in women. National Cancer Institute. \$189,442.
- McLeod DR (Johns Hopkins University, Baltimore, MD). 1994. Family history of alcoholism and premenstrual symptoms. National Institute on Alcohol Abuse and Alcoholism. \$201,548.
- Pomerleau OF (University of Michigan, Ann Arbor, MI). 1994. Smoking and the effects of nicotine in women. National Cancer Institute. \$38,000.
- Rost KM (University of Arkansas, Little Rock, AR). 1994. Service use and course of drinking in rural drinkers. National Institute on Alcohol Abuse and Alcoholism. \$407,382.
- Secker-Walker RH (University of Vermont, Burlington, VT). 1994. Community coalitions to help women quit smoking. National Heart, Lung and Blood Institute. \$372,137.
- Snow DL (Yale University, New Haven, CT). 1994. Impact of a worksite intervention on alcohol use. National Institute on Alcohol Abuse and Alcoholism. \$171,000.
- Spagnolo SV (Veterans Administration Medical Center, Washington, DC). 1992. Smoking, diet, and other risk factors for tobacco-related cancers. Veterans Administration.
- Sullivan SE (Park Nicollet Medical Foundation, Saint Louis Park, MN). 1994. Reducing smoking-related risk for cervical cancer. National Cancer Institute. \$28,675.
- Tarter RE (University of Pittsburgh, Pittsburgh, PA). 1994. Drug abuse vulnerability—mechanisms and manifestations. National Institute on Drug Abuse. \$1,597,571.
- Taylor AN (Department of Veterans Affairs, Medical Center, Los Angeles, CA). Alcohol regulation of neuroendocrine-immune interactions in vivo. Department of Veterans Affairs, Research and Development.
- Testa ML (New York State Council for Mental Hygiene Planning, Albany, NY). 1994. Alcohol and sexual risk taking among women. National Institute on Alcohol Abuse and Alcoholism. \$99,694.
- Volk RJ (University of Texas, Galveston, TX). 1994. Primary care alcohol screens—patient sex and ethnicity. National Institute on Alcohol Abuse and Alcoholism. \$74,750.

TOXINS

- Abbey DE (Loma Linda University, Loma Linda, CA). 1994. Cancer incidence associated with ambient air pollution. National Institute of Environmental Health Sciences. \$118,488.
- Anderson L (National Cancer Institute, Bethesda, MD). 1994. Transplacental carcinogenesis and tumor promotion in nonhuman primates. National Cancer Institute.

- Armstrong Laboratory (Brooks Air Force Base, TX) 1994. DERA health standards—quantitative health and risk analysis.
- Baden JM (Department of Veterans Affairs, Medical Center). Adrenergic mechanisms of nitrous oxide-induced teratogenicity. Department of Veterans Affairs, Research and Development.
- Bhattacharyya MH (Argonne National Laboratory, Argonne, IL). Biochemical mechanisms of chemically induced health effects. U.S. Department of Energy.
- Blair AE (National Cancer Institute, Bethesda, MD). 1994. Studies of occupational cancer. National Cancer Institute.
- California Public Health Foundation. 1994. Measurements of dioxin, PCB and organochlorine levels in breast adipose tissue from women with and without breast cancer. \$149,000.
- Concato JP (Department of Veterans Affairs, Medical Center, West Haven, CT). Respiratory effects of ambient air pollution among veterans of the Persian Gulf conflict. Department of Veterans Affairs, Research and Development.
- Cramer DW (Brigham and Women's Hospital, Boston, MA). 1994. Ovarian cancer risk and hypergonadotropic hypogonadism. National Cancer Institute. \$588,607.
- Cullen MR (Yale University, New Haven, CT). 1994. Beta-carotene/retinol chemoprevention trial in asbestos exposed group. National Cancer Institute. \$357,682.
- Davis BJ (North Carolina State University, Raleigh, NC). 1994. Pathogenesis of ovarian toxicants. National Institute of Environmental Health Sciences. \$67,333.
- Goldberg SJ (University of Arizona, Tucson, AZ). 1994. Cardiac teratogenicity of trichloroethylene. National Institute of Environmental Health Sciences.
- Gunnison AF (New York University, New York, NY). 1994. O₃ sensitive subpopulations—identification and mechanism. National Institute of Environmental Health Sciences. \$235,449.
- James DS (Department of Veterans Affairs, Medical Center, Albuquerque, NM). Ventilation and activity patterns in workers exposed to inhaled pollutants. Department of Veterans Affairs, Research and Development.
- Juchau MR (University of Washington, Seattle, WA). 1994. Embryotoxicity of environmental chemicals. National Institute of Environmental Health Sciences. \$295,248.
- Klein NW (University of Connecticut, Storrs, CT). 1994. Pollutants, laminin antibody and reproductive failure. National Institute of Environmental Health Sciences. \$145,500.
- Kupfer D (Worcester Foundation for Experimental Biology, Shrewsbury, MA). 1994. Chlorinated hydrocarbons effects. National Institute of Environmental Health Sciences. \$435,467.
- Longstreth W Jr (University of Washington, Seattle, WA). 1994. Risk factors for amyotrophic lateral sclerosis. National Institute of Neurological Disorders and Stroke. \$193,859.
- Lynch C (University of Iowa, Iowa City, IA). 1994. Cancer among men and women in agriculture. National Cancer Institute. \$616,011.
- Markowitz ME (Montefiore Medical Center, Bronx, NY). 1995. Impact of maternal lead stores on fetal lead exposure. Maternal and Child Health Bureau.
- McDonnell C (SRA Technologies, Inc., Falls Church, VA). 1994. Prospective cohort study of cancer. National Cancer Institute. \$760,653.
- Meholic AJ (Department of Veterans Affairs, Medical Center, Albuquerque, NM). Morphometric measurement of adult human nasal airways using MRI. Department of Veterans Affairs, Research and Development.
- Monson RR (Harvard University, Boston, MA). 1994. Superfund toxic substances—exposure and disease. National Institute of Environmental Health Sciences. \$1,898,411.
- National Institute for Occupational Safety and Health 1994. Breast cancer incidence in occupational cohorts exposed to ethylene oxide and polychlorinated biphenyls. \$838,000.
- Sandler DP (National Institute of Environmental Health Sciences, Research Triangle Park, NC). 1994. Environmental exposures and chronic renal and other diseases. National Institute of Environmental Health Sciences.
- Schur PH (Brigham and Women's Hospital, Boston, MA). 1994. Effects of silicone on the immune response. National Institute of Arthritis and Musculoskeletal and Skin Diseases. \$296,645.
- Seegal RF (State University of New York, Albany, NY). 1994. Developmental neurotoxicology of perinatal exposure to halogenated aromatics. National Institute of Environmental Health Sciences.
- Ullman JS (Pennsylvania State University, University Park, PA). 1994. Distribution of ozone in intact lungs. National Institute of Environmental Health Sciences. \$164,940.
- Vandevort C (University of California, Davis, CA). 1994. Mechanisms and biomarkers of female reproductive toxicity. National Institute of Environmental Health Sciences.
- Wolf G (Row Sciences, Inc., Rockville, MD). 1994. Reproductive toxicity test system. National Institute of Environmental Health Sciences. \$1,200,000.

TRAUMATIC STRESS, COMBAT

- Brown TM (Department of Veterans Affairs, Medical Center, Augusta, GA). Polysomnographic and psychometric analysis of a group of patients complaining of the Gulf War fatigue syndrome. Department of Veterans Affairs, Research and Development.
- Dohrenwend BP (Columbia University, New York, NY). 1994. Israeli reactions to SCUD attacks during the Gulf War. National Institute of Mental Health. \$161,913.
- Kubany ES (Department of Veterans Affairs, Medical Center, Honolulu, HI). Trauma-related guilt: scale development and validation. Department of Veterans Affairs, Research and Development.
- Morgan CA III (Department of Veterans Affairs, Medical Center, West Haven, CT). Acoustic startle response in war veterans. Department of Veterans Affairs, Research and Development.
- Morgan CA III (Department of Veterans Affairs, Medical Center, West Haven, CT). Effects of diazepam and buspirone anxiolytics on baseline and fear potentiated startle in war veterans. Department of Veterans Affairs, Research and Development.
- Murburg MM (Department of Veterans Affairs, Medical Center, Palo Alto, CA). Sympathetic nervous system function in female and male veterans with post-traumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Murphy RT (Department of Veterans Affairs, Medical Center, Palo Alto, CA). Combat exposure, early trauma, and alcohol problems. Department of Veterans Affairs, Research and Development.
- Sutker PB (Department of Veterans Affairs, Medical Center, New Orleans, LA). Evaluation of cognitive functioning in Persian War Gulf veterans reporting war-related health problems. Department of Veterans Affairs, Research and Development.
- Sutker PB (Department of Veterans Affairs, Medical Center, New Orleans, LA). Psychological assessment of Operation Desert Storm (ODS) returnees. Department of Veterans Affairs, Research and Development.
- West JA (Department of Veterans Affairs, Medical Center, New Orleans, LA). Relationship between sensory and perceptual process to patterns of psychopathology and PTSD in Vietnam and ODS theater veterans. Department of Veterans Affairs, Research and Development.

TRAUMATIC STRESS, OTHER

- Baker DG (Department of Veterans Affairs, Medical Center, Cincinnati, OH). Multicenter/parallel-group, double-blind/placebo controlled trial of brofaromine hydrochloride in patients with post-traumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Burt MR (Urban Institute, Washington, DC). 1994. Cognitive representations, coping, and rape recovery. National Institute of Mental Health. \$80,864.
- Chen C (Department of Veterans Affairs, Medical Center, East Orange, NJ). Seasonal variation of PTSD. Department of Veterans Affairs, Research and Development.
- Davidson JR (Duke University, Durham, NC). 1994. Fluoxetine treatment of posttraumatic stress disorder. National Institute of Mental Health. \$346,933.
- Davidson JRT (Department of Veterans Affairs, Medical Center, Durham, NC). Double-blind comparison of sertraline and placebo in outpatients with post-traumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Erbebo NE (Department of Veterans Affairs, Medical Center, Fort Harrison, MT). Empirical validation of a model of traumatic guilt. Department of Veterans Affairs, Research and Development.
- Foa EB (Medical College of Pennsylvania, Philadelphia, PA). 1994. Prevention of PTSD following rape and aggravated assault. National Institute of Mental Health. \$295,805.
- Foa EB (Medical College of Pennsylvania, Philadelphia, PA). 1994. Rape victims—persistent reactions and their treatment. National Institute of Mental Health. \$364,796.
- Hall SP (North Carolina). Intimate relationship abuse perception scale. Agency for Health Care Policy and Research. \$19,992.
- Hertzberg M (Department of Veterans Affairs, Medical Center, Durham, NC). Double-blind comparison of sertraline and placebo in outpatients with post-traumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Hertzberg M (Department of Veterans Affairs, Medical Center, Durham, NC). Preliminary study of fluvoxamine treatment of post-traumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Holbrook TL (University of California, San Diego, CA). 1994. Prospective study of functional limitation after trauma. Agency for Health Care Policy and Research. \$420,610.

- Holman W (Department of Veterans Affairs, Medical Center, Birmingham, AL). The immune-adrenal axis in humans. Department of Veterans Affairs, Research and Development.
- Keller TW (Department of Veterans Affairs, Medical Center, Seattle, WA). A placebo-controlled, double blind, parallel trial of brofaromine hydrochloride in patients with PTSD. Department of Veterans Affairs, Research and Development.
- Koss MP (University of Arizona, Tucson, AZ). 1994. Cognitive processing of traumatic sexual victimization. National Institute of Mental Health. \$126,477.
- Kudler HS (Department of Veterans Affairs, Medical Center, Durham, NC). Fluoxetine treatment of posttraumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Marmar CR (Department of Veterans Affairs, Medical Center, San Francisco, CA). Rescue worker responses to the I-880 freeway collapse. Department of Veterans Affairs, Research and Development.
- Morgan CA III (Department of Veterans Affairs, Medical Center, West Haven, CT). Fear acquisition and fear extinction in post traumatic stress disorder. Department of Veterans Affairs, Research and Development.
- Najavits LM (McLean Hospital, Belmont, MA). 1994. Group cognitive behavior therapy and dual diagnosis—women. National Institute on Drug Abuse. \$81,261.
- Resick PA (University of Missouri, St. Louis, MO). 1994. Cognitive processes in PTSD: treatment. National Institute of Mental Health. \$305,994.
- Sutker PB (Department of Veterans Affairs, Medical Center, New Orleans, LA). Psychological outcomes to hurricanes: a risk factor model. Department of Veterans Affairs, Research and Development.
- Watson CG (Department of Veterans Affairs, Medical Center, St. Cloud, MN). The incidence of posttraumatic stress disorder (PTSD) in abused women. Department of Veterans Affairs, Research and Development.

Part B

FY 1994 Defense Women's Health Research Program Intramural Projects

The following intramural projects were funded by the Defense Woman's Health Research Program, FY 1994. Some projects have been placed in more than one category.

BONE

- Craft DW (Dwight David Eisenhower Army Medical Center, Ft. Gordon, GA). 1994. The Effect of Levonorgestrel (Norplant) on the Immune Regulation of Bone Morphogenesis.
- Duncan WE (Walter Reed Army Medical Center, Washington, DC). 1994. Osteoporosis in Servicewomen: Causes, Therapy, Outcomes, and Relationships to Fractures.
- Hanson BS (Dwight David Eisenhower Army Medical Center, Ft. Gordon, GA). 1994. The Effects of Estrogen and Progesterone Levels on Osseointegration of Dental Implants.
- Jones C (Madigan Army Medical Center, Tacoma, WA). 1994. Use of Pulsing Electromagnetic Fields for the Treatment of Pelvic Stress Fractures among Female Soldiers.
- McDermott MT (Fitzsimmons Army Medical Center, Aurora, CO). 1994. The Effects of Region-Specific Resistance Exercises on Bone Mass in Premenopausal Military Women.
- Shaffer RA (Naval Health Research Center, San Diego, CA). 1994. Use of Noninvasive Bone Structural Measurements to Evaluate Stress Fracture Susceptibility among Female Recruits in U.S. Marine Corps Basic Training.
- Snedecor MR (Office for Prevention and Health Services Assessment, Brooks Air Force Base, TX). 1994. Injury and Morbidity Rates Among Air Force Female Basic Military Recruits.
- Strider JW Jr. (Dwight David Eisenhower Army Medical Center, Fort Gordon, GA). 1994. Women's Health Care Issues: The Incidence of Localized Osteitis in Female Soldiers Using Norplant Contraceptive.

CARDIOVASCULAR HEALTH

- Calagan JL (Fitzsimmons Army Medical Center, Aurora, CO). 1994. Chest Pain Syndrome in Active Duty Females: Screening and Diagnosis.
- McBiles M (Fitzsimmons Army Medical Center, Aurora, CO). 1994. Simultaneous Transmission/Emission Protocol (STEP) for Attenuation Correction of Breast and Diaphragmatic Attenuation Artifacts during SPECT 99mTc-Sestamibi Myocardial Perfusion.

COMMUNICABLE DISEASES

- Andersen SL (Walter Reed Army Institute of Research, Washington, DC). 1994. Comparison of the Efficacy and Tolerance of Azithromycin to that of Doxycycline in Prophylaxis against *Plasmodium falciparum* Malaria.
- Copeland R (U.S. Army Medical Research Unit, Nairobi, Kenya). 1994. Attraction of Malaria Mosquitoes to Women under Different Physiological Conditions.
- Duffy PE (U.S. Army Medical Research Unit, Kenya). 1994. Identification of Placental Ligands and Cytokines Involved in Maternal Malaria.
- Engler RJM (Walter Reed Army Medical Center, Washington, DC). 1994. Protective Immunity to Hepatitis B and *Streptococcus* Pneumonia in Active Duty Women versus Men: Prevalence and Responses to Preventive Immunization.
- Sjogren MH (Walter Reed Army Medical Center, Washington, DC). 1994. Clinical Impact of Hepatitis C Infection in Military Active Duty Women.
- Strickman D (Walter Reed Army Medical Center, Washington, DC). 1994. Antibiotics for the Treatment of Scrub Typhus During Pregnancy.

DATABASE

- Burch HB (Walter Reed Army Medical Center, Washington, DC). 1994. Endocrine Deficiency in the Servicewoman: An Assessment of Prevalence, Adequacy of Therapy, and Impact on Deployability in Patients Evaluated at the Walter Reed Army Medical Center Endocrinology Clinic.
- Calderon R (Naval Health Research Center, San Diego, CA). 1994. The Health Status of Women in the Military: An Epidemiological Study of Active Duty Navy and Marine Corps Personnel.
- Garland FC (Naval Health Research Center, San Diego, CA). 1994. Hospitalization Rates for Military Women: Feasibility and Design of a Tri-service Relational Database Architecture Allowing Service-Specific and Tri-Service Reporting.
- Garland FC (Naval Health Research Center, San Diego, CA). 1994. Women aboard Navy Ships: A Comprehensive Health and Readiness Research Project.
- Gunzenhauser JD (Madigan Army Medical Center, Tacoma, WA). 1994. Comparative Morbidity Study of Active Duty Women Serving in Korea and Ft. Lewis.
- Meyer JG (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Injury and Illness among Air Force Female Military Recruits.
- Ursano RJ (Uniformed Services University of the Health Sciences, Bethesda, MD). 1994. Stress and Women's Health: Combat Deployment Contingency Operations and Trauma.

GYNECOLOGIC/GENITO-URINARY

- Claybaugh JR (Tripler Army Medical Center, Honolulu, HI). 1994. Effects of Time of Day, Age, and Gender on the Ability to Conserve a Water Load.
- Davis G (Fitzsimmons Army Medical Center, Aurora, CO). 1994. Evaluation of the Performance Impact and Treatment of Exercise Induced Urinary Incontinence Among Female Soldiers.

GYNECOLOGIC/REPRODUCTIVE HEALTH, BIRTH CONTROL

- Craft DW (Dwight David Eisenhower Army Medical Center, Ft. Gordon, GA). 1994. The Effect of Levonorgestrel (Norplant) on the Immune Regulation of Bone Morphogenesis.
- Strider JW Jr. (Dwight David Eisenhower Army Medical Center, Fort Gordon, GA). 1994. Women's Health Care Issues: The Incidence of Localized Osteitis in Female Soldiers Using Norplant Contraceptive.

GYNECOLOGIC/REPRODUCTIVE HEALTH, LONG-RANGE IMPLICATIONS

- Becker RL Jr. (Armed Forces Institute of Pathology, Washington, DC). 1994. Prognostic Stratification of Atypical Endometrial Hyperplasia: Definition of Cases Not Requiring Prophylactic Hysterectomy.

GYNECOLOGIC/REPRODUCTIVE HEALTH, POSTPARTUM

- Bute BG (Fitzsimmons Army Medical Center, Aurora, CO). 1994. The Non-invasive Detection and Characterization Treatment and Potential Prevention of Anal Incontinence in the Parous Active Duty Female Population.
- Dettori JR (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. A Comparison of the Medical, Nutritional, and Performance Status among Postpartum Soldiers, Postpartum Family Members, and Non-pregnant Soldiers.

GYNECOLOGIC/REPRODUCTIVE, HEALTH PREGNANCY

- Brodine SK (Naval Health Research Center, San Diego, CA). 1994. Assessment and Intervention for the Reduction of Adverse Gynecologic and Obstetric Clinical Events in Women aboard Ship.

- Creedon JF (Evans Army Community Hospital, Ft. Carson, CO). 1994. Relationships between Female Soldier's Military Occupational Specialty (MOS) and Birth Outcome.
- Hume RF Jr. (Madigan Army Medical Center, Tacoma, WA). 1994. Pregnancy Outcomes Comparison between Active Duty Military Women and Working and Non-working Family Members.
- Manzo CB (Walter Reed Army Medical Center, Washington, DC). 1994. Comparison of Predicted vs. Actual 24-Hour Measured Creatinine Clearance in Pregnant Females.
- Martin R (Madigan Army Medical Center, Tacoma, WA). 1994. The Relationship of Bacterial Contamination and Interleukin-6 in Amniotic Fluid in Preterm Labor and Delivery.
- Meier CM (Madigan Army Medical Center, Tacoma, WA). 1994. Exercise, Blood Pressure, and Heart Rate Response in Pregnancy as a Predictor of Preeclampsia.
- Satin AJ (Wilford Hall Medical Center, Lackland Air Force Base, TX). 1994. The Relationship among Active Duty Service and Pregnancy and Neonatal Outcomes.
- Smoak BL (Walter Reed Army Institute of Research, Washington, DC). 1994. The Effects of Inadvertent Exposure of Mefloquine Chemoprophylaxis on Pregnancy Outcomes and Infants of U.S. Army Servicewomen Returning from Somalia.
- Wanersdorfer EM (Fitzsimmons Army Medical Center, Aurora, CO). 1994. Evaluation of a Structural Physical Fitness Program for Pregnant Soldiers: Effects on Weight Gain, Blood Pressure, Lost Duty Time, Length of Labor, Birth Weight, and Ability to Pass First Physical Training Test Post Delivery.

HEALTH, GENERAL

- Gunzenhauser JD (Madigan Army Medical Center, Tacoma, WA). 1994. Comparative Morbidity Study of Active Duty Women Serving in Korea and Ft. Lewis.
- Merrill LL (Naval Health Research Center, San Diego, CA). 1994. The Impact of the Health Care Perceptions of Female Patients and their Health Care Providers on Women's Health Aboard Ships Compared to Women at Shore Stations.
- Ursano RJ (Uniformed Services University of the Health Sciences, Bethesda, MD). 1994. Stress and Women's Health: Combat Deployment Contingency Operations and Trauma.

HEALTH SERVICES

- Calderon R (Naval Health Research Center, San Diego, CA). 1994. The Health Status of Women in the Military: An Epidemiological Study of Active Duty Navy and Marine Corps Personnel.
- Robbins AS (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Availability, Accessibility, and Adequacy of Health Care Provided to USAF Active Duty Women in Theater During Operation Desert Shield/Desert Storm (ODS).

JOB SATISFACTION

- Johnson PL (Tripler Army Medical Center, Honolulu, HI). 1994. Evaluation of Psychological and Stress Factors Affecting Retention and Deployability of Women in the Military.

JOB STRESS

- Fiedler ER (Wilford Hall Medical Center, Lackland Air Force Base, TX). 1994. Predicting Military-Induced Stress Responses in Servicewomen.

LOAD-BEARING

- Harper WH (U.S. Army Research Laboratory). 1994. Investigation of Female Load Bearing Capabilities.

MEDICAL TECHNOLOGY

- Becker RL Jr. (Armed Forces Institute of Pathology, Washington, DC). 1994. Prognostic Stratification of Atypical Endometrial Hyperplasia: Definition of Cases Not Requiring Prophylactic Hysterectomy.
- Ho VB (Madigan Army Medical Center, Tacoma, WA). 1994. Magnetic Resonance Mammography (MRM): A Promising Application for Fat Suppression by Phase Unwrapping in the 3-Point-Dixon Method.
- O'Leary TJ (Armed Forces Institute of Pathology, Washington, DC). 1994. Automated Rescreening of Pap Smears.
- Seidman J (Armed Forces Institute of Pathology, Washington, DC). 1994. Prognostic Factors in Breast Cancer.

MENSTRUAL CYCLE

- Euhus DM (Tripler Army Medical Center, Honolulu, HI). 1994. Influence of Parenteral Progesterone Administration in the Prevalence and Severity of Mastodynia in Active Duty Servicewomen.
- Golenda C (Walter Reed Army Institute of Research, Washington, DC). 1994. Efficacy and Duration of Army Extended Duration Topical Insect/Arthropod Repellent (EDTIAR) Formulation on Female Personnel and Attractiveness of Mosquitoes to Females During Different Phases of the Menstrual Cycle.
- Hnatiuk OW (Walter Reed Army Medical Center, Washington, DC). 1994. Effects of Menstrual Phase on Pulmonary Function and Exercise Performance in Young Active Duty Women.
- Langford TL (U.S. Army Aeromedical Research Laboratory, Ft. Rucker, AL). 1994. The Effect of the Menstrual Cycle on the Ability of Women Aviators to Extract Information from 3-Dimensional Head-Up Cockpit Displays.
- Powell J (Madigan Army Medical Center, Tacoma, WA). 1994. Effect of Premenstrual Syndrome and Primary Dysmenorrhea on Women's Cognitive Functioning and Job Performance Before and After Biofeedback Treatment.
- Rock PB (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. The Effect of Menstrual Cycle Phase on Physical Work Performance During Exposure to High Terrestrial Altitude.

MUSCULOSKELETAL, INJURIES

- Amoroso PJ (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. The Impact of Injuries on the Health and Readiness of Women in the Army from 1980 to 1994.
- Shaffer RA (Naval Health Research Center, San Diego, CA). 1994. The Epidemiology of Illness, Injury, and Attrition Among Select U.S. Military Female Populations.

MUSCULOSKELETAL, TREATMENT

- Shaffer RA (Naval Health Research Center, San Diego, CA). 1994. Use of Noninvasive Bone Structural Measurements to Evaluate Stress Fracture Susceptibility among Female Recruits in U.S. Marine Corps Basic Training.

NOISE, HEARING LOSS

- Nixon CW (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Vulnerability of Female Produced Speech in Operational Environments.

NUTRITION

- Cline AD (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Assessment of Iron Status and Dietary Intake of Female Army Soldiers.
- Kepczyk T (Fitzsimmons Army Medical Center, Aurora, CO). 1994. Gastrointestinal Lesions in Iron Deficient Premenopausal Women.
- Westphal KA (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Prevalence of Negative Iron Nutriture and Relationship with Immunocompetence and Fitness Level in U.S. Army Servicewomen.

NUTRITION AND EXERCISE

- McDermott MT (Fitzsimmons Army Medical Center, Aurora, CO). 1994. Assessment of Dietary Calcium Intake, Physical Activity and Habits Affecting Skeletal Health among Premenopausal Military Women.
- Singh A (Uniformed Services University of the Health Sciences, Bethesda, MD). 1994. Micronutrient/Antioxidant Supplementation and Immune Function in Women: Effects of Physiologic Stress.

PERFORMANCE

- Elliott LR (Armstrong Laboratory/CFTO, Brooks Air Force Base, TX). 1994. Gender Composition of High Stress Tactical Decisionmaking Teams: Impact on Team Process and Outcome.
- Flynn C (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Self-Administered Computerized Battery to Assess Psychological Factors in Female Aviators.
- Marcinik EJ (Naval Medical Research Institute, Bethesda, MD). 1994. Gender Differences in Emergency Shipboard Damage-Control Task Performance: Human Factors Solutions.
- Regian JW (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Instructional Interventions for Reductions of Gender Differences in Learning.

PHARMACEUTICAL

- Andersen SL (Walter Reed Army Institute of Research, Washington, DC). 1994. Comparison of the Efficacy and Tolerance of Azithromycin to that of Doxycycline in Prophylaxis against *Plasmodium falciparum* Malaria.
- Caldwell JA (U.S. Army Aeromedical Research Laboratory, Ft. Rucker, AL). 1994. Sustaining Female UH-60 Pilot Performance with Dexedrine During Continuous Operations.
- Comperatore CA (U.S. Army Aeromedical Research Laboratory, Ft. Rucker, AL). 1994. Menstrual Regularity in Rapid Deployment and Night Operations: Can Melatonin Affect Ovulation in Female Personnel?
- Copeland R (U.S. Army Medical Research Unit, Nairobi, Kenya). 1994. Attraction of Malaria Mosquitoes to Women under Different Physiological Conditions.
- Engler RJM (Walter Reed Army Medical Center, Washington, DC). 1994. Protective Immunity to Hepatitis B and *Streptococcus* Pneumonia in Active Duty Women versus Men: Prevalence and Responses to Preventive Immunization.
- Golenda C (Walter Reed Army Institute of Research, Washington, DC). 1994. Efficacy and Duration of Army Extended Duration Topical Insect/Arthropod Repellent (EDTIAR) Formulation on Female Personnel and Attractiveness of Mosquitoes to Females During Different Phases of the Menstrual Cycle.
- Johnson RF (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Effects of Caffeine on Target Detection and Rifle Firing Accuracy of Men and Women during Three Hours of Simulated Sentry Duty.
- Manzo CB (Walter Reed Army Medical Center, Washington, DC). 1994. Comparison of Predicted vs. Actual 24-Hour Measured Creatinine Clearance in Pregnant Females.
- Smoak BL (Walter Reed Army Institute of Research, Washington, DC). 1994. The Effects of Inadvertent Exposure of Mefloquine Chemoprophylaxis on Pregnancy Outcomes and Infants of U.S. Army Servicewomen Returning from Somalia.
- Strickman D (Walter Reed Army Medical Center, Washington, DC). 1994. Antibiotics for Treatment of Scrub Typhus During Pregnancy.
- Tseng J (Walter Reed Army Institute of Research, Washington, DC). 1994. Pathological Reactions of Toxic Shock Syndrome Toxin-1 and Development of a Prototype Vaccine and Treatment Agents.
- Young SA (Walter Reed Army Medical Center, Washington, DC). 1994. Treatment of Premenstrual Dysphoric Disorder with Sertraline During Luteal Phase.

PHYSICAL FITNESS, STRENGTH/ENDURANCE

- Boyea SR. (Walter Reed Army Medical Center, Washington, DC). 1994. Pushup Performance by Women.
- Harman E (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Effects of a Specifically Designed Physical Conditioning Program on the Load Carriage and Lifting Performance of Female Soldiers.
- Harper WH (U.S. Army Research Laboratory). 1994. Investigation of Female Load Bearing Capabilities.

- Knapik J (Army Research Laboratory, Aberdeen Proving Ground, MD). 1994. Strength Training to Improve Women's Lifting Capacity.
- Pokorski TL (Naval Aerospace Medical Research Laboratory, Pensacola, FL). 1994. Performance-based Occupational Strength Testing for Candidate Navy Pilots/Naval Flight Officers.
- Rice V (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Identification of Military Manual Lifting Capabilities.
- Robinson MD (Walter Reed Army Medical Center, Washington, DC). 1994. Muscle Activity and Fatigue during Pushups Performed by Women. An Electromyographic and Cinemagraphic Analysis of Fifteen Muscles.
- Treadwell TA (U.S. Army Research Laboratory, Aberdeen Proving Ground, MD). 1994. The Effects of Sustained Operations on Female Soldier Performance.
- Weisman IM (William Beaumont Army Medical Center, El Paso, TX). 1994. Impact of Smoking on Aerobic and Anaerobic Performance During Upper and Lower Body Exercise in Female Soldiers.

PROTECTIVE CLOTHING AND EQUIPMENT

- Cornum KG (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Urination in Aviation: Evaluation of Urine Collection Equipment for Female Aviators.
- Endrusick TL (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Physiological and Psychological Evaluation of Women Wearing Protective Clothing with Varying Moisture Vapor Transmission Rates (MVTR).
- Gonzalez RR (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Development of a Thermoregulatory Model Specific for Women Exposed to Cold and Heat Stress Wearing Military Clothing.
- Hawley-Bowland C (William Beaumont Army Medical Center, El Paso, TX). 1994. Lady J and Freshette Complete System. A Field Trial for the Active Duty Woman.
- Hodgdon J (Naval Health Research Center, San Diego, CA). 1994. Countermeasure to Heat Stress in Females.
- Licina JR (U.S. Army Aeromedical Research Laboratory, Ft. Rucker, AL). 1994. Female Aviator Anthropometric Clothing and Cockpit Compatibility Assessment.
- Self DA (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. Research Program Leading to Female Acceleration Tolerance Enhancement through Development of Gender-Specific Life Support Equipment.
- Smith SD (Armstrong Laboratory, Wright-Patterson Air Force Base, OH). 1994. Female Seat Cushion Study.

RADIATION

- Stamper DA (Walter Reed Army Institute of Research, U.S. Army Medical Research Unit, Brooks Air Force Base, TX). 1994. The Effects of Laser Glare on Pursuit Tracking Performance with Males and Females in the Field and with a Laboratory Simulator.

RESPONSES TO STRESSORS, OTHER

- Claybaugh JR (Tripler Army Medical Center, Honolulu, HI). 1994. Effects of Time of Day, Age, and Gender on the Ability to Conserve a Water Load.
- Hodgdon J (Naval Health Research Center, San Diego, CA). 1994. Neck and Back Strain Profiles of Rotary-Wing Female Pilots.
- Mayorga MA (Walter Reed Army Institute of Research, Washington, DC). 1994. The Effects of Blast Overpressure (BOP) on Intra-abdominal Organs.
- McCloskey K (Armstrong Laboratory, Wright-Patterson Air Force Base, OH). 1994. Female Performance under High-G during Fatigue and after G-layoff.
- Treadwell TA (U.S. Army Research Laboratory, Aberdeen Proving Ground, MD). 1994. The Effects of Sustained Operations on Female Soldier Performance.

RESPONSES TO STRESSORS, PHYSICAL ACTIVITY

- Kamimori GH (Walter Reed Army Institute of Research, Washington, DC). 1994. Effect of Gender and Time of Cycle (Menstrual) on Hormonal and Endocrine Response, Cognitive Performance, and Mood in Females and Males during Moderate and Heavy Exercise.
- South-Paul JE (Uniformed Services University of the Health Sciences, Bethesda, MD). 1994. The Impact of Physical Activity on Premenstrual Syndrome.

RESPONSES TO STRESSORS, PRESSURE

- Pilmanis AA (Armstrong Laboratory, Brooks Air Force Base, TX). 1994. The Effect of Gender on Susceptibility to Altitude Decompression Sickness.
- Rock PB (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Effect of Menstrual Cycle Hormone Changes on Occurrence of Acute Mountain Sickness (AMS) in Women Exposed to High Terrestrial Altitude.
- Rock PB (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. The Effect of Menstrual Cycle Phase on Physical Work Performance During Exposure to High Terrestrial Altitude.

RESPONSES TO STRESSORS, TEMPERATURE

- Kolka MA (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Non-compensable Heat Stress in Women during Exercise-Heat Exposure.
- Santee WR (U.S. Army Research Institute of Environmental Medicine, Natick, MA). 1994. Casualty Evacuation by Female Litter Teams under Hot-Dry Conditions.

SEXUAL ASSAULT/HARASSMENT

- Bostock DJ (60th Medical Group Army Medical Center, Travis Air Force Base). 1994. Sexual Assault on Active Duty Air Force Women: A Preliminary Study.
- Evans MA (Walter Reed Army Institute of Research, Washington, DC). 1994. Women in the Military: Pregnancy, Command Climate, Organizational Behavior, and Outcomes.
- Rosen LN (Walter Reed Army Institute of Research, Washington, DC). 1994. Integration of Women into Military Units: Impact of Gender Bias and Sexual Harassment.

STDs

- Artenstein AW (Walter Reed Army Institute of Research). 1994. Measurement of HIV-1 Specific Immunologic Responses in the Female Genital Tract and Correlation with Other Contemporaneous Mucosal and Systemic Immune Responses in HIV-1 Infected Women.
- Brodine SK (Naval Health Research Center, San Diego, CA). 1994. Assessment and Intervention for the Reduction of Adverse Gynecologic and Obstetric Clinical Events in Women Aboard Ship.
- Lo S (Armed Forces Institute of Pathology, Washington, DC). 1994. Mycoplasma Infections and Non-gonococcal Urethritis and Pelvic Inflammatory Disease in Women.
- Vahey MT (Walter Reed Army Institute of Research, Washington, DC). 1994. The Natural History of HIV Infection in Women: Evaluation of Viral Load and CD4 Lymphocyte Numbers as Surrogate Markers of Disease Progression.

TOXINS

- Caldwell DJ (Medical Research Development, Wright Patterson Air Force Base, OH). 1994. Protocol for the Identification of Reproductive Toxins Which May Affect Women within the U.S. Department of Defense.